

SIGNAGE

Edition 7



For all your signage requirements




SIGNAGE DIRECTORY

AN INTRODUCTION TO BULL PRODUCTS

Bull Products is an independently owned manufacturer and importer of life-saving products for the construction industry. Our core range of innovative products includes fire protection, fall arrest equipment, environmental products and first aid solutions. Our innovation and expertise in the construction sector has a huge part to play in our incredible growth and success. By interacting closely with our clients, we have been able to deliver solutions to the challenges you face. We provide global service from our headquarters in Hereford which supports partners in Europe, Asia and Australasia. The UK market is supported via depots in London, Edinburgh, Cambridge, Chippenham and Newry (Ireland). Securing your safety is our top priority. It is our aim to inform all our clients of the ever-increasing changes in requirements for health and safety in the work place. Our continued commitment to our clients is supported by ISO 9001, ISO 14001, and OSHAS 18001 Quality, Environmental and Health and Safety certifications, BAFe (British Approval of Fire Equipment) and the Achilles Building Confidence standards.

3 WAYS TO ORDER

1. Visit our website:
www.bullproducts.co.uk/products/signage
2. Email: sales@bullproducts.co.uk
3. Call our main line and ask for the sales team 01432 371170



HOW WE DO BUSINESS

- There will be a £10 packaging and delivery charge on all safety signage orders under £100.
- Standard sign service – same day despatch.
- All orders up to 3pm are despatched the same day.
- Next day before 10am and Saturday deliveries available at extra cost.

Please ask for details at time of order.

TERMS & CONDITIONS ARE AVAILABLE ON OUR WEBSITE: www.bullproducts.co.uk



ENQUIRES – Get in contact with us on 01432 371170, sales@bull-products.co.uk or visit www.bullproducts.co.uk

Featured Products

	Shadow Boards	63
	All Inclusive Gender Toilets	46
	Mental Wellbeing Posters	49
	Bar Signs	50 - 51
	Recycling Signs	58 - 59
	ReFLex Traffic Frame & Signs	103
	Equipment Inspection Posters	127
	Fire Extinguisher Identification	4 - 5
	Sign Post Clips	128
	Equipment Inspection Books	125
	Multi-Purpose Mirrors	69
	Construction Site Notices	112 - 114
	Lock Out Tag Out	71 - 73
	Warehouse Multi-Message Signs	44
	Floor Graphics	74
	Verge Signs	100
	Near Miss Stations	118
	Acrylic Stand-off Signs	54
	Plastic Chain Posts	79
	Terrorism Security Signs	81
	Permits to Work	86
	Poster Frames	90
	Retractable Barriers	78
	Haz Chem ADR Plates	95
	Cone Signs	107
	Spill Kit Stations	60
	6S Signs & Posters	62
	Magnetic Signs	68

Index

134 - 136

Please refer to pages 2-3 for an explanation on how to order. For a comprehensive breakdown of products please see the index at the back of this catalogue.



Fire

- 4-6 Extinguishers
- 6 Alarms
- 7 Equipment
- 8 Personnel
- 9-11 Action
- 12-13 Doors



Emergency Escape

- 14 Directional
- 15 Door Signs
- 16-17 Disabled & Inclusive
- 16 Services and Hospitals
- 17 Large Format
- 18 Marking Strips
- 19 Assembly Points



Prohibition

- 21-22 Smoking
- 22 E-Cigarettes
- 23 Restricted Access
- 24 Vehicles / Machinery
- 25 General Prohibition



Warning

- 26-27 Harmful Substances
- 28-29 Site Safety
- 30 Security
- 30-31 Electrical
- 32 Machinery / Vibration
- 32-33 Labels
- 33 Food Allergies
- 34 Free Standing
- 35 Barriers / Cones



Mandatory

- 36-37 Personal Protective Equipment
- 38 Noise Control
- 39 Machinery / Equipment
- 40 Catering & Hygiene



Multi-Message

- 41 Hazardous Substances
- 42 Flammable Substances
- 43 Machinery / Vehicles
- 44 Factories & Warehouses
- 45 Site Safety



Information

- 46 Amenities
- 47 General Information
- 48 Braille
- 49 Ramps / Wellbeing
- 50-51 Hotels / Bars
- 51-52 Schools
- 53 Adapt-a-Sign



Deluxe

- 54 Stand-offs
- 55 Engraved Signs
- 56 Engraved Tags
- 57 Aluminium / Brass



Janitorial

- 58-59 Recycling & Waste
- 60 Spillages
- 61 Barriers



6S Safety

- 62 Posters
- 63 Shadow Boards



Warehouses

- 64 Multi-Lingual
- 65 Quality Control / Working Loads
- 66 Impact Protection
- 66 Floor Marking
- 67-68 Safety Signs / Marking
- 69 Mirrors
- 70 Pipe Line



LOTO

- 71 Components
- 72 Signs & Tags
- 73 Stations & Kits



Floor Safety

- 74-75 Floor Graphics
- 76 Floor Tapes
- 76-77 Marking & Cables
- 78 Barriers
- 79 Chain Posts



Security

- 80 CCTV
- 81 Security Notices



First Aid

- 82 Personnel
- 83 Safe Conditions



Posters

- 84 First Aid
- 85 Work Safety
- 86 Training
- 87 Regulations
- 88 Electricity / Site Safety
- 89 GHS & Hazardous Substances
- 90-91 Display Frames
- 91 Roller Banners



Hazard

- 92 Substance Labels
- 93 GHS Labels
- 94 GHS & COSHH Information
- 95 Hazchem Plates & Placards
- 96 Hazardous Site
- 96-97 Vehicles



Car Park

- 98-99 Directions / Notices
- 99 Stencils
- 100 Verge Signs
- 101 Speed Ramps & Restrictions



Road Traffic

- 102 Traffic Signs (RA1 & RA2)
- 103 Reflex Frames & Signs (RA1)
- 104 Iron Sign Frames
- 105 Temporary Reflective (RA1)
- 106 Fold Up Signs
- 107 Cone Signs
- 108-109 Non Reflective Site Traffic



Construction

- 110 Multi-Message / Mandatory
- 111 Warning / Prohibition
- 112 Bespoke Multi Message Boards
- 113-114 Multi Message Boards
- 115 Starter Packs
- 116 Posters
- 117 Scaffolding Safety
- 118 Amenities
- 119 Notice Boards
- 120-121 Saver Signs
- 122-123 Multi Message Banners
- 124 Barriers



Good to Go Safety

- 125 Components
- 126 Annual Kits
- 127 Visual Reminders



Fixings

- 128 External Fixings
- 129 Internal Fixings



Custom Made

- 130-131 Standard Special
- 132-133 Custom Special

How to Order

Each product within this catalogue has its own unique product code. To help you to understand the meaning of the code and identify the size and materials available please follow the guidance below:



- 1 3407 **G** **M** **K** **P** | Floor Graphic
- 2 3407 **G** **K** | 400 x 600mm
- 7 3407 **P** | 5 8737
- 8 3407 **K**

This sign is available in four standard material options '1, 2, 7, 8' see table below for material code reference.

The unique design code is '3407'

Each letter identifies available size options which can be found in the table below. Letters in squares represents landscape orientations. Letters in circles represents portrait orientations.

5 codes refer to products with miscellaneous materials / sizes and therefore have the details required beside the code. (e.g. Floor Graphic, code 5 8737)

Step 1

Find the sign you require using the index or contents page.

Step 2

When you find the sign you require, use the **BOLD NUMBERS** (at the start of the code) and using the material grid (our material / size grid is on the bottom right hand corner of every double page spread) find out which materials are available for your chosen sign design.

Step 3

Once you've chosen the required material, choose the required size using the **LETTERS** (at the end of the code).

Our sizes always read as width x height (WxH). Use the grid below (which is on every double page spread) to identify the available size options for your sign of choice. To help choose the best size for your situation you should also take into account the recommended viewing distances for safety signs – please see our viewing distance guide below.


Material Codes	Landscape Sizes			Portrait Sizes		
1 Rigid Plastic	A 100 x 75mm	J 400 x 200mm	U 100 x 100mm	A 75 x 100mm	J 200 x 400mm	U 100 x 100mm
2 Self Adhesive Vinyl	B 80 x 80mm	K 400 x 300mm	V 300 x 150mm	B 80 x 80mm	K 300 x 400mm	V 150 x 300mm
3 Photoluminescent Rigid Plastic	C 150 x 150mm	L 450 x 150mm	W 900 x 600mm	C 150 x 150mm	L 150 x 450mm	W 600 x 900mm
4 Photoluminescent Self Adhesive	D 150 x 100mm	M 600 x 200mm	X 200 x 100mm	D 100 x 150mm	M 200 x 600mm	X 100 x 200mm
5 Miscellaneous	E 200 x 150mm	N 400 x 400mm		E 150 x 200mm	N 400 x 400mm	
6 Aluminium	F 200 x 200mm	P 600 x 400mm		F 200 x 200mm	P 400 x 600mm	
7 Polycarbonate	G 300 x 100mm	Q 600 x 450mm		G 100 x 300mm	Q 450 x 600mm	
8 Quick Fix	H 300 x 250mm	S 200 x 75mm		H 250 x 300mm	S 75 x 200mm	

Step 4

Identify the sign you require and check the size/material options available. Use the pricelist found at the back of the catalogue (or available on request) to find your price. Miscellaneous products (beginning with a 5) are listed on a page-by-page basis beneath the grid.

Viewing Distances

These distances are for guidance only (showing the minimum size sign to use). Please refer to BS ISO 3864-1:2011 for specific calculations.



Material Information

Deciding on your sign message is only the first step. When ordering a sign, thought should also be given to where that sign is going to be displayed. Consider the environment it will be located within – is it internal or external? Is it for display in a warehouse or a prestige hotel? Our guide below will help you to decide which material is best for your location and covers our most popular sign materials – this list is not exhaustive so if you can't see the product you require please contact our sales team and we will be happy to quote in the material of your choice.

1. Rigid Plastic



Easily drilled, white, glossy, rigid PVC plastic. It's lightweight with high impact strength, suitable for internal and external use. Used for Quick Fix signs.

2. Self Adhesive Vinyl



High gloss, flexible PVC with self adhesive backing. Suitable for most smooth, dry and clean surfaces. Ideally suited for indoor signs and warehouse labelling.

3. Rigid Plastic



Rigid PVC with photoluminescent pigmentation (1.2mm thick). After glow properties exceed PSPA 'Class C' Standard. Luminance properties and performance measured to DIN 67510.

4. Self Adhesive Vinyl



Flexible self adhesive PVC with photoluminescent pigmentation. After glow properties exceed PSPA 'Class C' standard. Luminance properties and performance measured to DIN 67510.

5. Miscellaneous Products

Any product outside of our standard choice of material or size ranges. This may include items such as rolls of tape, sign frames or banners, or any sign requiring bespoke designs. It may include products using (but not limited to) the following materials:

Banner PVC



Flame resistant, 440gsm PVC banner for indoor and outdoor applications. Digitally printed for eye catching displays.

Fluted Polypropylene



4mm, ideal for a temporary signage solution. This material is lightweight, waterproof, strong and 100% recyclable.

Synthetic Paper



110gsm high density polyethylene. Highly durable: tear, water and grease resistant. Ideal for eye catching posters.

Foam PVC



Available in 3mm, 5mm or 10mm. Bright white, lightweight & waterproof. Easily drilled for fixing. Ideal for external site safety boards.

Clear Acrylic



5mm, high quality cast acrylic (non-shatter). Good resistance to weather, discolouring and most chemicals. Ideal for prestige signs, 100% recyclable.

Aluminium Composite



3mm, white aluminium skin with a polyethylene core. Lightweight & weather resistant. Ideal for external site safety boards. No scrapage value reduces risk of theft.

Reflective Traffic



Available on various materials (aluminium, zinc & aluminium composite) with a choice of reflective finish. RA1 reflective (engineering grade) for temporary traffic signs. R2 reflective (high intensity) for permanent traffic signs (CE marked).

Tactile & Braille




2-ply ABS material for internal use offers a durable, scratch resistant, glossy surface. 2-ply DR acrylic material for internal or external use offers a durable, scratch resistant surface. Available in various colours and surface finishes. Laser and routing capabilities offer a high quality finish.

6. Aluminium



0.9mm aluminium with gloss white powder coating. Suitable for both internal and external applications. Excellent weathering and UV resistance provides a long-life product.

7. Polycarbonate



2mm transparent, flame retardant polycarbonate. Sub-surface printing prevents damage/vandalism. Extreme high impact resistance

8. Rigid PVC with Adhesive Back



A glossy white rigid PVC surface provides a durable finish, whilst a self adhesive backing removes the need for drilling, screws or additional adhesive fixings.

Fire Extinguisher Identification

The Regulatory Reform (Fire Safety) Order 2005 places responsibility of fire safety on employers to ensure that a fire risk assessment has been conducted to establish fire risks and that appropriate actions are taken to reduce them. Failure to comply could lead to severe legal penalties.

Under the Regulatory Reform (Fire Safety) Order 2005, any non-automatic fire fighting equipment should be positioned and signed in accordance with BS EN ISO 7010:2012 to ensure maximum levels of comprehension. By positioning an appropriate fire equipment sign at a height between 1.7m - 2m from the floor it helps to locate and identify essential fire equipment in the event of its viewing being obscured by furnishings in the room.



 <p>WATER</p> <p>SAFE FOR: Wood, paper and textiles</p> <p>NOT FOR: Flammable liquid fires, Live electrical equipment, Flammable METAL fires</p>	<p>1 1214 © 2 1214 © 3 1214 © 4 1214 © 8 1214 ©</p> <p>Aluminium 75 x 200mm 5 9186</p> <p>Brass 75 x 200mm 5 9182</p>	 <p>CARBON DIOXIDE</p> <p>SAFE FOR: Flammable liquids, Live electrical equipment</p> <p>NOT FOR: Flammable gases, Live electrical equipment, Do not operate in confined space</p>	<p>1 1217 © 2 1217 © 3 1217 © 4 1217 © 8 1217 ©</p> <p>Aluminium 75 x 200mm 5 9184</p> <p>Brass 75 x 200mm 5 9180</p>	 <p>WET CHEMICAL</p> <p>SAFE FOR: Cooking oils and deep fat fires, Wood, paper and textiles, Live electrical equipment</p> <p>NOT FOR: Flammable liquids, Flammable gases, Live electrical equipment</p>	<p>1 1231 © 2 1231 © 3 1231 © 4 1231 © 8 1231 ©</p>	 <p>FOAM BRANCH PIPE</p> <p>SAFE FOR: Wood, paper and textiles, Live electrical equipment</p> <p>NOT FOR: Flammable liquids, Live electrical equipment, Flammable METAL fires</p>	<p>1 1219 © 2 1219 © 3 1219 © 4 1219 © 8 1219 ©</p>
--	---	---	---	--	---	---	---

 <p>ABC POWDER</p> <p>SAFE FOR: Wood, paper and textiles, Flammable liquids, Gaseous fires, Live electrical equipment</p>	<p>1 1216 © 2 1216 © 3 1216 © 4 1216 © 8 1216 ©</p> <p>Aluminium 75 x 200mm 5 9183</p> <p>Brass 75 x 200mm 5 9179</p>	 <p>FOAM SPRAY</p> <p>SAFE FOR: Wood, paper and textiles, Flammable liquids, Live electrical equipment</p> <p>NOT FOR: Flammable gases, Live electrical equipment, Flammable METAL fires</p>	<p>1 1215 © 2 1215 © 3 1215 © 4 1215 © 8 1215 ©</p> <p>Aluminium 75 x 200mm 5 9183</p> <p>Brass 75 x 200mm 5 9179</p>	 <p>L2 POWDER</p> <p>SAFE FOR: Flammable METAL fires (inc. Lithium)</p> <p>NOT FOR: Wood, paper and textiles, Flammable liquids, Flammable gases</p>	<p>1 1242 © 2 1242 © 3 1242 © 4 1242 © 8 1242 ©</p>	 <p>ALCOHOL RESISTANT FOAM</p> <p>SAFE FOR: Wood, paper and textiles, Flammable liquids, Live electrical equipment</p> <p>NOT FOR: Live electrical equipment, Flammable METAL fires</p>	<p>1 1244 © 2 1244 © 3 1244 © 4 1244 © 8 1244 ©</p>
--	---	---	---	---	---	--	---



See page 54 for our full range

 <p>WATER</p>	<p>1 1237 DE 2 1237 DE 3 1237 DE 4 1237 DE 8 1237 DE</p> <p>Frosted Acrylic 200 x 150mm 5 1237</p> <p>Photolum Acrylic 200 x 150mm 5 1253</p>
---	---

 <p>FOAM SPRAY</p>	<p>1 1234 DE 2 1234 DE 3 1234 DE 4 1234 DE 8 1234 DE</p> <p>Frosted Acrylic 200 x 150mm 5 1234</p> <p>Photolum Acrylic 200 x 150mm 5 1255</p>
--	---

 <p>WET CHEMICAL</p>	<p>1 1236 D 2 1236 D 3 1236 D 4 1236 D 8 1236 D</p> <p>Frosted Acrylic 200 x 150mm 5 1233</p> <p>Photolum Acrylic 200 x 150mm 5 1256</p>
--	--

 <p>ABC POWDER</p>	<p>1 1233 DE 2 1233 DE 3 1233 DE 4 1233 DE 8 1233 DE</p> <p>Frosted Acrylic 200 x 150mm 5 1233</p> <p>Photolum Acrylic 200 x 150mm 5 1256</p>
--	---

 <p>CARBON DIOXIDE</p>	<p>1 1235 DE 2 1235 DE 3 1235 DE 4 1235 DE 8 1235 DE</p> <p>Frosted Acrylic 200 x 150mm 5 1235</p> <p>Photolum Acrylic 200 x 150mm 5 1254</p>
--	---

 <p>L2 POWDER</p>	<p>1 1241 D 2 1241 D 3 1241 DE 4 1241 D 8 1241 D</p> <p>Frosted Acrylic 200 x 150mm 5 1240</p>
---	--

 <p>ALCOHOL RESISTANT FOAM</p>	<p>1 1245 D 2 1245 D 3 1245 D 4 1245 D 8 1245 D</p> <p>Frosted Acrylic 200 x 150mm 5 1240</p>
--	---

 <p>HYDROSPRAY</p>	<p>1 1240 D 2 1240 D 3 1240 DE 4 1240 DE 8 1240 DE</p> <p>Frosted Acrylic 200 x 150mm 5 1240</p>
--	--



Fire Extinguisher Signs

1 1005 E 2 1005 E	1 1006 E 2 1006 E	1 1004 E 2 1004 E	1 1030 E 2 1030 E	1 1009 E K 2 1009 E K	1 1013 E K H 2 1013 E K H 3 1013 E K 4 1013 E K 8 1013 E
2 1038 E	2 1046 E	1 1001 X 2 1001 X	1 1222 E 2 1222 E	1 1021 C 2 1021 C	1 1018 C U 2 1018 C U 3 1018 C U 4 1018 C U 8 1018 C U

Braille
175 x 225mm
5 6179

Aluminium
175 x 175mm
5 9103

Brass
175 x 175mm
5 9102

English & Polish

1 1058 E 2 1058 E	1 1074 E 2 1074 E	1 1239 S 2 1239 S	1 1243 S 2 1243 S	1 1056 V 2 1056 V	1 1055 V

Fit this sign behind the extinguisher. It is there to highlight when an extinguisher has been removed and not replaced.

To identify locations of fire extinguishers from several viewing angles, use projecting signs. Supplied ready to install with a drilling guide.

Rigid Plastic 150 x 200mm 5 8002 | Photo Rigid 150 x 200mm 5 8011

Fire Extinguisher Information Board

Display this sign on a notice board or communal area to give staff general information on extinguishers. Do not place directly above extinguishers.

Types of Modern Fire Extinguishers

WATER	FOAM SPRAY	ABC POWDER	CARBON DIOXIDE	WET CHEMICAL	HYDRO SPRAY
A SAFE FOR: Wood, paper and textiles B NOT FOR: Flammable liquid fires C NOT FOR: Live electrical equipment D NOT FOR: Flammable METAL fires	A SAFE FOR: Wood, paper and textiles B SAFE FOR: Flammable liquids C SAFE FOR: Gaseous fires D NOT FOR: Live electrical equipment METAL NOT FOR: Flammable METAL fires	A SAFE FOR: Wood, paper and textiles B SAFE FOR: Flammable liquids C SAFE FOR: Gaseous fires D NOT FOR: Live electrical equipment METAL NOT FOR: Flammable METAL fires	B SAFE FOR: Flammable liquids A SAFE FOR: Live electrical equipment NOTICE Do not operate within confined space	F SAFE FOR: Cooking oils and deep fat fires A SAFE FOR: Wood, paper and textiles NOT FOR: Flammable liquids NOT FOR: Live electrical equipment NOT FOR: Flammable gases NOT FOR: Flammable METAL fires	A SAFE FOR: Wood, paper and textiles B NOT FOR: Flammable liquid fires C NOT FOR: Live electrical equipment D NOT FOR: Flammable METAL fires

Pocket Guides

Semi-Rigid PVC - 75 x 90mm - Pack of 10

5 8101 | 5 8120

Fire Extinguisher Location Boards

Extinguisher bracket (not supplied) should be fixed through the panel and onto the wall.

	3mm Foam PVC 450 x 900mm		Specify the two required extinguisher IDs when ordering.
Choose from	Water 5 8014		
	Foam Spray 5 8015		
	ABC Powder 5 8016		
	Carbon Dioxide 5 8017		
			3mm Foam PVC 900 x 900mm 5 8020

Select relevant self adhesive extinguisher ID from page 4 and apply to top of board in the space provided. Extinguisher ID sign & bracket not included

Apply a Self Adhesive 150 x 100 ID sign



3mm Foam PVC 300 x 800mm 5 1028 | Photo Foam PVC 300 x 800mm 5 1029

Material Codes				Landscape Sizes		Portrait Sizes	
1 Rigid Plastic	5 Miscellaneous	C 150 x 150mm	G 300 x 100mm	E 150 x 200mm	S 75 x 200mm		
2 Self Adhesive Vinyl	6 Aluminium	D 150 x 100mm	L 450 x 150mm	H 250 x 300mm	V 150 x 300mm		
3 Photoluminescent Rigid Plastic	7 Polycarbonate	E 200 x 150mm	U 100 x 100mm	K 300 x 400mm	X 100 x 200mm		
4 Photoluminescent Self Adhesive	8 Quick Fix						







Rolls of Labels

• Roll of 100 • Self Adhesive Vinyl • 100 x 100mm

Self adhesive labels are supplied ready cut to peel off and apply. Conveniently supplied on rolls of 100, easy to store and easy to use. If you cannot find the label you need we will be happy to quote for your requirements. Please contact our sales desk for further details.



Extinguisher Vehicle Marking

Face self adhesive for application to the inside of a window.



Self Adhesive
300 x 50mm
5 8060


Extinguisher Inspection Tag



BS5306 recommends a monthly inspection of all fire extinguishers. This tag should be attached to the extinguisher.


Matt PVC
50 x 80mm - Pack of 10
5 8108

Fire Alarm Signs




- 1 1017 **BCU**
- 2 1017 **BCU**
- 3 1017 **CUU**
- 4 1017 **CUU**
- 8 1017 **CUU**

Aluminium
175 x 175mm
5 9105
Brass
175 x 175mm
5 9104



- 1 1010 **E K**
 - 2 1010 **E K**
 - 3 1010 **E K**
 - 4 1010 **E**
 - 8 1010 **E K**
- Braille
150 x 225mm
5 6178



- 1 1011 **E K**
- 2 1011 **E K**
- 3 1011 **E K**
- 4 1011 **E**
- 8 1011 **E K**

Adapt-a-Sign




A cost effective sign, allowing you to change the sign to manage any changes in personnel details.

3mm PVC
Holds A4 Sheet
215 x 310mm
5 1043



1 1025 **G L**



1 1040 **G L**



1 1039 **E**



1 1051 **H**

English & Polish



1 1057 **E**
2 1057 **E**



1 1002 **X**
2 1002 **X**



1 1041 **B**
2 1041 **B**



1 1031 **X**
2 1031 **X**
3 1031 **X**
4 1031 **X**

Desktop Sign



This desktop sign is ideal for reception areas to inform staff and visitors of planned fire alarm tests. Write the time of the test in the space and display when required.

Rigid Plastic
Face 300 x 210mm
5 8062

Projecting Sign



5 8003

To identify locations of fire alarms from several viewing points, use our projecting sign. Supplied ready to install with a drilling guide.

Rigid Plastic
150 x 200mm
5 8003
Photo Rigid
150 x 200mm
5 8009



Fine Line
Marker Pen
5 3430

Fire Hose Signs




1 1221 **S**
2 1221 **S**




1 1007 **E K**
2 1007 **E**
3 1007 **E**
4 1007 **E**



1 1221 **D**
2 1221 **D**
3 1221 **D E**
4 1221 **E**



1 1073 **E**
2 1073 **E**
3 1073 **E**
4 1073 **E**



1 1072 **E**
2 1072 **E**
3 1072 **E**
4 1072 **E**



1 1019 **C**
2 1019 **C**



2 1016 **C**



1 1024 **G**
2 1024 **G**



Fire Equipment Signs



Projecting Sign
150 x 200mm
Ready to install
5 8040



1 1067 **E** **K**
2 1067 **E** **K**



1 1012 **E**
2 1012 **E**



1 1246 **D** **E**
2 1246 **D** **E**
3 1246 **D** **E**
4 1246 **D** **E**
8 1246 **D** **E**



1 1027 **E**
2 1027 **E**



1 1218 **S**
2 1218 **S**
3 1218 **S**
4 1218 **S**
8 1218 **S**

Aluminium
75 x 200mm
5 9185

Brass
75 x 200mm
5 9181

Fire Point



1 1048 **H**



1 1049 **H**



1 1032 **E** **K**
2 1032 **E** **K**



1 1014 **E** **K** **H**
2 1014 **E** **K** **H**
3 1014 **E** **K**
4 1014 **E** **K**
7 1014 **E** **K**
8 1014 **E** **K**



1 1026 **G** **L**
2 1026 **G** **L**

Self Adhesive Numbers
Sheet of 10 - 25mm Height

0	1	2	3	4	Black Text	5 8201
5	6	7	8	9	White Text	5 8202

Projecting Signs



To identify locations of fire points from several viewing angles, use our EasiFIX projecting sign. Ready to install with drilling guide.

Rigid Plastic
150 x 200mm
5 8004

Photo Rigid
150 x 200mm
5 8013

Fire Systems



1 1232 **S**
2 1232 **S**



1 1204 **S**
2 1204 **S**



1 1068 **E**



5 1212
Rigid PVC
178 x 203mm



1 1103 **E**
2 1103 **E**



1 1105 **E**
2 1105 **E**



1 1020 **G**

Fire Safety Training



Essential fire safety information. Including fire prevention, evacuation procedures and how to tackle small fires.

Fire Safety Poster
A2 Laminated
420 x 594mm
5 8169

An introduction to fire safety; Fire prevention; Extinguishing fires at work; Fire evacuation.



Fire Safety DVD
32 minutes long
5 6056



Fire Safety Booklet that covers essential information on: How fires start; Preventing a fire starting and spreading; Evacuation procedures; Tackling small fires; Fire safety checklist; Fire safety legislation and the do's and don'ts in a fire situation. Includes a questionnaire and certificate.



A5 x 26 Pages
5 8168

Material Codes		Landscape Sizes			Portrait Sizes	
1 Rigid Plastic	5 Miscellaneous	E 80 x 80mm	E 200 x 150mm	L 450 x 150mm	E 150 x 200mm	S 75 x 200mm
2 Self Adhesive Vinyl	6 Aluminium	C 150 x 150mm	G 300 x 100mm	U 100 x 100mm	H 250 x 300mm	X 100 x 200mm
3 Photoluminescent Rigid Plastic	7 Polycarbonate	D 150 x 100mm	H 300 x 250mm		K 300 x 400mm	Custom available
4 Photoluminescent Self Adhesive	8 Quick Fix					



Fire Warden / Marshal Signs



1 1035 (E)
2 1035 (E)
Adapt-a-Sign
Holds A4 Sheet
215 x 310mm
5 1035



1 1053 (H)
2 1053 (H)
Adapt-a-Sign
Holds A4 Sheet
215 x 310mm
5 1053



1 1052 (H)
2 1052 (H)
Adapt-a-Sign
Holds A4 Sheet
215 x 310mm
5 1052



Adapt-a-Sign
Holds A4 Sheet
215 x 310mm
5 6079

Full range of Adapt-a-Signs on page 53



Fire Warden Station
Assists Fire Wardens to discharge their responsibilities. Aid both wardens and evacuees.

Clear acrylic A4 holders incorporated to retain relevant fire documents (Fire Log Book sold separately).

Fire Warden Station
5mm Photolum
900 x 600mm
5 8045



1 1037 (E)
2 1037 (E)
Adapt-a-Sign
Holds A4 Sheet
215 x 310mm
5 1037



1 1036 (E)
2 1036 (E)



1 1034 (G)




1 1061 (G)



1 1062 (E)
2 1062 (E)



1 1065 (H)
2 1065 (H)



1 1064 (H)
2 1064 (H)



1 1060 (E)
2 1060 (E)



1 1063 (E)
2 1063 (E)



Reflective Armbands


Enables staff and site visitors to quickly identify fire personnel. Adjustable hook and loop fastening. One size fits all, can be adjusted to fit 90 - 130mm dia.



5 6449

5 6448

Fire Log Book



Maintaining a fire log book is considered good practice. It is used to demonstrate that fire safety responsibilities in the workplace are being managed effectively. Maintaining a log book also provides fire engineers with a full service history.

Record details, times and dates of servicing and inspections in line with BS 5839-1: 2013.
5 8061



Fire Safety Sign Kits

Manufactured from rigid plastic, this kit contains our best selling fire signs.




- 3 x Fire exit - left (300 x 100mm)
- 2 x Fire exit - straight on (300 x 100mm)
- 2 x Fire exit - keep clear (300 x 100mm)
- 3 x Fire extinguisher (300 x 100mm)
- 2 x Your assembly point is (150 x 50mm)
- 3 x Fire exit - right (300 x 100mm)
- 2 x Push bar to open (300 x 100mm)
- 2 x Fire alarm (300 x 100mm)
- 1 x Fire assembly point (450 x 600mm)
- 3 x EEC fire action (150 x 200mm)
- 3 x Fire door keep closed 65mm diameter - sheet of 6 (self-adhesive vinyl)

Code: 5 1724

Fire Safety Posters

• Synthetic paper • 510 x 760mm



5 8189



5 9820

Eye catching fire safety posters made of tough, durable wipe-clean synthetic paper. See pages 84 - 90 for our full range of safety posters.



Fire Action

LIFT
DM

Fire Action
Any person discovering a fire
1. Sound the alarm.
2. Phone _____ to call the fire brigade.
3. Attack the fire if possible using the appliances provided.
On hearing the fire alarm
4. Leave the building by _____ route.
5. Close all doors behind you.
6. Report to assembly point.

1 1432 (E)(H)
2 1432 (E)(H)
3 1432 (E)(H)
4 1432 (E)(H)
8 1432 (E)(H)

Adapt-a-Sign
Holds A4 Sheet
215 x 310mm
5 1432

Do not take risks.
Do not return to the building for any reason until authorised to do so.
Do not use lifts.

LIFT
DM

Fire alarm

Fire Action
Any person discovering a fire
1. Sound the alarm.
2. Phone _____ to call the fire brigade.
3. Attack the fire if possible using the appliances provided.
On hearing the fire alarm
4. Leave the building by _____ route.
5. Close all doors behind you.
6. Report to assembly point.

1 1426 (E)(H)
2 1426 (E)(H)
3 1426 (E)(H)
4 1426 (E)(H)
8 1426 (E)(H)

Do not take risks.
Do not return to the building for any reason until authorised to do so.
Do not use lifts.

LIFT
DM

Fire action
if you discover a fire

Operate nearest fire alarm point

Call the Fire brigade by telephoning 999

Leave the building by the nearest exit.

Report to your assembly point at _____

Do not stop to collect personal belongings

Do not use lift

1 1419 (E)(H)
2 1419 (E)(H)
3 1419 (E)(H)
4 1419 (E)(H)
8 1419 (E)(H)

Aluminium
150 x 200mm
5 9538

Brass
150 x 200mm
5 9539

LIFT
DA

Fire action
if you discover a fire

Operate nearest fire alarm point

Fire Brigade will be called automatically.

Leave the building by the nearest exit.

Report to your assembly point at _____

Do not stop to collect personal belongings

Do not use lift

1 1428 (E)(H)
2 1428 (E)(H)
3 1428 (E)(H)
4 1428 (E)(H)
8 1428 (E)(H)

DM

Fire Action

1. Operate nearest fire alarm.

2. Leave building by the nearest exit.

3. Report to assembly point.

1 1405 (E)(H)
2 1405 (E)(H)
3 1405 (E)(H)
4 1405 (E)(H)
7 1405 (E)
8 1405 (E)

DA

Fire action
if you discover a fire

Operate nearest fire alarm point

Fire Brigade will be called automatically.

Leave the building by the nearest exit

Report to your assembly point at _____

Do not stop to collect personal belongings

1 1429 (E)(H)
2 1429 (E)(H)
3 1429 (E)(H)
4 1429 (E)(H)
8 1429 (E)

DM

Fire Action

If you discover a fire
1. Immediately operate nearest alarm call-point.
2. Attack the fire, if possible, with fire appliances provided but without taking personal risks.
On hearing alarm of fire
3. The _____ will call the fire brigade immediately by exchange telephone.
(a) Lift receiver and dial 999.
(b) Give operator your telephone number and ask for Fire.
(c) When fire brigade replies give call district.
Fire at _____
Do not replace receiver until address has been repeated by fire brigade.
Call the brigade immediately to every fire or on suspicion of fire.
4. Leave building and report to person in charge of assembly point _____
5. The _____ will take charge of any evacuation and ensure that no one is left in the building.
Use nearest available exit.
Do not stop to collect personal belongings.
Do not re-enter building.

1 1401 (E)(H)
2 1401 (E)(H)
3 1401 (E)(H)
4 1401 (E)
8 1401 (E)(H)

DM

Fire alarm

Fire Action
Any person discovering a fire
1. Sound the alarm.
2. Phone _____ to call the fire brigade.
3. Attack the fire if possible using the appliances provided.
On hearing the fire alarm
4. Leave the building by _____ route.
5. Close all doors behind you.
6. Report to assembly point.

1 1427 (E)(H)
2 1427 (E)(H)
3 1427 (E)(H)
4 1427 (E)
8 1427 (E)

Do not take risks.
Do not return to the building for any reason until authorised to do so.

LIFT
DM

Fire Action

If you discover fire
(a) Immediately operate nearest alarm call point
On hearing alarm of fire
(b) The _____ will call the fire brigade
(c) Do not stop to collect personal belongings
(d) Leave by nearest available exit
(e) Proceed to assembly point situated at _____ and report to person in charge

Do not use lifts
Do not re-enter building until you are told it is safe to do so.

1 1403 (E)(H)
2 1403 (E)(H)
3 1403 (E)(H)
4 1403 (E)
8 1403 (E)

LIFT
DM

Fire Action

If you discover a fire
1. Immediately operate nearest alarm call-point.
2. Attack the fire, if possible, with fire appliances provided but without taking personal risks.
On hearing alarm of fire
3. The _____ will call the fire brigade immediately by exchange telephone.
(a) Lift receiver and dial 999.
(b) Give operator your telephone number and ask for fire.
(c) When fire brigade replies give call district.
Fire at _____
Do not replace receiver until address has been repeated by fire brigade.
Call the brigade immediately to every fire or on suspicion of fire.
4. Leave building and report to person in charge of assembly point _____
Use nearest available exit.
Do not use lift.
Do not stop to collect personal belongings.
Do not re-enter building.

1 1402 (E)(H)
2 1402 (E)(H)
3 1402 (E)(H)
4 1402 (E)
8 1402 (E)

DM

Fire Action
Any person discovering a fire
1. Sound the alarm
2. Phone _____ to call the fire brigade
3. Attack the fire if possible using the appliances provided
On hearing the fire alarm
4. Leave the building by _____ route
5. Close all doors behind you
6. Report to assembly point

1 1423 (E)(H)
2 1423 (E)(H)
3 1423 (E)(H)
4 1423 (E)(H)
8 1423 (E)(H)

Adapt-a-Sign
Holds A4 Sheet
215 x 310mm
5 1423

Do not take risks
Do not return to the building for any reason until authorised to do so

DM

Fire action
if you discover a fire

Operate nearest fire alarm point

Call the Fire brigade by telephoning 999

Leave the building by the nearest exit

Report to your assembly point at _____

Do not stop to collect personal belongings

1 1420 (E)(H)
2 1420 (E)(H)
3 1420 (E)(H)
4 1420 (E)(H)
8 1420 (E)

A5 - Rigid PVC
5 8318

A5 - Self Adhesive
5 8319

LIFT Lift in the Building

DA Fire Service Dialed Automatically

DM Fire Service Dialed Manually

Material Codes				Landscape Sizes		Portrait Sizes	
1 Rigid Plastic	3 Photoluminescent Rigid Plastic	5 Miscellaneous	7 Polycarbonate	E 200 x 150mm	E 150 x 200mm	H 250 x 300mm	
2 Self Adhesive Vinyl	4 Photoluminescent Self Adhesive	6 Aluminium	8 Quick Fix	G 300 x 100mm		Custom available	



Fire Action

Multi-Lingual

<p>English, Polish</p> <p>1 1440 (E) (H) 2 1440 (E) (H) 3 1440 (E) 4 1440 (E)</p>	<p>English, French, German</p> <p>1 1435 (E) (H) 2 1435 (E) (H) 3 1435 (E) (H)</p>	<p>English, Polish</p> <p>1 1441 (E) (H) 2 1441 (E) (H)</p>
<p>English, French, German</p> <p>1 1436 (E) 2 1436 (E) 3 1436 (E) (H) 4 1436 (E)</p>	<p>English, French, German</p> <p>1 1437 (E) (H) 2 1437 (E) (H) 3 1437 (E) (H)</p>	<p>English, French, German</p> <p>1 1424 (H) 2 1424 (H)</p>

EasiFIX Fire Action • 150 x 330mm • Pop-out aperture (100 x 100mm) • Two signs in one

Fire action EasiFIX Kits are manufactured from a self adhesive photoluminescent material with aperture to accommodate regulation size fire alarm call points. Simply pop out the call point symbol and apply the main sign over the call point box then position the "popped out" symbol on the wall above the call point at a height of between 1.7 and 2 metres from the floor.

	<p>DA</p> <p>5 8220</p>	<p>DA LIFT</p> <p>5 8221</p>	<p>DM LIFT</p> <p>5 8222</p>	<p>DM</p> <p>5 8223</p>	<p>DM</p> <p>5 8224</p>	<p>DM LIFT</p> <p>5 8225</p>
--	-------------------------	------------------------------	------------------------------	-------------------------	-------------------------	------------------------------

Lift Warnings

<p>1 1213 (E) (H) 2 1213 (E) (H) 3 1213 (E) 4 1213 (E) 8 1213 (E)</p>	<p>1 1220 (E) (H) 2 1220 (E) (H) 3 1220 (E) 4 1220 (E) 8 1220 (E)</p>	<p>1 1248 (E) (H) 2 1248 (E) (H) 3 1248 (E) (H) 4 1248 (E) (H) 8 1248 (E) (H)</p>
---	---	---

Fire Action

Staff Fire Action Routine

- Operate nearest fire alarm point
- Call the Fire Brigade
- Fight the fire, if safe and trained to do so
- Evacuate the building via the nearest exit
- Do not stop to collect personal belongings

1 1439 (E)(H)
2 1439 (E)(H)
3 1439 (E)(H)
4 1439 (E)(H)
8 1439 (E)(H)

Gas Leak Action

Any person discovering a gas leak

1. Extinguish all naked flames and cigarettes.
2. Turn off the supply at the control valve.
3. Open all windows.
4. Call gas emergency on: _____

If the escape persists:

5. Evacuate building immediately.
6. Report to the external assembly point, Assembly point: _____

Do not search with naked lights.
Do not operate any electrical switch, light or appliance.
Do not turn gas back on until the escape has been repaired.

1 1431 (E)(H)
2 1431 (E)
3 1431 (E)

Refuge action

In the event of fire:

This refuge provides fire and smoke protection for approximately _____ minutes. The evacuation plan in operation within these premises ensures that assistance will arrive at this point within _____ minutes.

You are located on _____ Building _____

Disabled persons should:

1. Remain calm
2. Wait here until assistance arrives

1. Do not attempt to leave the building unassisted
2. Do not leave this point even temporarily

1 1430 (E)(H)
2 1430 (E)(H)
3 1430 (E)(H)

*** For caravan sites**

On discovering a fire-

- (a) Ensure the caravan or site building involved is evacuated.
- (b) Raise the alarm.
- (c) Call the fire brigade. The nearest telephone is sited _____
- (d) Attack the fire using the fire fighting equipment provided.

It is the interest of all occupiers of the site to be familiar with the above routine and the method of operating the fire alarm and fire fighting equipment.

1 1404 (E)
2 1404 (E)

In case of fire

If you discover a fire:-

1. Operate the fire alarm by breaking the glass. The alarm will sound automatically.
2. Fill the receiver and dial 999.
3. Give the operator your number and ask for the Fire Brigade
4. When the Fire Brigade answer say distinctly:-
"Fire at" _____

Do not put the receiver down until the Fire Brigade have repeated the address.

5. Wait in a safe area until the Fire Brigade arrive and tell them where the fire is.

1 1422 (E)
2 1422 (E)

*** For car parks**

1. Call Fire Brigade immediately

2. Proceed to nearest available exit

3. Do not return to your vehicle

1 7565 (A)
2 1406 (E)
3 1406 (E)

1. Lift receiver and dial 999.

2. Give operator your telephone number and ask for fire.

3. When the brigade replies give call details.

Fire at _____

Do not replace receiver until address has been repeated by the operator.

Call the brigade immediately to verify the or on suspension of fire.

1 1406 (E)
2 1406 (E)

Residential Fire Action

A house of multiple occupancy (HMO) have strict regulations for fire safety and must always have a fire action plan in place.

Fire action

Anyone who discovers a fire:-

1. Operate the nearest fire alarm system.
2. Call the fire brigade.
3. Do not leave any flats, but if you can, check the fire with the equipment provided.
4. Immediately close a door on the fire if you can, and close all other doors on your floor.
5. Leave the building by the nearest outside exit.

Evacuate the building by the nearest outside exit, closing all doors behind you, and report to the assembly point.

Do not use the lift.

Do not use the fire alarm system to report a fire.

Do not use the fire alarm system to report a fire.

Do not use the fire alarm system to report a fire.

1 1418 (E)(H)
2 1418 (E)(H)
3 1418 (E)
4 1418 (E)

Fire Action

The person discovering a fire will:-

- Operate the nearest fire alarm. (The fire brigade is to be called immediately)
- On hearing the fire alarm by night:-
Put on dressing gown and house shoes, Do not stop to dress fully. Ensure that others in your room are awake. Go to the place of assembly, shutting all doors behind you.

By day:-
Go at once to the place of assembly. At all times - Act quickly.

Do not stop to collect your personal belongings. Do not attempt to pass others on your way to the place of assembly.

The Place of Assembly is _____

1 1416 (E)(H)
2 1416 (E)(H)
3 1416 (E)
4 1416 (E)

Keep escape routes clear

Check the safety of your escape routes. Do not use them as a store for your belongings. Do not use them as a store for your belongings. Do not use them as a store for your belongings.

Do not leave rubbish or obstacles outside your flat. Do not use the fire escape. Do not use the fire escape. Do not use the fire escape.

Do not obstruct or interfere with the fire escape. Do not use the fire escape. Do not use the fire escape.

Keep communal areas free of obstruction at all times. Dispose of all rubbish accordingly.

Do not obstruct these areas code:-
- Block people down during emergency evacuations
- Catch fire and exit smoke which could be toxic
- Prevent firefighters from moving around safely and efficiently during an emergency

1 1415 (E)(H)
2 1415 (E)(H)

*** Stay put policy**

Fire Action

If fire breaks out in your flat:-

1. Leave the room where the fire is straight away, then close the door.
2. Tell everyone in your flat and get them to leave.
3. Close the fire door and return to the room.
4. Do not stay behind to put the fire out.
5. If there is a lift - Do not use.
6. Raise the alarm by using a "break glass" call point.
7. Wait outside, away from the building.
8. Call the fire service - dial 999 or 112.

If you see or hear of a fire in another part of the building:-

1. The building is designed to contain a fire in the flat where it starts.
2. This means it will usually be safe for you to stay in your own flat if the fire is elsewhere.
3. You must also leave immediately if smoke or heat affects your room, or if you are told to leave by the fire services.
4. If there is a lift - Do not use.
5. If you are in doubt - get out.

To call the fire services:-

1. Dial 999 or 112.
2. When the operator answers, give your telephone number and ask for fire.
3. Within the fire service reply, give the address where the fire is.
4. Do not end the call until the fire service has repeated the address correctly.

1 1438 (E)(H)
2 1438 (E)(H)
3 1438 (E)(H)
4 1438 (E)(H)
8 1438 (E)(H)

Fire action if you discover a fire

- Operate nearest fire alarm point
- Fire Brigade will be called automatically.
- Leave the building by the nearest exit.
- Report to assembly point
- Do not stop to collect personal belongings
- Do not use lift

1 1408 (E)(H)
2 1408 (E)(H)
3 1408 (E)(H)
4 1408 (E)(H)
8 1408 (E)(H)

Brass
150 x 200mm
5 9529

Aluminium
150 x 200mm
5 9528

Fire Action

If the fire breaks out in your accommodation:-

1. Leave the room where the fire is straight away and close the door behind you.
2. Do not stay behind to put the fire out or to collect personal belongings.
3. Raise the alarm by using a "break glass" call point.
4. Wait outside the assembly point located at: _____

If you see or hear of a fire in another part of the building:-

1. Leave the building by the nearest exit.
2. Raise the alarm by using a "break glass" call point.
3. Call the fire and rescue service.
4. Wait outside, away from the building of the assembly point.
5. You must also leave immediately if you hear the alarm.

To call the fire and rescue service:-

- Dial 999 or 112
- When the operator answers, give your telephone number and ask for fire
- When the fire and rescue service reply, give the address where the fire is
- Do not end the call until the fire and rescue service has repeated the address correctly.

1 1414 (E)(H)
2 1414 (E)(H)
3 1414 (E)(H)
4 1414 (E)(H)
8 1414 (E)(H)

LIFT Lift in the Building

DA Fire Service Dialed Automatically

DM Fire Service Dialed Manually

Material Codes				Landscape Sizes		Portrait Sizes
1 Rigid Plastic	3 Photoluminescent Rigid Plastic	5 Miscellaneous	7 Polycarbonate	E 200 x 150mm	G 600 x 450mm	(E) 150 x 200mm
2 Self Adhesive Vinyl	4 Photoluminescent Self Adhesive	6 Aluminium	8 Quick Fix	F 200 x 200mm	Custom available	(H) 250 x 300mm

Fire Door Signs

Every fire door should have an appropriate "Fire door keep shut" sign fitted. Where doors can be used from either side a sign is required on both sides. Doors which open on to a fire escape corridor should be locked shut and signed accordingly.



Fire door keep shut

1 1610 **B U**
 2 1610 **B U**
 3 1610 **B**
 4 1610 **B**
 7 1610 **B**
 8 1610 **B**

Aluminium
 70 x 70mm
 5 9075

Double Sided
 Self Adhesive
 100 x 100mm
 5 9247

Fire exit keep clear

1 1606 **F N B**
 2 1606 **F N B**
 3 1606 **B F**
 4 1606 **B F**
 7 1606 **F**
 8 1606 **B**

Double Sided
 Self Adhesive
 100 x 100mm
 5 9246

Fire escape keep clear

1 1605 **F N U**
 2 1605 **F N U**
 3 1605 **B**
 4 1605 **B**
 8 1605 **F B**

Double Sided
 Self Adhesive
 100 x 100mm
 5 9248



Automatic fire door keep clear

1 1618 **B U**
 2 1618 **B U**
 3 1618 **B**
 4 1618 **B**
 8 1618 **B**

Aluminium
 70 x 70mm
 5 9099

Fire door keep locked shut

1 1621 **B**
 2 1621 **B**
 3 1621 **B**
 4 1621 **B**
 8 1621 **B**

Fire door keep closed

1 1616 **B**
 2 1616 **B**
 3 1616 **B**
 4 1616 **B**
 8 1616 **B**

Keep locked shut

1 1609 **B**
 2 1609 **B**
 8 1609 **B**

Aluminium
 70 x 70mm
 5 9097

This door must be kept closed

1 1608 **B F**
 2 1608 **B F**
 3 1608 **B**
 4 1608 **B**

Fire door keep locked

1 1635 **U**
 2 1635 **U**
 3 1635 **B**
 4 1635 **B**
 8 1635 **U**

Close these doors at night

1 1611 **B**
 2 1611 **B**
 3 1611 **B**
 4 1611 **B**

Close this door at night

1 1612 **B**
 2 1612 **B**

FIRE NOTICE
 This area must be kept clear of all obstructions

1 1613 **F N**
 2 1613 **F N**

This staircase and exit to be kept clear of goods, bins, rubbish and obstructions

1 1601 **F**
 2 1601 **F**

To be kept unlocked during working hours

1 1614 **F**
 2 1614 **F**

Escape route keep clear

1 1623 **B F**
 2 1623 **B F**

Keep clear Exit from emergency escape route

1 1604 **F N**
 2 1604 **F N**

Fire door keep clear

1 1636 **U**
 2 1636 **U**

Automatic fire door
 Keep clear Close at night

1 1617 **B U**
 2 1617 **B U**

This door must remain unlocked when premises are occupied

1 1619 **B**
 2 1619 **B**

Staircase must be kept clear of all obstructions

1 1607 **F**
 2 1607 **F**

This door to be kept locked shut when not in use

1 1602 **B F**
 2 1602 **B F**

Smoke door keep shut

1 1054 **B**
 2 1054 **B**

Keep clear for emergency vehicles

1 1633 **F N**

Keep locked shut

1 1625 **B**
 2 1625 **B**

Fire door keep shut

1 1626 **B D**
 2 1626 **B D**

Escape route keep clear

1 1649 **F N**
 2 1649 **F N**

Fire door keep closed

1 1628 **B**
 2 1628 **B**

Fire escape keep clear

1 1631 **F N**
 2 1631 **F N**

Keep clear

1 1632 **F N**
 2 1632 **F N**

Keep fire exit clear and free of rubbish

1 1634 **F**
 2 1634 **F**

Automatic fire door keep clear

1 1629 **B D**
 2 1629 **B D**

Fire door keep locked

1 1630 **B**
 2 1630 **B**

Keep out

Rigid Plastic
 A4 (210 x 297mm)
 5 8362

Self Adhesive
 A4 (210 x 297mm)
 5 8363

Fire exit keep clear

Rigid Plastic
 A4 (210 x 297mm)
 5 8396

Self Adhesive
 A4 (210 x 297mm)
 5 8397



Deluxe Fire Door Signs

Ideal for environments where a high quality finish is essential for a professional image - Fixings included - Pre drilled.



Aluminium
76mm Diameter
5 9128
Stainless Steel
76mm Diameter
5 9125
Brass
76mm Diameter
5 9122



Aluminium
76mm Diameter
5 9129
Stainless Steel
76mm Diameter
5 9126
Brass
76mm Diameter
5 9123




Aluminium
76mm Diameter
5 9130
Stainless Steel
76mm Diameter
5 9127
Brass
76mm Diameter
5 9124




Peel & Stick Labels


• Economic and easy to use • Sheet of 6 • Self Adhesive Vinyl labels are 65mm Diameter • Photoluminescent labels are 80mm Diameter



5 1679 Self adhesive vinyl
5 9691 Photoluminescent




5 1680 Self adhesive vinyl
5 9692 Photoluminescent



5 1681 Self adhesive vinyl
5 9693 Photoluminescent



5 1637 Self adhesive vinyl
5 9690 Photoluminescent




5 1660 Self adhesive vinyl


Rolls of Labels

• Self Adhesive Vinyl • 100 x 100mm • Rolls of 100


Self adhesive labels are supplied ready cut to peel off and apply. Conveniently supplied on rolls of 100, easy to store and easy to use. If you cannot find the label you require we will be happy to quote for your requirements. Please contact our sales desk for further details.



5 9703



5 9704



5 9705



Door Edge



Fire Door Keep Shut
Self Adhesive Vinyl
45 x 400mm
5 1638

Fire Door Keep Closed
Self Adhesive Vinyl
45 x 400mm
5 1642

Fire Door Keep Locked
Self Adhesive Vinyl
45 x 400mm
5 1643

Do not place door edge sign over fire door's intumescent strip.

Double Sided

For use on glass doors. A self adhesive face ensures the message is clearly displayed on both sides of the glass.



Double Sided Self Adhesive
100 x 100mm
5 9247



Double Sided Self Adhesive
100 x 100mm
5 9246



Double Sided Self Adhesive
100 x 100mm
5 9248

Material Codes				Landscape Sizes			Portrait Sizes	
1 Rigid Plastic	3 Photolum Rigid Plastic	5 Miscellaneous	7 Polycarbonate	B 80 x 80mm	F 200 x 200mm	U 100 x 100mm	A 75 x 100mm	
2 Self Adhesive Vinyl	4 Photolum Self Adhesive	6 Aluminium	8 Quick Fix	D 150 x 100mm	N 400 x 400mm	Custom available	H 250 x 300mm	



Directional Emergency Escape Signs

Emergency escape signs are provided to guide you from wherever you are in a building, via a place of relative safety (the escape route) to the place of ultimate safety (the assembly area). It must not be assumed that everyone will know all safe routes through the building. Similarly, it must not be assumed that, once outside the building via a final exit, people will know how to get to the assembly area, so signs directing to the assembly area may also be required (see page 19).

Emergency escape signs should comply to BS EN ISO 7010:2012 to ensure maximum levels of understanding. The old EC Directive (92/58/EEC) designs should no longer be used due to their low comprehension credentials.



- | | |
|---------------------|---------------------|
| 1 2004 G L M | Self Adhesive Vinyl |
| 2 2004 G L M | A4 (297x210mm) |
| 3 2004 G L M | 5 8391 |
| 4 2004 G L M | Photolum PVC |
| 7 2004 G L | 900 x 300mm |
| 8 2004 G L | 5 2126 |
| <hr/> | |
| 5mm Foam PVC | Aluminium |
| 1200 x 400mm | 300 x 100mm |
| 5 2138 | 5 5923 |
| <hr/> | |
| Rigid Plastic | Brass |
| A4 (297x210mm) | 300 x 100mm |
| 5 8390 | 5 9517 |
| <hr/> | |
| Braille | Floor Graphic |
| 450 x 150mm | 600 x 200mm |
| 5 6186 | 5 8815 |



- | | |
|---------------------|---------------------|
| 1 2003 G L M | Self Adhesive Vinyl |
| 2 2003 G L M | A4 (297x210mm) |
| 3 2003 G L M | 5 8395 |
| 4 2003 G L M | Photolum PVC |
| 7 2003 G L | 900 x 300mm |
| 8 2003 G L | 5 2124 |
| <hr/> | |
| 5mm Foam PVC | Aluminium |
| 1200 x 400mm | 300 x 100mm |
| 5 2128 | 5 5922 |
| <hr/> | |
| Rigid Plastic | Brass |
| A4 (297x210mm) | 300 x 100mm |
| 5 8394 | 5 9516 |
| <hr/> | |
| Braille | Floor Graphic |
| 450 x 150mm | 600 x 200mm |
| 5 6185 | 5 8813 |



- | | |
|---------------------|---------------------|
| 1 2007 G L M | Self Adhesive Vinyl |
| 2 2007 G L M | A4 (297x210mm) |
| 3 2007 G L M | 5 8389 |
| 4 2007 G L M | Photolum PVC |
| 7 2007 G L | 900 x 300mm |
| 8 2007 G L | 5 2125 |
| <hr/> | |
| 5mm Foam PVC | Aluminium |
| 1200 x 400mm | 300 x 100mm |
| 5 2129 | 5 5925 |
| <hr/> | |
| Rigid Plastic | Brass |
| A4 (297x210mm) | 300 x 100mm |
| 5 8388 | 5 9519 |
| <hr/> | |
| Braille | Floor Graphic |
| 450 x 150mm | 600 x 200mm |
| 5 6187 | 5 8811 |



- | | |
|---------------------|---------------------|
| 1 2008 G L M | Self Adhesive Vinyl |
| 2 2008 G L M | A4 (297x210mm) |
| 3 2008 G L M | 5 8393 |
| 4 2008 G L M | Aluminium |
| 7 2008 G L | 300 x 100mm |
| 8 2008 G L | 5 5924 |
| <hr/> | |
| 5mm Foam PVC | Brass |
| 1200 x 400mm | 300 x 100mm |
| 5 2139 | 5 9518 |
| <hr/> | |
| Rigid Plastic | Braille |
| A4 (297x210mm) | 450 x 150mm |
| 5 8392 | 5 6199 |



- | |
|---------------------|
| 1 2001 G L M |
| 2 2001 G L M |
| 3 2001 G L |
| 4 2001 G L |
| 8 2001 G L |



- | |
|---------------------|
| 1 2005 G L M |
| 2 2005 G L M |
| 3 2005 G L M |
| 4 2005 G L |
| 8 2005 G L |



- | |
|---------------------|
| 1 2002 G L M |
| 2 2002 G L M |
| 3 2002 G L |
| 4 2002 G L |
| 8 2002 G L |



- | |
|---------------------|
| 1 2006 G L M |
| 2 2006 G L M |
| 3 2006 G L M |
| 4 2006 G L |
| 8 2006 G L |



- | | |
|---------------------|------------------|
| 1 2012 G L M | PVC Banner |
| 2 2012 G L M | 1270 x 610mm |
| 3 2012 G L M | Includes Eyelets |
| 4 2012 G L M | 5 2012 |
| 8 2012 G L | |



- | |
|---------------------|
| 1 2010 G L M |
| 2 2010 G L |
| 3 2010 G L |
| 4 2010 G L |



- | |
|---------------------|
| 1 2014 G L M |
| 2 2014 G L |
| 3 2014 G L M |
| 4 2014 G L |



- | |
|---------------------|
| 1 2016 G L M |
| 2 2016 G L M |
| 3 2016 G L M |
| 4 2016 G L M |
| 8 2016 G L |



- | | |
|---------------------|------------------|
| 1 2011 G L M | PVC Banner |
| 2 2011 G L M | 1270 x 610mm |
| 3 2011 G L M | Includes Eyelets |
| 4 2011 G L M | 5 2011 |
| 8 2011 G L | |



- | |
|---------------------|
| 1 2009 G L M |
| 2 2009 G L |
| 3 2009 G L |
| 4 2009 G L |



- | |
|---------------------|
| 1 2013 G L M |
| 2 2013 G L |
| 3 2013 G L M |
| 4 2013 G L |



- | |
|---------------------|
| 1 2015 G L M |
| 2 2015 G L M |
| 3 2015 G L M |
| 4 2015 G L M |
| 8 2015 G L |



- | | |
|-----------------------|-------------|
| 1 2033 J L V X | Aluminium |
| 2 2033 J L V X | 200 x 100mm |
| 3 2033 J L V X | 5 9527 |
| 4 2033 J V X | Brass |
| 7 2033 V | 200 x 100mm |
| 8 2033 L V | 5 9521 |



- | | |
|---------------------|--------------|
| 1 2056 J V X | 5mm Foam PVC |
| 2 2056 J V X | 800 x 400mm |
| 3 2056 J V X | 5 2106 |
| 4 2056 J V X | |
| 8 2056 J | |



- | |
|-----------------------|
| 1 2036 J L V X |
| 2 2036 J L V X |
| 3 2036 J L V X |
| 4 2036 J V X |



- | |
|---------------------|
| 1 2057 J V X |
| 2 2057 J V X |
| 3 2057 J V X |
| 4 2057 J V X |



- | |
|-------------------|
| 1 2064 G L |
| 2 2064 G L |
| 3 2064 G L |
| 4 2064 G L |

- | | |
|--------------|---------------|
| 5mm Foam PVC | Floor Graphic |
| 400 x 400 mm | 400 x 200mm |
| 5 2105 | 5 8809 |
| <hr/> | |
| Photolum PVC | |
| 800 x 400 mm | |
| 5 2127 | |




Our photoluminescent exceeds the performance requirements of **PSPA Class C**. Complies with The European RoHS Directive 2011/65/EC (Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment). Contains none of the substances of very high concern (SVHCs) or banned substances as identified by the REACH standard. Provides razor-sharp edge definition and rich, consistent colour density so your safety signs remain clear, strong and crisp – even in blackout conditions.




- 1 2049 **G L**
- 2 2049 **G L**
- 3 2049 **G L**
- 4 2049 **G L**



- 1 2048 **G L**
- 2 2048 **G L**
- 3 2048 **G L**
- 4 2048 **G L**



- 1 2051 **G L**
- 2 2051 **G L**
- 3 2051 **G L**
- 4 2051 **G L**



- 3 2099 **J** Place behind a push bar
- 4 2099 **J** so blank panel shows the bar location.



- 1 2045 **G L**
- 2 2045 **G L**
- 3 2045 **G**
- 4 2045 **G**




- 1 2047 **G L**
- 2 2047 **G L**
- 3 2047 **G L**
- 4 2047 **G L**
- 8 2047 **G L**




- 1 2062 **G L** Floor Graphic
- 2 2062 **G L** 600 x 200mm
- 3 2062 **G L** 5 8807
- 4 2062 **G L**
- 8 2062 **G L**



- 1 2052 **G L** Aluminium
- 2 2052 **G L** 300 x 100mm
- 3 2052 **G L** 5 5926
- 4 2052 **G L** Brass
- 8 2052 **G L** 300 x 100mm
- 5 9520



- 1 2046 **G L**
- 2 2046 **G L**
- 3 2046 **G**
- 4 2046 **G**




- 1 2050 **G L**
- 2 2050 **G L**
- 3 2050 **G L**
- 4 2050 **G L**




- 1 2065 **G L**
- 2 2065 **G L**
- 3 2065 **G L**
- 4 2065 **G L**




- 1 2061 **G L**
- 2 2061 **G L**
- 3 2061 **G L**
- 4 2061 **G L**




- 1 2038 **C F**
- 2 2038 **C F**
- 3 2038 **C F U**
- 4 2038 **C F U**



- 1 2035 **C F**
- 2 2035 **C F**
- 3 2035 **C F U**
- 4 2035 **C**



- 1 2034 **C F U**
- 2 2034 **C F U**
- 3 2034 **C F U**
- 4 2034 **C U**



- 1 2037 **C F U**
- 2 2037 **C F U**
- 3 2037 **C F U**
- 4 2037 **C U**




- 1 2039 **C F**
- 2 2039 **C F**
- 3 2039 **C F**
- 4 2039 **C**



- 1 2040 **C F**
- 2 2040 **C F**
- 3 2040 **C F**
- 4 2040 **C**



- 1 2060 **F U**
- 2 2060 **F U**
- 3 2060 **F U**
- 4 2060 **F U**



- 1 2043 **F U**
- 2 2043 **F U**
- 3 2043 **F U**
- 4 2043 **F U**



- 1 2044 **F U**
- 2 2044 **F U**
- 3 2044 **F U**
- 4 2044 **U**



- 1 2072 **F U**
- 2 2072 **F U**
- 3 2072 **F U**
- 4 2072 **F U**



- 1 2071 **S**
- 2 2071 **S**



- 1 2070 **S**
- 2 2070 **S**



- 1 2067 **A E**
- 2 2067 **A E**

ISO 7010
In accordance with ISO 7010 regulations, these "text only" signs should be used alongside a running man graphic and, where appropriate, a directional arrow. They should not be used on their own.



- 1 2042 **F**
- 2 2042 **F**
- 3 2042 **F**
- 4 2042 **F**



- 1 2041 **F**
- 2 2041 **F F**
- 3 2041 **F F**
- 4 2041 **F F**



- 1 2122 **F**
- 2 2122 **F F**
- 3 2122 **F F**
- 4 2122 **F F**



- 1 2063 **G L**
- 2 2063 **G L**
- 3 2063 **G L**
- 4 2063 **G L**



- 1 2069 **G L**
- 2 2069 **G L**
- 3 2069 **G L**
- 4 2069 **G L**



- 1 2053 **G L**
- 2 2053 **G L**
- 3 2053 **G L**
- 4 2053 **G L**



- 1 2058 **G L**
- 2 2058 **G L**
- 3 2058 **G L**
- 4 2058 **G L**



- 2 2068 **A**



- 2 2080 **A**



- 1 1624 **E**
- 2 1624 **E**
- 3 1624 **E**
- 4 1624 **E**




- 5 8103 600 x 75mm Self Adhesive Vinyl

Material Codes		Landscape Sizes			Portrait Sizes	
1 Rigid Plastic	5 Miscellaneous	C 150 x 150mm	J 400 x 200mm	U 100 x 100mm	A 75 x 100mm	L 150 x 450mm
2 Self Adhesive Vinyl	6 Aluminium	F 200 x 200mm	L 450 x 150mm	V 300 x 150mm	E 150 x 200mm	S 75 x 200mm
3 Photoluminescent Rigid Plastic	7 Polycarbonate	G 300 x 100mm	M 600 x 200mm	X 200 x 100mm	G 100 x 300mm	Custom available
4 Photoluminescent Self Adhesive	8 Quick Fix					



Inclusive Emergency Escape Signs

This range can be considered a truly inclusive design and an excellent alternative sign solution. Although not currently ISO 7010 registered the combined 'Running Man' and 'Man Using Wheelchair' are working together to escape the building; They move in unison; They display the same urgency, motion, and appear to be travelling at the same speed. *Registered designs reproduced under licence ©©.



1 2164 GL
2 2164 GL
3 2164 GL
4 2164 GL

1 2165 GL
2 2165 GL
3 2165 GL
4 2165 GL

1 2162 GL
2 2162 GL
3 2162 GL
4 2162 GL


1 2163 GL
2 2163 GL
3 2163 GL
4 2163 GL

Branded Site Saver Signs

• 4mm Fluted Polypropylene • 600 x 400mm

Low-cost, lightweight and durable making them perfect for temporary site signage. You can even add your own logo for no extra charge.

Site Saver Signs on pages 120-121



5 5789

5 5791

5 5790

5 5792

Large Format Double Sided Emergency Escape



5mm Foam PVC - 1200 x 400mm
5 2160

5mm Foam PVC - 1200 x 400mm
5 2161

5mm Foam PVC - 1200 x 400mm
5 2100

Emergency Lighting Fascias


Replace the front of your emergency light with a ISO 7010 compliant graphic.



When ordering please state the x and y dimensions, wording and the arrow direction you require.
e.g. 58308, 400 x 200mm, Fire Exit Up
5 8308

Self Adhesive Overlay

Tear-off symbols and text and place over emergency lighting.




5 8302

Door Plates

• 75 x 300mm

Available in either White Faced Aluminium or Photoluminescent Rigid PVC complete with adhesive backing. Plates should be installed to reinforce the exit message. They should not be installed instead of an exit/fire exit sign above the door.



5 2132

5 2134

5 2135

5 2136

5 2137

5 2133

EasiFix Projecting Signs

Visible from a number of angles, these projecting signs help in the quick identification of suitable exit or fire exit routes. Includes drilling guide for simple installation. Designed to conceal fixings for a neat finish.



Rigid PVC Face: 150 x 200mm
5 8005

Photoluminescent Face: 150 x 200mm
5 8008

Rigid PVC Face: 150 x 200mm
5 8006

Photoluminescent Face: 150 x 200mm
5 8007

Material Codes		Landscape Sizes			Portrait Sizes	
1 Rigid Plastic	5 Miscellaneous	C 150 x 150mm	H 300 x 250mm	M 600 x 200mm	E 150 x 200mm	
2 Self Adhesive Vinyl	6 Aluminium	F 200 x 200mm	J 400 x 200mm	N 300 x 150mm	H 250 x 300mm	
3 Photoluminescent Rigid Plastic	7 Polycarbonate	G 300 x 100mm	L 450 x 150mm			Custom available
4 Photoluminescent Self Adhesive	8 Quick Fix					



Intermediate Markers

In line with ISO 16069:2004, these signs should be used to continuously reinforce the exit message every five to ten metres as part of a low level safe way guidance system. They should not be used in isolation but as an accompaniment to ISO 7010 signs as shown on page 14.



3 2150
4 2150

3 2151
4 2151

3 2152
4 2152

3 2153
4 2153

3 2154
4 2154

3 2155
4 2155

Safety Tapes • 10 Metre Roll • Self Adhesive Vinyl



5 8647 40mm width
5 8648 80mm width

5 8641 40mm width
5 8642 80mm width

5 8644 40mm width

5 8656 40mm width
5 8657 80mm width

5 8653 40mm width
5 8654 80mm width

5 8650 40mm width
5 8651 80mm width

5 8658 20mm width
5 8659 40mm width
5 8660 80mm width

Marking Strips



Rigid Photoluminescent with Self Adhesive Backing
900 x 80mm
5 8666



Rigid Photoluminescent in Aluminium Profile
1200 x 92mm
5 8668



Rigid Photoluminescent with Self Adhesive Backing
900 x 80mm
5 8667



Rigid Photoluminescent in Aluminium Profile
1200 x 92mm
5 8669



Deluxe Floor Markers




5 8663
90mm Dia

5 8664
125mm Dia


5 8665
175 x 110mm

Aluminium back provides extra strength and durability in high traffic areas. Anti-slip surface.

Photoluminescent Class D aluminium with adhesive backing.



Floor Markers



75 x 75mm
Pack of 20
5 8670

240 x 90mm
Pack of 20
5 8672

75mm Diameter
Pack of 20
5 8671

Photoluminescent way finding floor markers are an effective method of marking escape routes.

The markers have an anti-slip surface and strong adhesive backing.




Safety Way Guidance Systems

ISO 16069:2004 describes the principles governing the design and marking for Safety Way Guidance Systems.

In addition to the requirement for installing exit signs at 1.7m - 2.2 metres from the ground, this standard recommends that additional intermediate and low location markings may also be required. Position at a maximum height of 400mm from the floor for low level marking.

Subject to a full risk assessment, additional escape guidance should be provided through the use of both continuous guidance lines and safety signs to ensure there is an uninterrupted safety sign system to aid an efficient and safe evacuation from a building. Fire fighting equipment, hazards along an escape route, boundaries, stairs and ramps should also be identified.

Handrail Marking



Curved profile allows easy application to circular hand rails. Exceptional luminance properties makes this perfect for use in stairwells.

Rigid Photoluminescent Class D with Self-Adhesive Backing
1200 x 25mm
5 8673


Pole Assembly Points

- Aluminium
- Includes channel for pole mounting
- Pole not included

Poles, Clips and Fixings on pages 128 - 129



250 x 300 mm
5 2112
450 x 600 mm
5 2113



600 x 400 mm
5 2114



Assembly Point Signs

- Mountable on walls and fences




1 2059 (H) (Q)
2 2059 (H) (Q)
6 2059 (H) (Q)
7 2059 (Q)




1 2054 (H) (Q)
2 2054 (H) (Q)
6 2054 (H) (Q)
8 2054 (H) (Q)



1 2055 (H) (Q)
2 2055 (H) (Q)
6 2055 (H) (Q)
8 2055 (H) (Q)



5 2111 600mm x 400mm Rigid PVC



A B C 1 2

Rigid PVC
250 x 300 mm
5 2115
Rigid PVC
450 x 600 mm
5 2116
Aluminium *
250 x 300 mm
5 2119
Aluminium *
450 x 600 mm
5 2148

*Supplied with channelling for pole mounting

Assembly Point Directions




1 2142 (L) (H)
2 2142 (L) (H)
6 2142 (H)
8 2142 (H)



1 2141 (L) (H)
2 2141 (L) (H)
6 2141 (H)
8 2141 (H)



1 2143 (L) (H)
2 2143 (L) (H)
6 2143 (H)
8 2143 (H)



Rigid Plastic
150 x 50mm 5 2158
450 x 150mm 5 2159
Photolum Rigid
150 x 50mm 5 8661
450 x 150mm 5 8662

Mobile Assembly Point



- 450 x 600mm
- Aluminium
- 2.4m Long
- Collapsible

Designed for a fire warden to use during a fire evacuation.

Ideal for built up areas where there is no fixed assembly point such as city centres.

Collapsible pole enables easy storage until required.



5 2123

Assembly Point Verge Signs



Supplied mounted on a 800mm pole for ground fixing.

450 x 150mm
2mm Aluminium



5 6540



5 6541

See page 100 for more options

Material Codes

1 Rigid Plastic 3 Photoluminescent Rigid Plastic 5 Miscellaneous 7 Polycarbonate
2 Self Adhesive Vinyl 4 Photoluminescent Self Adhesive 6 Aluminium 8 Quick Fix

Landscape Sizes

(H) 300 x 250mm (V) 300 x 150mm
(L) 450 x 150mm (X) 200 x 100mm

Portrait Sizes

(H) 250 x 300mm
(Q) 450 x 600mm



Smoking Regulations

Designated Smoking Area Signs



Under BS EN ISO 7010 and BS 5499, as with First Aid signs and Fire Exits, signs relating to Designated Smoking Areas are deemed as Safe Condition signs. These signs should always use white text on a green background, alongside a tick or appropriate symbol.

Whilst we actively endorse and, wherever possible, adhere to the relevant Standards, we feel in this specific instance signs permitting smoking should under no circumstance be deemed as "safe". In acknowledgement of the damaging effects of smoking, please note our range of signs utilises black to clearly differentiate these signs from Safe Condition signs.



1 3247 **E K H**
2 3247 **E K H**
8 3247 **K**



1 3246 **H K**
2 3246 **H**



1 3249 **K**



1 3248 **E K**



1 3251 **G**
2 3251 **G**




1 3253 **G**
2 3253 **G**



1 3256 **G**
2 3256 **G**



1 3257 **G**
2 3257 **G**



1 3250 **H**



1 3258 **D**
2 3258 **D**



1 3081 **K**
2 3081 **K**
8 3081 **K**



1 3084 **G**
2 3084 **G**



1 3259 **G**
2 3259 **G**

E-Cigarette signs on page 22

A range of rigid plastic and self adhesive signs to permit/prohibit e-cigarettes

Smoking Shelter



This cost effective smoking shelter provides protection from the elements and assists organisations in controlling the untidiness and fire hazards that accompany smoking in unspecified locations. In line with Government recommendations no more than 50% of the sides of our smoking shelter are enclosed.

Durable and sturdy in design, this smoking shelter comfortably accommodates up to four occupants. Made from high quality components, in a powder coated finish for lasting protection from rust, water, impact and it is also fire resistant. Domed roof prevents water pooling. Includes a cigarette bin with mounting plate. Supplied flat packed with full assembly instructions and drawings. *Additional carriage charges may apply.

2 x 1 metre
5 3034

Wall Mountable Cigarette Bin

Keep designated smoking areas tidy and free from discarded cigarettes with these wall mounting bins

Wall mountable
Stainless steel
Fixing kit and 2 keys included
Internal tray for easy emptying



Stainless Steel
H260 x W260 x D100mm
5 3036

Standing Cigarette Bin

Keep designated smoking areas tidy and free from discarded cigarettes with these floor standing bins

Floor standing
Durable aluminium structure
Oxygen restricting design
Rust, chip and dent resistant



Stainless Steel
H800 x W200 x D200mm
5 3083

Vehicle Stickers

Smoke free vehicles must display at least one legible no smoking sign in each vehicle. Throughout the UK drivers are also banned from smoking in their cars if they are carrying passengers under the age of 18 years.



2 3087 (A) (D)



2 3088 (A) (D)



Self Adhesive Stickers
75mm Diameter
Sheet of 6
5 3040



Self Adhesive Stickers
75mm Diameter
Roll of 100
5 9763



England and Northern Ireland

The Smoke-free (Signs) Regulations 2012. The regulations state that at least one legible no smoking sign is displayed in smoke free premises.

The Smoking (Northern Ireland) Order means you must display signs at each public entrance to any work or public place. No smoking signs should also be displayed in public and business vehicles. Bedrooms in hotels, care homes and prisons are exempt.



1 3027 (E)
2 3027 (E)



Rigid Plastic
A5 (148 x 210mm)
5 3043
A4 (210 x 297mm)
5 3042
Aluminium
A5 (148 x 210mm)
5 3062

Self Adhesive
A5 (148 x 210mm)
5 3045
A4 (210 x 297mm)
5 3046
Brass
A5 (148 x 210mm)
5 3078



Pack of 5
Rigid Plastic
A5 (148 x 210mm)
5 3060
Self Adhesive
A5 (148 x 210mm)
5 3061

Wales

The Smoke-free Premises etc (Wales) Regulations 2007. Must display 'Law' sign at each entrance to any work or public place. General, dual language 'No smoking' signs should also be on display in public and business vehicles.



1 3025 (E) (H)
2 3025 (E)



Rigid Plastic
160 x 230mm
5 3039
Self Adhesive
160 x 230mm
5 3044



Scotland

The Smoking, Health and Social Care (Scotland) Act 2005



Rigid Plastic
A4 (210 x 297mm)
5 3031



Rigid Plastic
A4 (210 x 297mm)
5 3033

Window Sticker
Front



Double Sided Self Adhesive
75 x 100mm
5 3032

Reverse



Smoking Signs Kit

A money saving kit of popular 'No smoking' signs and labels.



Rigid Plastic
400 x 300mm

x1



Rigid Plastic
300 x 400mm

x2



Rigid Plastic
A4 (210 x 297mm)

x2



Self Adhesive Stickers
75mm Diameter

x2



Self Adhesive
300 x 100mm

x2



Rigid Plastic
300 x 100mm

x2

Code: 5 3076

Window Signs



5 3041 Frosted Vinyl - 200mm Diameter



5 3020 Face Adhesive Vinyl - A5 (148 x 210mm)

Material Codes				Landscape Sizes		Portrait Sizes		
1 Rigid Plastic	3 Photolum Rigid Plastic	5 Miscellaneous	7 Polycarbonate	E 200 x 150mm	H 300 x 250mm	A 75 x 100mm	E 150 x 200mm	K 300 x 400mm
2 Self Adhesive Vinyl	4 Photolum Self Adhesive	6 Aluminium	8 Quick Fix	G 300 x 100mm	K 400 x 300mm	D 100 x 150mm	H 250 x 300mm	Custom available

Smoking Prohibition

No Smoking Signs



1 3003 **G M E K P** Rigid Plastic
 2 3003 **G M E K P** A4 (210 x 297mm)
 7 3003 **G M** 5 8378
 8 3003 **G E**

Braille
 300 x 150mm
 5 6168

Self Adhesive
 A4 (210 x 297mm)
 5 8379



1 3013 **E K**
 2 3013 **E K**



1 3012 **E K**
 2 3012 **E K**



1 5468 **E K**



1 3002 **G M E K P**
 2 3002 **G M E K**
 8 3002 **G E**



1 3004 **G M E K P** Floor Graphic
 2 3004 **G M E** 400 x 600mm
 5 8741



1 3023 **G M**
 2 3023 **G**



1 5619 **G**
 2 5619 **G**



1 3024 **G**
 2 3024 **G**



1 3236 **G**
 2 3236 **G**



1 3006 **G M E K**
 2 3006 **G M E K**



2 3008 **G A**



1 3080 **E**
 2 3080 **E**



1 3668 **E K**
 2 3668 **E K**



1 5462 **E K**
 2 5462 **E K**

English & Polish



1 3301 **E H**
 2 3301 **E**

English & Polish



1 3302 **E H**



Fluted Polypropylene
 300 x 600mm
 5 8510



1 3017 **B F N**
 2 3017 **B F**
 8 3017 **B F**
 Aluminium
 140 x 140mm
 5 9049
 Brass
 140 x 140mm
 5 9048



Adhesive Stickers
 75mm Diameter
 Sheet of 6
 5 3040

Roll of 100 Stickers



75mm Dia | 50 x 50mm
 5 9763 | 5 9706



Rigid Plastic
 150 x 50mm
 Double Sided
 Pack of 5
 5 8401



Rigid Plastic
 150 x 50mm
 Double Sided
 Pack of 5
 5 8402

E-cigarette Signs



2 3059 **G A**



1 3259 **G**
 2 3259 **G**



1 3085 **G**
 2 3085 **G**



1 3086 **G**
 2 3086 **G**



Adapt-a-Sign

Print off your own message onto an A4 piece of paper and insert into the Adapt-a-Sign frame.

Perfect for displaying up-to-date information and messages.

Pre-printed Adapt-a-Signs available on page 53



- 3mm PVC with
- Clear PVC Cover
- 310 x 210mm
- 10mm coloured border
- Holds A4 sheet

Red 5 6191	Yellow 5 6194	Blue 5 6193
Green 5 6192	Black 5 6197	



Restricted Access for Persons



1 3213 **G E K P** Rigid Plastic
2 3213 **G E K** A4 (210 x 297mm)
7 3213 **G M** 5 8380
8 3213 **G E** Self Adhesive
A4 (210 x 297mm)
5 8381



1 3202 **G M E K P** Floor Graphic
2 3202 **G M E K P** 400 x 600mm
8 3202 **G E K** 5 8740

Double Sided Self Standing Signs



Fluted Polypropylene
Waterproof, Durable,
Lightweight, Compact

Up to 10 words on both sides



Fluted Polypropylene
300 x 600mm
5 8525

Fluted Polypropylene
300 x 600mm
5 8505



1 3215 **G E K** PVC Banner
2 3215 **G E K** 1270 x 610mm
5 3215



1 3201 **G M E K P**
2 3201 **G M E K P**
7 3201 **G M E**



1 3205 **G M E K P**
2 3205 **G M E K**
8 3205 **G E**



1 3203 **G M E K P**
2 3203 **G M E**



1 3209 **G M K**
2 3209 **G E**



1 3242 **G E K**
2 3242 **G E K**



1 3207 **G M E K P**
2 3207 **G E K**



1 3204 **G M K**
2 3204 **G M**



1 3650 **G**
2 3650 **G**



1 3651 **G**
2 3651 **G**



1 3206 **G M**
2 3206 **G M**



1 3208 **G M P**
2 3208 **G M**



1 3665 **G M**
2 3665 **G M**



1 6405 **M P**
2 6405 **P**



1 3664 **G**
2 3664 **G**



1 3662 **G**
2 3662 **G**

English & Polish



1 3243 **E H**
2 3243 **E H**



Floor Graphic
400 x 600mm
5 8739



Floor Graphic
400 x 600mm
5 8819



Floor Graphic
400 x 600mm
5 8822



1 3212 **E K**
2 3212 **E K**
8 3212 **E K**



1 6443 **P**



1 6433 **G** PVC Banner
1270 x 610mm
5 5092



1 3214 **F**
2 3214 **F**



1 3210 **F N**
2 3210 **F**



Self Adhesive Step Strip
400 x 35mm

5 3440



Self Adhesive Step Strip
400 x 35mm

5 3441



Self Adhesive Step Strip
400 x 35mm

5 3442

Dog Prohibition Signs



1 3603 **G M E K**
2 3603 **G E K**



1 5467 **E K**



1 3602 **F N**
2 3602 **F**



1 3636 **G M**
2 3636 **G**

Railway Prohibition Signs



1 3261 **G**
7 3261 **G**



1 3260 **K**
2 3260 **K**

Material Codes		Landscape Sizes			Portrait Sizes	
1 Rigid Plastic	5 Miscellaneous	E 80 x 80mm	G 300 x 100mm	N 400 x 400mm	A 75 x 100mm	H 250 x 300mm
2 Self Adhesive Vinyl	6 Aluminium	E 200 x 150mm	K 400 x 300mm	G 600 x 450mm	E 150 x 200mm	K 300 x 400mm
3 Photoluminescent Rigid Plastic	7 Polycarbonate	F 200 x 200mm	M 600 x 200mm	Custom sizes are available		P 400 x 600mm
4 Photoluminescent Self Adhesive	8 Quick Fix					




This sign has been designed to be read in a vehicle mirror. Ensuring drivers are aware of procedures and that safety is maintained. Perfect for busy traffic areas and loading bays.






Vehicle Prohibition Signs

 <p>1 3221 Q PVC Banner 1270 x 610mm 5 3221</p>	 <p>1 3211 Q 2 3211 Q</p>	 <p>1 5473 Q</p>	 <p>1 3231 P</p>
 <p>1 3407 G M K P Floor Graphic 400 x 600mm 7 3407 P 5 8737 8 3407 K</p>	 <p>1 3218 G M E K P Rigid Plastic A4 (210 x 297mm) 2 3218 G M E 5 8368 7 3218 G M Self Adhesive A4 (210 x 297mm) 5 8369</p>	 <p>1 5474 M</p>	 <p>1 3234 Q</p>
 <p>1 3216 G M P</p>	 <p>1 3606 G M</p>	 <p>1 3647 G M 2 3647 G M</p>	 <p>1 7598 F N</p>
 <p>1 3217 G M P</p>	 <p>1 3648 G M 2 3648 G M</p>	 <p>2 3669 S</p>	

Machinery Prohibition Signs

 <p>1 3401 G M 2 3401 G</p>	 <p>1 3402 G 2 3402 G</p>	 <p>1 3403 G M 2 3403 G M 8 3403 G</p>	 <p>1 3609 G 2 3609 G</p>
 <p>1 3410 G M</p>	 <p>1 3644 G 2 3644 G</p>	 <p>1 3656 G 2 3656 G</p>	 <p>1 3655 G 2 3655 G</p>
 <p>1 3659 G 2 3659 G</p>	 <p>1 3406 G 2 3406 G</p>	 <p>1 3641 G 2 3641 G</p>	 <p>1 3653 G 2 3653 G</p>
 <p>1 6243 Q 2 6243 A</p>	 <p>1 6244 Q 2 6244 A</p>	 <p>1 3405 E 2 3405 E</p>	 <p>1 3633 G M</p>
 <p>1 3404 G 2 3404 G</p>	 <p>Adhesive Stickers 35 x 25mm 5 3432</p>	 <p>Adhesive Stickers 35 x 25mm 5 3431</p>	 <p>Roll of 100 Adhesive Stickers 50 x 50mm 5 9710</p>
 <p>Adhesive Stickers 40 x 18mm - Sheet of 10 5 3436</p>	 <p>Adhesive Stickers 40 x 18mm - Sheet of 10 5 3437</p>	 <p>Adhesive Stickers 40 x 18mm - Sheet of 10 5 3438</p>	 <p>Lock Out Tag Out products on pages 71-73</p>

General Prohibition Signs

 1 3607 G M E K 2 3607 G M E K 8 3607 G	 1 3605 G M A 2 3605 G M A 8 3605 A	 1 3613 F N 2 3613 F 8 3613 F	 2 3240 A	 2 3239 A	 1 3643 E K 2 3643 E	 1 3232 E K 2 3232 E K
 1 3631 G M 2 3631 G M	 1 3637 G 2 3637 G	 1 3604 F 2 3604 F 8 3604 F	 Adhesive Stickers 50 x 50mm - 100 qty 5 9709	 Adhesive Stickers 50 x 50mm - 100 qty 5 9707	 Adhesive Stickers 6 x 65mm Diameter 5 6099	
 1 3235 G 2 3235 G	 1 3005 G M E 2 3005 G E	 1 3671 G M 2 3671 G M	 No fly tipping Fly tipping is an offence under the Environmental Protection Act (1990). Offenders may face up to a £50,000 fine and/or a prison sentence	 No electronic devices allowed beyond this point	 Stay alive! Don't text and drive	
 1 3640 G 2 3640 G	 1 3635 G 2 3635 G	 1 1743 K Q 6 1743 Q	 No Drones Use of drones and UAVs over this site is strictly prohibited. Anyone found operating a drone over this location will be reported for prosecution and subject to civil legal action	 1 5475 K 2 5475 K	 1 3629 A 2 3629 A	
 1 3237 G M	 1 3601 G M	 1 3649 K Q	 1 3626 E K	 1 3614 E K	 1 3615 E K	 1 3618 E
 1 3611 G M 2 3611 G M 7 3611 G M P	 1 3219 G M 2 3219 G M 8 3219 G	 1 3626 E K	 1 3614 E K	 1 3615 E K	 1 3618 E	 1 3621 E K

Water Safety Signs

Designed to the specifications of ISO 20712-3 : 2014 Water Safety Signs

 1 3626 E K	 1 3614 E K	 1 3615 E K	 1 3618 E	 1 3621 E K
--	---	--	--	--

Prohibition Safety Tags

- Matt PVC
- 80 x 150mm
- Double sided
- Pack of 10
- Supplied with 150mm nylon cable ties

 5 3434	 5 3426	 5 3427	 5 3428	 5 3429	 5 3425	 5 3420	 5 3421
 5 3422	 5 3435	 5 3424	 5 3423	 5 5071	 5 5072	 5 5073	 5 3445



Material Codes		Landscape Sizes				Portrait Sizes			
1 Rigid Plastic	5 Miscellaneous	A 100 x 75mm	F 200 x 200mm	M 600 x 200mm	Q 600 x 450mm	A 75 x 100mm	K 300 x 400mm		
2 Self Adhesive Vinyl	6 Aluminium	B 80 x 80mm	G 300 x 100mm	N 400 x 400mm	S 200 x 75mm	E 150 x 200mm	P 400 x 600mm		
3 Photoluminescent Rigid Plastic	7 Polycarbonate	E 200 x 150mm	K 400 x 300mm	P 600 x 400mm	Custom sizes	H 250 x 300mm	C 450 x 600mm		
4 Photoluminescent Self Adhesive	8 Quick Fix								



Harmful Substances

Displayed to advise and forewarn of potential dangers. The signs' supplementary text should always include one of three words:-

- **Danger** High level risk that could result in death or serious injury. This keyword should be limited to the most extreme hazard cases.
- **Warning** Medium level risk that could result in minor or moderate injury.
- **Caution** Low level risk which could lead to minor injury.

These signs should include a yellow triangle with black border containing a warning symbol conforming to ISO 7010.



Radioactive & Biohazard



2 4537 **G**
Self Adhesive
25 x 25mm
5 1692



1 4256 **F**
2 4256 **F**



1 4525 **G**
2 4525 **G**



1 4462 **E(K)**
2 4462 **E(K)**



1 4536 **E(K)**
2 4536 **E**



Self Adhesive
50 x 50mm
Roll of 100
5 9724

Explosive Area



1 4217 **F**
2 4217 **F**



1 4481 **F(N)**
2 4481 **F**



1 4480 **E(K)**
2 4480 **E(K)**



1 4479 **E(K)(P)**
2 4479 **E(K)**




1 4431 **E**
2 4431 **E**



1 4302 **G**



1 4479 **G**
2 4479 **G**



Rigid Plastic
400 x 600mm
5 8128

Asbestos




1 4259 **G(M)(P)**
2 4259 **G(M)**
8 4259 **G**



1 4409 **G(M)(P)**
2 4409 **G(M)**



Matt PVC
80 x 150mm
Double Sided
Pack of 10
Supplied with
150mm Cable Ties
5 5059



1 4449 **G(M)**
2 4449 **G(M)**



1 4260 **G(M)**
2 4260 **G**



Non-Adhesive Polythene
75mm x 250mm
5 8607



Self Adhesive
27 x 50mm
Roll of 100
5 9832



Self Adhesive
27 x 50mm
Roll of 100
5 9765



Self Adhesive
27 x 50mm
Roll of 100
5 9869

Temperature



1 4236 **G(A)**
2 4236 **G(A)(K)**
8 4236 **G(A)**



1 4483 **G**
2 4483 **G**



1 4482 **G**
2 4482 **G**



1 4208 **G(M)**
2 4208 **G**
8 4208 **G**



1 4285 **G(M)**
2 4285 **G(M)**



1 4237 **A(E)**
2 4237 **A(E)**
8 4237 **A(E)**



1 4286 **(A)**
2 4286 **(A)**



Self Adhesive
65mm Diameter
Sheet of 6
5 6098



Self Adhesive
65mm Diameter
Sheet of 6
5 6598

Harmful Substances & Chemicals

 Warning Flammable liquid 1 4420 (E)(K) 2 4420 (E)(K)	 Warning Flammable gas 1 4421 (E)(K) 2 4421 (E)(K)	 Warning Chemical irritants 1 4489 (E) 2 4489 (E)	 Warning Highly flammable 1 4490 (E)(K) 2 4490 (E)(K)	 Warning Dangerous substances 1 4425 (E)(K) 2 4425 (E)(K)	 Warning Compressed gas 1 4422 (E)(K) 2 4422 (E)(K)	 Caution Risk of fire Highly flammable material 1 4453 (E)(K) 2 4453 (E)	
 Caution Oxidising agent 1 4424 (E)(K) 2 4424 (E)	 Warning Corrosive 1 4426 (E) 2 4426 (E)	 Warning Syringes 1 4461 (E) 2 4461 (E)	 Danger Toxic gas 1 4423 (E) 2 4423 (E)	 Warning Toxic 1 4413 (E)(K) 2 4413 (E)(K)	 Warning Laser hazard 1 4014 (E)(K) 2 4014 (E)	 Warning Laser beam 1 4016 (E)(K) 2 4016 (E)	
 1 4256 (F) 2 4256 (F)	 1 4217 (F) 2 4217 (F)	 1 4414 (F) 2 4414 (F)	 1 4415 (F) 2 4415 (F)	 1 4418 (F) 2 4418 (F)	 1 4419 (F) 2 4419 (F)	 1 4416 (F) 2 4416 (F)	 1 4417 (F) 2 4417 (F)
 Caution Oxygen 1 4410 (G)(M) 2 4410 (G)(M)	 Warning Compressed gas 1 4248 (G)(M) 2 4248 (G)(M)	 Warning Fire risk 1 4486 (G)(K)	 Danger L.P.G. Highly flammable 1 4427 (G)(M)(P) 2 4427 (G)(M)(P)	 Warning Corrosive 1 4405 (G) 2 4405 (G)	 Danger Battery acid 1 4407 (G) 2 4407 (G)	 Danger Hydrochloric acid 1 4404 (G) 2 4404 (G)	 Danger Acid 1 4401 (G)(M) 2 4401 (G)(M)
 Warning Caustic 1 4406 (G) 2 4406 (G)	 Warning Ammonia 1 4429 (G) 2 4429 (G)	 Danger Acetylene 1 4411 (G)(M) 2 4411 (G)(M)	 Danger Chemicals 1 4408 (G)(M)(E)(K) 2 4408 (G)(M)(E)(K)	 Warning Pesticide 1 4457 (G) 2 4457 (G)	 Warning Chlorine 1 4442 (G)(M) 2 4442 (G)	 Warning Hazardous waste 1 4446 (G)(M) 2 4446 (G)(M)	 Warning Chemical store 1 4451 (G)(M) 2 4451 (G)(M)
 Warning Chemical waste 1 4484 (G) 2 4484 (G)	 Warning Harmful 1 4455 (G) 2 4455 (G)	 Warning Harmful chemicals 1 4459 (G)(M) 2 4459 (G)	 Warning Irritant 1 4454 (G) 2 4454 (G)	 Warning Dust hazard 1 4448 (G)(M) 2 4448 (G)	 Danger Solvents 1 4443 (G) 2 4443 (G)	 Danger Harmful fumes 1 4412 (G) 2 4412 (G)	 Warning Contamination area 1 4485 (G)(M)
 Warning Compressed air 1 6502 (G)(M) 2 6502 (G)	 Caution Bleach and other harmful irritants and substances are stored in this cupboard 1 4400 (G) 2 4400 (G)	 Caution Paint store 1 4247 (G) 2 4247 (G)	 Warning Wet paint 1 4253 (G)(M) 2 4253 (G)				

Material Codes			Landscape Sizes				Portrait Sizes	
1 Rigid Plastic	5 Miscellaneous	7 Polycarbonate	A 100 x 75mm	E 200 x 150mm	G 300 x 100mm	N 400 x 400mm	A 75 x 100mm	K 300 x 400mm
2 Self Adhesive Vinyl	6 Aluminium	8 Quick Fix	C 150 x 150mm	F 200 x 200mm	M 600 x 200mm	Q 600 x 450mm	E 150 x 200mm	P 400 x 600mm



Site Safety

Industrial Vehicles

This sign has been designed to be read in a vehicle mirror, ensuring drivers are aware of procedures and that safety is maintained. Perfect for busy traffic areas and loading bays.

Caution
Forklift trucks operating

1 4215 G M E K P Rigid Plastic A4 (210 x 297mm)
2 4215 G M E K P 5 8374
7 4215 G M P Self Adhesive A4 (210 x 297mm)
8 4215 G M 5 8375
Floor Graphic 400 x 600mm
5 8734

Danger
Vehicles unloading

1 4244 K P

Warning
This vehicle makes wide turns

2 1812 E

This vehicle records images for the purpose of crime prevention and road safety

2 1806 E

Caution
Forklift trucks operating
Uwaga
na wózki widłowe

English & Polish
1 4298 K
2 4298 K

Caution
Forklift trucks operating

1 4293 P

Danger
Stop. Look. Listen.
Beware of trucks

1 4205 G M P Floor Graphic 400 x 600mm
2 4205 G M 5 8735

Danger
Stop. Look. Listen.
Beware of vehicles

1 4206 G M P
2 4206 G M
8 4206 G M

Warning
Moving vehicles

1 6504 G M
2 6504 G

Warning
High pressure tyre inflation

1 6501 G
2 6501 G

Caution
Forklift trucks have priority of way in this area

1 4243 G M
2 4243 G

Warning
Beware of moving vehicles

1 6459 G M
2 6459 G M

Warning
Misuse of compressed air is highly dangerous and may cause permanent injury or death

1 4441 G M
2 4441 G

Warning
Moving traffic beyond this point

1 4491 G M
2 4491 G M

Warning
When operating keep feet clear of tailgate edges

2 4254 G

Caution
Forklift Trucks

Braille 300 x 150mm
5 6319

1 4222 F N
2 4222 F

Adhesive Pads
Pack of 4
5 8724

Surface Safety

Danger
Risk of falling

1 4494 G M
2 4494 G M
8 4494 G

Caution
Trip hazard

1 4214 G M
2 4214 G M
8 4214 G

Caution
Slippery floor surface

1 4213 G M P Floor Graphic 400 x 600mm
2 4213 G M P 5 8824
8 4213 G

Caution
Sloping floor

1 4521 G
2 4521 G

Warning
Sudden drop

1 4238 G M
2 4238 G

Warning
Steep steps

1 4492 G
2 4492 G

Caution
Ramp

1 4257 G M P
2 4257 G

Danger
Deep water

1 4207 G M E K P
2 4207 G

Caution
Mind the step

1 4209 G M E K Rigid Plastic A5 (148 x 210mm)
2 4209 G M E K 5 8316
8 4209 G Self Adhesive A5 (148 x 210mm)
5 8317
Floor Graphic 300 x 100mm
5 8749



Caution
Wet floor

1 4223 E K
2 4223 E K

Caution
Slippery when wet

1 4229 E K
2 4229 E K

Caution
Floor slippery when wet

1 4287 A
2 4287 A



With aggressive pressure sensitive adhesive for bonding to most floor surfaces

Floor Preparation

Edge Sealer - 140ml
5 9699

Floor Primer - 1 Litre
5 9698

Floor Cleaner - 1 Litre
5 8827

Water Safety

Designed to the specifications of BS ISO 20712-3: 2014 Water Safety Signs

Danger
Deep water

1 4207 G M E K P
2 4207 G

Danger
Strong currents

1 4273 K

Danger
Thin ice

1 4275 E K

Warning
Sudden drop

1 4280 E K

Quarry Signs on Page 45



Overhead & Access



Impact Protection on page 66

Impact protection systems cushion and warn of protruding corners, edges, vulnerable pipes and protect many other areas such as walls, kerbs, trolley parks, vehicles, plant and machinery.

Caution
Mind your head

1 4216 **G M E K** Rigid Plastic
2 4216 **G M E K** A5 (148 x 210mm)
8 4216 **G** 5 8312

Self Adhesive
A5 (148 x 210mm)
5 8313

Caution
Limited overhead height

1 4496 **M**
2 4496 **M**

Caution
Overhead hazard

1 4246 **G M**
2 4246 **G**

Warning
You are entering a confined space area

1 4498 **P**
2 4498 **P**

Mind your head

Self Adhesive
400 x 35mm
5 4037

Caution
Glass door

2 4130 **X**

Caution
Automatic door

1 4255 **G**
2 4255 **G**

Caution
Automatic door

2 4131 **X**

Caution
Automatic door

2 4132 **X**

Site Safety

Danger
Men at work

1 4201 **G M P** Self Adhesive
2 4201 **G M** A4 (210 x 297mm)
5 8377

Rigid Plastic
A4 (210 x 297mm)
5 8376

Warning
Battery charging in progress

1 4211 **G M E K**
2 4211 **G M E K**

Projecting Sign
Face: 150x 200mm
5 4301

Danger
Demolition work in progress

1 6403 **M P**
2 6403 **M**

PVC Banner
1270 x 610mm
5 5088

Warning
Construction site

Rigid Plastic
A4 (210 x 297mm)
5 8360

Danger
Scaffolding incomplete

1 6442 **P**

Danger
Men working overhead

1 4202 **G M P**
2 4202 **G M**

Caution
Never operate this machine without the proper guards in position

1 4264 **G**
2 4264 **G**

Caution
Pedestrians

1 4493 **G M**
2 4493 **G M**

Warning
Self Adhesive A4 (210 x 297mm)
5 8361

Warning
Self Adhesive A4 (210 x 297mm)
5 8361

1 4219 **F N**
2 4219 **F N**

Danger
Men working below

1 4203 **G M P**

Danger
Men working on plant

1 4245 **G M**

Warning
Site traffic

1 6460 **G M**

Warning
It is dangerous and illegal to operate machines without the proper guards in position

2 4262 **G**

Warning
Stand clear of suspended loads

1 4250 **G M**

Warning
Look out for overhead loads

1 6418 **G M P**
2 6418 **G**

Warning
Overhead crane

1 6455 **G M**
2 6455 **G M**

Danger
Falling objects

1 6456 **G M** Banner
1270 x 610mm
5 6456

Danger
Deep excavations

1 4204 **G M G P**
2 4204 **G M**

Danger
Open pit

1 6503 **G M**
2 6503 **G M**

Warning
Danger of crushing

1 3666 **G M**
2 3666 **G M**

Caution
High noise level

1 5220 **G M**
2 5220 **G M**

Danger
Quarry workings

1 4232 **G M**

Danger
Open manhole

1 6454 **G M**

Caution
Arc welding

1 4212 **G M E K**
2 4212 **G**

Danger
Test area

1 4230 **G**
2 4230 **G**

Caution
Out of order

1 4210 **G**
2 4210 **G**

Warning
Hazardous area

1 4240 **G M**
2 4240 **G M**
8 4240 **G**

Warning
Welding in progress

1 4497 **G M**
2 4497 **G M**
8 4497 **G**

Warning
Fragile roof

1 4261 **G M E K P**
2 4261 **G M E K P**
8 4261 **G E**

Material Codes		Landscape Sizes				Portrait Sizes	
1 Rigid Plastic	5 Miscellaneous	B 80 x 80mm	G 300 x 100mm	N 400 x 400mm	X 200 x 100mm	A 75 x 100mm	K 300 x 400mm
2 Self Adhesive Vinyl	6 Aluminium	E 200 x 150mm	K 400 x 300mm	P 600 x 400mm		E 150 x 200mm	P 400 x 600mm
3 Photoluminescent Rigid Plastic	7 Polycarbonate	F 200 x 200mm	M 600 x 200mm	G 600 x 450mm		H 250 x 300mm	Custom sizes
4 Photoluminescent Self Adhesive	8 Quick Fix						

Security

 <p>Warning Barbed wire</p> <p>1 1720 G M 2 1720 G 7 1720 G M</p>	 <p>Warning Razor wire</p> <p>1 1715 G M 2 1715 G 7 1715 G</p>	 <p>Warning Electric fence</p> <p>1 4023 G M 2 4023 G</p>	 <p>Warning Anti climb paint</p> <p>1 1714 G M 2 1714 G M 8 1714 G</p>			
 <p>Caution Security alarm will sound if door is opened</p> <p>1 1738 G 2 1738 G</p>	 <p>Warning Guard dogs on patrol</p> <p>Keep out</p> <p>1 6215 G M P</p>	 <p>Warning Shoplifters will be prosecuted</p> <p>Face Adhesive 75 x 100mm 5 1729</p>	<p>Window labels have adhesive on the face, allowing them to be applied to the inside of the window and viewed through the glass.</p> 			
 <p>Warning CCTV in operation</p> <p>Rigid Plastic A4 (210 x 297mm) 5 8366</p> <p>Self Adhesive Vinyl A4 (210 x 297mm) 5 8367</p>	 <p>Warning These premises are alarmed</p> <p>1 1702 D H 2 1702 D H</p> <p>Face Adhesive 75 x 100mm 5 1702</p>	 <p>Warning This property is patrolled by security guards</p> <p>1 1730 H K</p> <p>Face Adhesive 75 x 100mm 5 1730</p>	 <p>Warning This is a restricted area</p> <p>1 1728 H K 2 1728 H</p>	 <p>Warning This is a security patrolled area</p> <p>1 1727 H K</p>	 <p>Warning Trespassers will be prosecuted</p> <p>1 1731 H K</p>	 <p>Warning All vehicles entering or leaving these premises are liable to be searched</p> <p>1 7530 Q</p>

More CCTV & Security Signs on page 80 - 81

Electrical Warning Labels • Self Adhesive Vinyl

<p>IMPORTANT</p> <p>This installation should be periodically inspected and tested and a report on its condition obtained, as prescribed in the IET Wiring Regulations BS 7671 Requirements for Electrical Installations.</p> <p>Date of last inspection</p> <p>Date of next inspection</p> <p>100 x 75mm 5 9584 Roll (100) 5 4064 Sheet (9)</p>	<p>IMPORTANT</p> <p>This installation, or part of it, is protected by a device which automatically switches off the supply if an earth fault develops. Test quarterly by pressing the button marked "T" or "Test". The device should switch off the supply and should then be switched on to restore the supply. If the device does not switch off the supply when the button is pressed, seek expert advice.</p> <p>100 x 75mm 5 9764 Roll (100) 5 4065 Sheet (9)</p>	<p>CAUTION</p> <p>This installation has wiring colours to two versions of BS 7671</p> <p>Great care should be taken before undertaking extension, alteration or repair that all conductors are correctly identified</p> <p>75 x 50mm 5 9819 Roll (100)</p>				
 <p>DANGER 110 Volts</p> <p>40 x 50mm 5 9769 Roll (100) 5 4050 Sheet (25)</p>	 <p>DANGER 230 Volts</p> <p>40 x 50mm 5 9789 Roll (100) 5 4053 Sheet (25)</p>	 <p>DANGER 240 Volts</p> <p>40 x 50mm 5 9768 Roll (100) 5 4049 Sheet (25)</p>	 <p>DANGER 400 Volts</p> <p>40 x 50mm 5 9788 Roll (100) 5 4052 Sheet (25)</p>	 <p>DANGER 415 Volts</p> <p>40 x 50mm 5 9767 Roll (100) 5 4048 Sheet (25)</p>	 <p>WARNING More than one supply</p> <p>40 x 50mm 5 9814 Roll (100) 5 4060 Sheet (25)</p>	 <p>WARNING Electrical connection</p> <p>40 x 50mm 5 9817 Roll (100) 5 4062 Sheet (25)</p>
 <p>DANGER 400 Volts exists between</p> <p>40 x 50mm 5 9787 Roll (100) 5 4051 Sheet (25)</p>	 <p>DANGER Back of this panel is live</p> <p>40 x 50mm 5 9795 Roll (100) 5 4056 Sheet (25)</p>	 <p>DANGER Main switch</p> <p>40 x 50mm 5 9796 Roll (100) 5 4057 Sheet (25)</p>	 <p>DANGER Live electrical equipment</p> <p>40 x 50mm 5 9797 Roll (100) 5 4058 Sheet (25)</p>	 <p>WARNING Live parts exposed within enclosure Isolate before removing cover</p> <p>40 x 50mm 5 9798 Roll (100) 5 4059 Sheet (25)</p>	<p>Earth Labels</p>  <p>Self Adhesive Vinyl Sheet of 100 5 9833 12.5 x 12.5mm 5 9834 25 x 25mm</p>	
 <p>DANGER High voltage</p> <p>40 x 50mm 5 9793 Roll (100) 5 4054 Sheet (25)</p>	 <p>WARNING Isolate elsewhere</p> <p>40 x 50mm 5 9794 Roll (100) 5 4055 Sheet (25)</p>	 <p>WARNING EARTH Do not remove</p> <p>40 x 50mm 5 9818 Roll (100) 5 4063 Sheet (25)</p>	 <p>SAFETY ELECTRICAL CONNECTION DO NOT REMOVE</p> <p>40 x 50mm 5 9816 Roll (100) 5 4061 Sheet (25)</p>	 <p>Warning This equipment has been wired to the two versions of BS 7671. Great care should be taken before undertaking extension, alteration or repair that all conductors are correctly identified.</p> <p>Self Adhesive 75 x 50mm - Sheet of 10 5 4034</p>	<p>Designed to comply with amendment no.2 to BS 7671:2001</p>	

Electricity Warning Signs



1 4002 **G E**
2 4002 **G E**



1 4024 **G**
2 4024 **G E**



1 4001 **G M E K**
2 4001 **G E**




1 4022 **G M**
2 4022 **G M E**



1 4003 **G M E K**
2 4003 **G M E K**



1 4004 **G E**
2 4004 **G E**



1 4031 **G**



1 4005 **G M**
2 4005 **G E**



1 4017 **G M**
2 4017 **G M**



1 4010 **G M E K P**
2 4010 **G E**



1 4008 **G M E K P**
2 4008 **E**



1 4007 **G M E K P**
2 4007 **G**



1 4018 **G M E K P**
2 4018 **E**



1 4020 **G M E K P**
2 4020 **G E**



1 4021 **G M K P**
2 4021 **M**



1 4025 **G M**



1 4265 **G**
2 4265 **G**



1 6219 **G M P**
2 6219 **G**



1 4029 **G M**
2 4029 **G M**



1 4009 **G M E K P**
2 4009 **G M E K**
7 4009 **G M**
8 4009 **G M**




2 4068 **G**



1 4015 **G M E K P**



1 4460 **G**



1 4249 **G**
2 4249 **G**



1 4013 **E K P**
2 4013 **K P**



1 4011 **D E**
2 4011 **D E**



1 4019 **D**
2 4019 **D**



1 4012 **D E K**
2 4012 **D E K**
8 4012 **E**

Rigid Plastic
A4 (210x297mm)
5 8386

Self Adhesive
A4 (210 x 297mm)
5 8387



1 4249 **G**
2 4249 **G**



1 4465 **G**
2 4465 **G**

Lock Out Tag Out products are available on pages 71 - 73

The term lockout tagout (LOTO) refers to a safety procedure that ensures that dangerous machines and energy sources are properly isolated during inspection or repair processes.

Electricity On Site

Guidance for employees working on sites containing live cables and overhead wires

Be aware - Not all cables will be clearly marked on plans

- For safety, always assume all houses, offices, factories and shops have live cables running into them, no matter what your plans show
- Take time to trace the cables and mark them against the plans provided
- Scan the area with a detector to make sure the area is safe before excavating it
- Initially make only trial holes to locate cables before using a mechanical digger
- If any cables are damaged confirm off the area and immediately call the local electricity supplier

Never assume an area is safe without checking it first

- Always be aware that live cables can be anywhere, at any depth - even just below the surface.
- Never assume a disused or derelict building has no live cables.
- Take care, even when only using hand tools

Remember Overhead Lines

- Always look-up when operating any kind of machinery particularly if it goes above head height
- Never drive with a wagon/lorry raised anywhere within the area
- Take care when erecting scaffolding or fencing
- Always be aware of overhead cables when falling trees
- Never tip loads under overhead wires

Rigid Plastic
400 x 600mm
5 8134

Electric Shock

Synthetic Paper
594 x 420mm
5 8999



1 4221 **F N**
2 4221 **F**

Self Adhesive
50 x 50mm
Roll of 100
5 9720



1 4218 **F**
2 4218 **F**

Self Adhesive
100 x 100mm
Sheet of 6
5 4038

50 x 50mm
Sheet of 6
5 4036



5 5067



5 5068



5 5062

Matt PVC
80 x 150mm
Double Sided
Pack of 10

Supplied with
150mm Cable Ties

Material Codes			Landscape Sizes			Portrait Sizes		
1 Rigid Plastic	5 Miscellaneous	7 Polycarbonate	F 200 x 200mm	M 600 x 200mm	P 600 x 400mm	E 150 x 200mm	H 250 x 300mm	P 400 x 600mm
2 Self Adhesive Vinyl	6 Aluminium	8 Quick Fix	G 300 x 100mm	N 400 x 400mm	Custom sizes	D 100 x 150mm	K 300 x 400mm	Q 450 x 600mm

Machinery & Vibration

Machinery / Lock Out Tag Out




 <p>Caution Moving machinery</p> <p>1 4226 G 2 4226 G</p>	 <p>Warning Danger of crushing</p> <p>1 3666 G M 2 3666 G M</p>	 <p>Caution This machinery is automatic and may start without warning</p> <p>1 4228 G M 2 4228 G M 8 4228 G</p>	 <p>Caution Beware of machine rollers</p> <p>1 4263 G 2 4263 G</p>				
 <p>Caution Pinch point</p> <p>1 4283 E 2 4283 E</p>	 <p>Caution Sharp blades</p> <p>1 4284 E 2 4284 E</p>	 <p>Caution Locked out for safety</p> <p>1 6241 Q 2 6241 A</p>	 <p>Caution Lock out devices must be removed by authorised personnel only</p> <p>1 6245 Q 2 6245 A</p>	 <p>Caution This equipment must be locked out prior to servicing</p> <p>1 6240 Q 2 6240 A</p>	 <p>Danger Equipment locked out Do not operate</p> <p>1 6242 Q 2 6242 A</p>		
 <p>Warning Lock out tags to be removed by authorised personnel only</p> <p>Comments Date Authorisation</p> <p>5 5063</p>	 <p>Caution Lock out devices must be removed by authorised personnel only</p> <p>Comments Date Authorisation</p> <p>5 5074</p>	 <p>Caution Lock out devices must be used on this equipment during maintenance</p> <p>Comments Date Authorisation</p> <p>5 5075</p>	 <p>Warning This equipment has been locked out</p> <p>Comments Date Authorisation</p> <p>5 5061</p>	 <p>Caution Equipment locked out</p> <p>Comments Date Authorisation</p> <p>5 5078</p>	 <p>Caution Locked out for safety</p> <p>Comments Date Authorisation</p> <p>5 5083</p>	 <p>Caution This machinery has been locked out</p> <p>Comments Date Authorisation</p> <p>5 5082</p>	 <p>Danger Equipment Locked out Do not operate</p> <p>Comments Date Authorisation</p> <p>5 5071</p>

Matt PVC
80 x 150mm
Double Sided
Pack of 10

Supplied with
150mm Cable Ties

Vibration

The Control of Vibration at Work Regulations 2005 seeks to restrict workers exposure to vibration. Without appropriate control Hand Arm Vibration Syndrome (HAVS) and the resulting Vibration White Finger can often be a consequence.

<p>Hand Arm Vibration Safety</p> <p>Vibration in m/s² Maximum Daily Usage Time in Hours (ELV)</p> <p>Below 5 8 Hours</p> <p>5 to 10 2 Hours</p> <p>MEDIUM</p> <p>Over 10 Assess risk</p> <p>HIGH</p>	<p>Assess Risk</p>  <p>Self Adhesive 25 x 25mm 5 5054</p>	<p>2 hours</p>  <p>Self Adhesive 25 x 25mm 5 5055</p>	<p>8 hours</p>  <p>Self Adhesive 25 x 25mm 5 5056</p>	 <p>Warning High vibration risk If used for more than mins per day</p> <p>Self Adhesive 50 x 75mm 5 5050</p>	 <p>Warning High vibration risk If used for more than mins per week</p> <p>Self Adhesive 50 x 75mm 5 5051</p>
---	--	--	---	--	---

PAT Test Labels

PAT Test Labels comply with IEE regulations, ensuring all required information is on the label.

Cable Wrap Labels



Manufactured from matt non-rip material that can be written on with a standard pen. This label wraps around the cable to identify if the appliance has passed or failed inspection.



Passed
75 x 50mm
Rolls of 100
5 4042



Failed
75 x 50mm
Rolls of 100
5 4043

Write and Seal Labels



Over laminate protects and seals labels once completed.

50 x 25mm
Rolls of 100
5 4044

Write on Labels



Passed
50 x 25mm
Rolls of 250
5 4045




Failed
50 x 25mm
Rolls of 250
5 4028

Safety Tags

Matt PVC 80 x 150mm Double Sided
Pack of 10 Supplied with 150mm Cable Ties




Warning Labels



Self Adhesive
50 x 50mm - Roll of 100
5 9719




Self Adhesive
50 x 50mm - Roll of 100
5 9720



Self Adhesive
50 x 50mm - Roll of 100
5 9721



Self Adhesive
50 x 50mm - Roll of 100
5 9725



Self Adhesive
50 x 50mm - Roll of 100
5 9726



Self Adhesive
50 x 50mm - Roll of 100
5 9724

Shipping Labels

• 75 x 100mm • Rolls of 250 • Tough non-rip polypropylene



5 8160



5 8193



5 8194



5 8195



5 8196



Lifting Labels

Required by the Manual Handling Operations Regulations 1992 (as amended 2002), labels should be installed onto heavy packages and other items to indicate a manual handling risk.



Self Adhesive Vinyl
50 x 50mm - Roll of 100
5 4030

Equipment Labels




105 x 99mm - Sheet of 6



5 4041



40 x 18mm - Sheet of 10



5 4040

Custom designs are available on request

Washroom Kit



Self Adhesive Labels

Sheet of 6 x 65mm Dia
Wash hands symbol
Not drinking water symbol
Caution hot water

Rigid Plastic

300 x 100mm
Place all rubbish in bins
Now wash your hands
Caution slippery surface

Rigid Plastic

100 x 75mm
Please turn off the taps
Caution very hot water

Free Standing Sign

300 x 575mm
Caution wet floor

5 1069

Glass Highlighting

Provision 14 of The Workplace (Health, Safety and Welfare) Regulations 1992 states that every window or other transparent or translucent surface in a wall or door shall, where necessary for reasons of H&S, be appropriately marked or incorporate features to make it apparent. Frosted crystal decals can be used as a complete length or cut into individuals to highlight glass surfaces.



1000 x 150mm
5 Symbols
5 9153



1000 x 150mm
5 Symbols
5 9199



1000 x 150mm
5 Symbols
5 9152



1000 x 120mm
9 Symbols
5 9197



1000 x 150mm
6 Symbols
5 9200



1000 x 150mm
5 Symbols
5 9148



1000 x 150mm
5 Symbols
5 9151



1000 x 150mm
5 Symbols
5 9154



1000 x 100mm
6 Symbols
5 9198

Food Allergy

From December 2014 restaurants and food outlets must provide and display details of possible allergens contained in menu items being served.



2 5631



1 5632
2 5632



Double Sided Table Card
150 x 50mm - Pack of 5
White PVC
5 5633

Material Codes				Landscape Sizes			Portrait Sizes
1 Rigid Plastic	3 Photolum Rigid Plastic	5 Miscellaneous	7 Polycarbonate	A 100 x 75mm	G 300 x 100mm	M 600 x 200mm	E 150 x 200mm
2 Self Adhesive Vinyl	4 Photolum Self Adhesive	6 Aluminium	8 Quick Fix	B 80 x 80mm	K 400 x 300mm	Q 600 x 450mm	Custom sizes

Free Standing Warning Signs

Free-Standing

• Polypropylene • 300 x 575mm • Double Sided Warning • Foldable, Waterproof, Durable, Lightweight and Compact



Reverse says Keep Right



Custom Free-Standing Signs

These popular double sided, free-standing signs can be customised and personalised to show the warning message you require. They can also be used to promote brand awareness while you work – add your company name and contact details to ensure potential customers know who to contact if they want similar work completed.

To customise these signs in any way simply quote the relevant code and supply the wording/message or image that you require when ordering.



Up to 10 words on both sides

Lightweight Free-Standing Signs

• Fluted Polypropylene • 300 x 600mm • Double Sided Warning • Waterproof, Durable, Lightweight and Compact



Fluted Polypropylene
4mm Thick
Lightweight, strong and waterproof.
100% Recyclable

Cone Attachments

This handy lightweight plastic ring fits onto round cones; complete with hooks for plastic chain attachment. Can be used to create a simple, effective barrier solution.



5 7998

Plastic Chain



Polyethylene chain
• 6mm links • 10m length

Colour	Code
Red & White	5 9041
Black & Yellow	5 9042

Cones

500mm high round PVC cones are pre-printed to mark hazardous areas, or we can print a message of your choice.

500mm high triangular cones are manufactured from a UV stabilised LDPE upper and a 100% recycled PVC base for extra stability.

All cones are easily stacked.

Message	Shape	Code
Slippery Surface	Round	5 7980
Floor Cleaning	Round	5 7981
Custom Message	Round	5 7995
Wet Floors	Triangular	5 7982
Custom Message	Triangular	5 7996



Handi Guard



High quality modular, 3-panel barrier system with a yellow and black stripe and caution symbol as standard. A smooth finish allows easy maintenance and cleaning. Snap on hinges supplied with every panel or set to link panels together.

- Panel dimensions: 800mm (h) x 1000mm (w) x 30mm
- Foldaway for easy storage
- Lightweight – panel weight 2.5kg
- Made from durable polyethylene
- Designed to comply with BS7801:2011 safe working on escalators and moving walkways

Polyethylene
800 x 1000 x 30mm
Panels x 3

5 7984

Minder Guards



Durable and lightweight
1030 x 780 x 26mm (2.5kg)
High impact polyethylene.
Stand alone or link together.

Each minder includes a pack of 6 messages and a stand.

- Caution out of service
- Caution wet floor
- Temporarily closed
- Danger keep out
- Cleaning in progress
- Caution work area

Polyethylene
1030 x 780 x 26mm

5 9637

5 in 1 Multi-Message Sign



400 x 600mm, self standing, flat folding structure, 6mm powder coated steel frame.

Durable, multi-warning sign, includes 5 double sided PVC signs (300 x 400mm)

5 8535



Elevator Guard



Designed specifically for elevator maintenance and to comply with BS EN 7255:2001.

Complete modular, 2-panel units that can link together to form larger units.

Fold away barrier system made from durable polyethylene plastic.

Non-conductive, telescopic poles stored inside the barriers to connect to elevator opening.

Lightweight yet extremely strong.

- Suitable for 1300mm openings
- No admittance authorised personnel only
- Each panel 1100 x 660 x 40mm (h x w x d)
- Weight: approx 4kg
- Telescopic poles extend to 2.2m

Polyethylene
1100 x 660 x 40mm
Panels x 2

5 9638

Banana Cone

An extremely durable and eye-catching Wet Floor sign, manufactured from high quality, injection moulded, thick polypropylene.

Black stem is detachable, allowing easy stacking.

Multilingual warning message in English, German and Spanish on all four sides for maximum exposure.

Lightweight cone at just 0.8kg

600 x 300 x 300mm

Polypropylene
600mm Height

5 8507



Personal Protective Equipment (PPE) Signs



Employers are responsible for the provision and use of personal protective equipment (PPE) at work. PPE is equipment that will protect the user against health or safety risks at work. It can include items such as safety helmets, gloves, eye protection, high-visibility clothing, safety footwear, safety harnesses and respiratory protective equipment (RPE).

PPE must be properly looked after and stored when not in use. Employees must make proper use of PPE and report if it has been lost, destroyed or if any fault is found. Safety signs and posters can prove a useful reminder that PPE should be worn during specific tasks or in specific locations. Take note of any changes in equipment, materials or methods – you may need to update your signs accordingly.

Eye Protection

 <p>Eye protection must be worn</p> <p>1 5003 G M E K 2 5003 G M E K 8 5003 G E</p>	 <p>Eye protection must be worn when operating this machine</p> <p>1 5005 G M E K 2 5005 G M E</p>	 <p>Eye protection is provided for your safety and must be worn</p> <p>1 5002 G M E K 2 5002 G M E K</p>	 <p>Wear goggles your eyes cannot be replaced</p> <p>1 5004 G M 2 5004 G M</p>		
 <p>1 5006 F N 2 5006 F</p> <p>Floor Graphic 400mm Dia 5 8746</p>	 <p>Only qualified persons must mount or change this wheel. Safety Goggles must be worn on all dry grinding</p> <p>ABRASIVE WHEEL MACHINE Plant No. _____ Spindle speeds R.P.M _____ Max. wheel dia. _____</p> <p>1 5009 E 2 5009 E</p>	 <p>These goggles are for use with this grinder only</p> <p>Not to be taken away</p> <p>1 5008 E 2 5008 E</p>	 <p>Eye protection must be worn beyond this point</p> <p>Floor Graphic 400 x 600mm 5 8732</p>	<p>English & Polish</p>  <p>Eye protection must be worn</p> <p>Należy założyć środki ochrony oczu</p> <p>1 5238 (H) 2 5238 (H)</p>	 <p>Eye protection must be worn in this area</p> <p>Rigid Plastic A4 (210 x 297mm) 5 8364</p> <p>Self Adhesive A4 (210 x 297mm) 5 8365</p>

Footwear

 <p>1 5202 F 2 5202 F</p> <p>Floor Graphic 400mm Dia 5 8801</p>	 <p>Protective footwear must be worn</p> <p>1 5201 G M E K P 2 5201 G M E K 8 5201 G E</p> <p>Rigid Plastic A4 (210 x 297mm) 5 8372</p> <p>Self Adhesive A4 (210 x 297mm) 5 8373</p>	 <p>Safety footwear must be worn on this site</p> <p>1 5232 G M 2 5232 G M 8 5232 G</p>	 <p>Protective footwear must be worn beyond this point</p> <p>Floor Graphic 400 x 600mm 5 8828</p>	<p>English & Polish</p>  <p>Protective footwear must be worn</p> <p>Należy nosić obuwie ochronne</p> <p>1 5249 (E) 2 5249 (E)</p>
--	---	--	--	---

Helmet / Hard Hat

 <p>Safety helmets must be worn in this area</p> <p>1 5016 G M E K P 2 5016 G M E K 8 5016 G E</p> <p>Rigid Plastic A4 (210 x 297mm) 5 8370</p> <p>Self Adhesive Vinyl A4 (210 x 297mm) 5 8371</p>	 <p>Safety helmets are provided for your safety and must be worn</p> <p>1 5017 G M 2 5017 G M</p>	 <p>Hard hats must be worn on this site at all times</p> <p>1 6401 M P 7 6401 M</p>	 <p>Safety helmets must be worn beyond this point</p> <p>1 5018 G M E K P 2 5018 G M E</p> <p>Floor Graphic 400 x 600mm 5 8730</p>	
 <p>1 5015 F N 2 5015 F</p>	 <p>This is a hard hat area</p> <p>1 6402 M P</p> <p>Scaffold PVC Banner 1270 x 1270mm 5 5115</p>	 <p>Bump caps must be worn in this area</p> <p>1 5024 G M E 2 5024 G M E</p>	<p>English & Polish</p>  <p>Safety helmets must be worn</p> <p>Należy nosić kaski ochronne</p> <p>1 5250 (E) 2 5250 (E)</p>	 <p>Safety helmets and safety footwear must be worn</p> <p>1 5019 E K P 2 5019 E K 6 5019 P</p>

High Visibility Clothing

 <p>High visibility jackets must be worn beyond this point</p> <p>1 5216 M E K P 2 5216 M E K 6 5216 M 7 5216 M 8 5216 G E</p> <p>Floor Graphic 400 x 600mm 5 8820</p>	 <p>High visibility jackets must be worn</p> <p>1 5452 G M 2 5452 G M</p> <p>Rigid Plastic A4 (210 x 297mm) 5 8382</p>	 <p>High visibility clothing must be worn in this area</p> <p>1 5218 G M 2 5218 G M 8 5218 G</p> <p>Self Adhesive A4 (210 x 297mm) 5 8383</p>	 <p>1 5419 F N 2 5419 F</p>	<p>English & Polish</p>  <p>High visibility jackets must be worn</p> <p>Należy nosić kamizelki odblaskowe</p> <p>1 5248 (E K) 2 5248 (E K)</p>
---	--	--	--	--

Masks & Respirators

 1 5208 F N 2 5208 F	 1 5007 F 2 5007 F	 1 5206 F 2 5206 F	 Wear masks 1 5237 E K 2 5237 E K	 Wear visor 1 5233 G 2 5233 G	 Wear face shield 1 5001 G M E K 2 5001 G M E
 Respirators must be worn 1 5205 G E K 2 5205 G E				 Masks must be worn when working here 1 5207 G M E K 2 5207 G M E K 8 5207 G	 Wear welding mask 1 5021 G M 2 5021 G M

Clothing & Gloves

 Protective clothing is provided for your safety and must be worn 1 5213 G M 2 5213 G	 Protective clothing must be worn beyond this point Floor Graphic 400 x 600mm 5 8733	 Protective clothing must be worn in this area 1 5603 E K 2 5603 E K	 Caution You are entering a designated area  All persons must wear approved protective equipment as identified 1 5217 E K 2 5217 E K	 Life jackets must be worn 1 3022 E K	 Wear gloves 1 5236 E K 2 5236 E K
 Protective garments must be worn 1 5212 G M 2 5212 G M					
 Overshoes must be worn beyond this point 1 5464 G 2 5464 G	 Lab coats must be worn in this area 1 5231 G 2 5231 G	 Hand protection must be worn 1 5204 F N 2 5204 F		 Hand protection must be worn 1 5203 G M E K 2 5203 G M E K 8 5203 G E	

Harnesses

 Wear safety harness 1 5407 G M 2 5407 G	 Wear safety harness 1 5416 F 2 5416 F
 Clip on when working at height 1 5215 G M 2 5215 G	

General PPE Signs

 Personal Protective Equipment at Work Regulations 1992 Rigid Plastic 400 x 600mm 5 8113	 Personal Protective Equipment at work Regulations 1992 Personal protective equipment is provided for your health and safety and must be used Defective equipment should be immediately reported to your safety representative 1 5210 E K 2 5210 E K	 Approved personal protective equipment must be worn at all times 1 5221 G M 2 5221 G M
	 You are now entering a designated area All persons proceeding past this point must wear an approved safety helmet, safety footwear and high visibility jacket 1 6236 P PVC Banner with Eyelets 1270 x 610mm 8 6236 P 5 5089	


PPE Labels

 6 x Stickers 50mm Diameter 5 5030	 6 x Stickers 50mm Diameter 5 5031	 6 x Stickers 50mm Diameter 5 5032	 6 x Stickers 50mm Diameter 5 5034	 6 x Stickers 50mm Diameter 5 5033	 6 x Stickers 50mm Diameter 5 5047
 6 x Stickers 100mm Diameter 5 5035	 6 x Stickers 100mm Diameter 5 5036	 6 x Stickers 100mm Diameter 5 5037	 6 x Stickers 100mm Diameter 5 5039	 6 x Stickers 100mm Diameter 5 5038	 6 x Stickers 100mm Diameter 5 5048
 100 x Stickers 50 x 50mm 5 9716	 100 x Stickers 50 x 50mm 5 9711	 100 x Stickers 50 x 50mm 5 9715	 100 x Stickers 50 x 50mm 5 9712	 100 x Stickers 50 x 50mm 5 9717	 100 x Stickers 50 x 50mm 5 9714


Material Codes			Landscape Sizes				Portrait Sizes	
1 Rigid Plastic	5 Miscellaneous	7 Polycarbonate	E 200 x 150mm	G 300 x 100mm	M 600 x 200mm	P 600 x 400mm	E 150 x 200mm	K 300 x 400mm
2 Self Adhesive Vinyl	6 Aluminium	8 Quick Fix	F 200 x 200mm	K 400 x 300mm	N 400 x 400mm		H 250 x 300mm	P 400 x 600mm



Noise Control & Ear Protection



1 5012 **G M E K P**
2 5012 **G M E K**
8 5012 **G M**




1 5010 **G M E K P**
2 5010 **G M E K**
8 5010 **G K**



1 5013 **G M**
2 5013 **G M**
8 5013 **G M**



1 5011 **G M E K**
2 5011 **G M E K**
8 5011 **G**



1 5023 **G M**
2 5023 **G M**
8 5023 **G M**



1 6250 **G M P**
2 6250 **G M**



1 5223 **G M**
2 5223 **G M**
8 5223 **G**



1 5220 **G M**
2 5220 **G M**



1 5222 **G M**
2 5222 **G M**
8 5222 **G**




1 6251 **G M**
2 6251 **G M**
8 6251 **G**



Rigid Plastic
A5 (148 x 210mm)
5 8398

Self Adhesive
A5 (148 x 210mm)
5 8399



What you need to know

Employers Must

	Below 80dB	First Action Level 80dB	Second Action Level 85dB
Reduce the risk of hearing damage to the lowest level reasonably practicable.	*	*	*
Ensure noise assessments are carried out by a competent person.		*	*
Ensure a record of assessments are kept until reassessment.		*	*
Use means other than ear defenders to reduce exposure to noise.			*
Provide necessary training, instruction and information on risks to hearing and how to minimise them and how to obtain ear protectors when required.		*	*
So far as reasonably practicable place notices and warning signs in ear protection areas.			*
Provide hearing checks where noise assessments indicate a risk of hearing damage.			*
Ensure ear protection is:		*	*
a) Provided to employees who ask for them		*	*
b) Provided to all those who are exposed.		*	*
c) Not used by those exposed.		*	*
d) Are kept and maintained to a satisfactory standard.		*	*
Ensure ear protection is used by all those who enter ear protection areas.			*

Employees Must

	Below 80dB	First Action Level 80dB	Second Action Level 85dB
Use the ear protection provided.		*	*
Use all other protective equipment provided.		*	*
Report any faults or defects found with the ear protectors or equipment.		*	*


English & Polish



Floor Graphic
400 x 600mm
5 8731



1 5239 **E H K**
2 5239 **E H K**



1 5219 **E K**
2 5219 **E K**



1 5225 **H K**
2 5225 **H**



1 5224 **K**



Fine Line
Marker Pen
Single Black
5 3430



1 5014 **F N**
2 5014 **F**

Floor Graphic
400mm Dia
5 8744

Rigid Plastic
400 x 600mm
5 8116

PPE Dispensers

Remind staff and visitors of their Personal Protection Equipment requirements with our PPE dispenser. Ideal for factories, warehouses and production environments. Our PPE dispenser is made of clear acrylic enabling easy checking of contents and quantities, whilst the hinged lid provides simple access. It can either be placed on a desk or wall mounted.

Dimensions: H240 x W220 x D145mm (contents not included)



- 5 5042
- 5 5043
- 5 5044
- 5 5045
- 5 5046

Noise Activated Sign

A highly visible noise activated warning sign for use in environments where there is a need to clearly warn or indicate when a preset noise level is reached. A great solution where noise levels are intermittent or vary significantly such as factories or entertainment venues.



- Lights up when a preset noise level is exceeded.
- Quick & simple to install: Wall mount and connect to mains via 5m cable.
- Trigger level: 40dB(A) to 114dB(A) for use in any environment.
- High intensity white LED for high visual impact and a long operating life.

Dimensions:
(Diameter x Depth) 300 x 50mm
5 8139

Suspended Sign Frame

All suspended frames are supplied complete with suspension kit for easy installation. Simply add two rigid PVC signs back to back to display your message of choice.

White
300 x 100mm 5 8700

Blue
300 x 100mm 5 8720

White
600 x 200mm 5 8702

Blue
600 x 200mm 5 8721



Floor Stand

Chrome floor stand for use with suspended frames (not included) which slot into the stand.

1100mm height (excluding frame)

Insert a rigid plastic sign (not included) into this Floor Stand.

5 8726



Machinery / Lock Out



1 5456 **G**
2 5456 **G**



1 5455 **G**
2 5455 **G**



1 5406 **G**
2 5406 **G**



1 5411 **F**
2 5411 **F**



5 5076
10 x Matt PVC Tags
80 x 150mm - Double Sided
Includes 150mm Cable Ties



5 5077




1 5405 **G**
2 5405 **G**



1 5446 **G**
2 5446 **G**



1 5447 **G**
2 5447 **G**



6 x Stickers
65mm Diameter
5 1653



Self Adhesive Vinyl
35 x 25mm
5 5040



1 6246 **Q**
2 6246 **A**



1 6248 **Q**
2 6248 **A**



1 6247 **Q**
2 6247 **A**

Vehicles



1 5413 **G M P**
2 5413 **G M**



1 5448 **G**
2 5448 **G**



1 7848 **H K**
2 7848 **H K**



1 5429 **G M**
2 5429 **G M**



1 5466 **G M**
2 5466 **G M**



1 5410 **F N**
2 5410 **F**



1 1632 **F G M N**
2 1632 **F G M N**

General Mandatory Signs



1 5414 **G M**
2 5414 **G M**



1 5214 **G M**
2 5214 **G**



1 5435 **G M**
2 5435 **G M**



1 5469 **G**
2 5469 **G**



1 5457 **G M**
2 5457 **G M**
8 5457 **G**



1 5402 **G M**
2 5402 **G M**



1 5428 **G M P**
2 5428 **G M P**
8 5428 **G M**



1 5412 **F**
2 5412 **F**



1 5409 **F**
2 5409 **F**



1 5420 **G M**
2 5420 **G M**



1 5403 **G M**
2 5403 **G M**



1 5235 **K**
2 5235 **K**
8 5235 **K**



1 5500 **E K**
2 5500 **E K**



1 5401 **G M**
2 5401 **G**





1 5458 **G**
2 5458 **G**



Material Codes		Landscape Sizes				Portrait Sizes		
1 Rigid Plastic	5 Miscellaneous	A 100x75mm	F 200x200mm	H 300x250mm	M 600x200mm	P 600x400mm	E 150x200mm	K 300x400mm
2 Self Adhesive Vinyl	8 Quick Fix	E 200x150mm	G 300x100mm	K 400x300mm	N 400x400mm	Q 600x450mm	H 250x300mm	P 400x600mm



Catering

 <p>Hairnets must be worn</p> <p>1 5627 G M 2 5627 G</p>	 <p>Hair protection must be worn</p> <p>1 5606 G 2 5606 G</p>	 <p>All handlers of food must wash their hands after visiting the toilet</p> <p>1 5610 G 2 5610 G</p>	 <p>This basin is for hand washing only</p> <p>1 5451 G 2 5451 G</p>
 <p>Raw meats only</p> <p>1 5611 G 2 5611 G</p>	 <p>Raw vegetables only</p> <p>1 5628 G 2 5628 G</p>	 <p>Cooked meats only</p> <p>1 5608 G 2 5608 G</p>	 <p>Keep raw meats and fish at bottom of fridge</p> <p>1 5613 G 2 5613 G</p>
 <p>Keep these premises tidy</p> <p>1 5404 G M 2 5404 G M</p>	 <p>Maintain your workstation in a tidy condition at all times</p> <p>1 5449 G 2 5449 G</p>	 <p>All food must be covered</p> <p>1 5621 G 2 5621 G</p>	 <p>Please keep surfaces clean and tidy</p> <p>1 5622 G 2 5622 G</p>
 <p>This is a food production area In the interest of hygiene protective garments must be worn</p> <p>1 5605 G 2 5605 G</p>	 <p>Clean up spillages</p> <p>1 5427 G M 2 5427 G M</p>	 <p>You are entering a food production area Wash your hands</p> <p>1 5620 G M 2 5620 G M</p>	 <p>No smoking You are entering a food production area</p> <p>1 5619 G 2 5619 G</p>
 <p>AVOID CROSS CONTAMINATION! Store cooked food in a separate compartment or on a higher shelf away from raw food</p> <p>1 5615 J 2 5615 J</p>	 <p>This is a food production area Protective clothing must be worn Wash your hands before commencing work</p> <p>1 5604 E K 2 5604 E K</p>	 <p>Please wash only food equipment here</p> <p>1 5601 E 2 5601 E K</p>	 <p>Caution Hot surface Do not touch</p> <p>1 4237 A E 2 4237 A E 8 4237 A E</p>
 <p>CATERING HYGIENE PERSONAL CLEANNESS 1. Keep hair neatly combed. All parts of your body exposed to the public should be clean and free from dirt. 2. Wash hands thoroughly with soap and water before and after handling food. 3. Do not wear jewellery, nail polish, or artificial fingernails. 4. Do not wear any form of head covering which is not specifically designed for food handling. 5. Do not wear any form of footwear which is not specifically designed for food handling. 6. Do not wear any form of clothing which is not specifically designed for food handling. 7. Do not wear any form of accessories which are not specifically designed for food handling. 8. Do not wear any form of cosmetics which are not specifically designed for food handling. 9. Do not wear any form of perfume or aftershave which are not specifically designed for food handling. 10. Do not wear any form of contact lenses which are not specifically designed for food handling. 11. Do not wear any form of glasses which are not specifically designed for food handling. 12. Do not wear any form of contact lenses which are not specifically designed for food handling. 13. Do not wear any form of glasses which are not specifically designed for food handling. 14. Do not wear any form of contact lenses which are not specifically designed for food handling. 15. Do not wear any form of glasses which are not specifically designed for food handling. 16. Do not wear any form of contact lenses which are not specifically designed for food handling. 17. Do not wear any form of glasses which are not specifically designed for food handling. 18. Do not wear any form of contact lenses which are not specifically designed for food handling. 19. Do not wear any form of glasses which are not specifically designed for food handling. 20. Do not wear any form of contact lenses which are not specifically designed for food handling.</p>	 <p>FOOD SAFETY CHECKLIST Always wash your hands before handling raw and cooked meat products Report any illness like diarrhoea, vomiting or infected cuts Ensure that there is enough room to separate raw food from cooked or ready to eat foods Avoid cross-contamination Hands, surfaces, equipment and utensils can all spread germs from raw to cooked food. Clean them thoroughly! Maintain Temperature Controls Check all fridges and freezers operate to the correct temperatures Always keep raw meats and fish at bottom of fridge All hot food served above 63°C All reheated food should reach 62°C</p>	 <p>PREVENT CROSS CONTAMINATION USE CORRECT COLOUR CODED CHOPPING BOARDS & KNIVES RAW MEAT RAW FISH COOKED MEATS SALADS & FRUITS VEGETABLES DAIRY PRODUCTS FOOD HYGIENE ACT 1995</p>	 <p>THE SAFE USE OF KNIVES Always select the right knife for the task. Knives should be kept sharp and have handles that can be properly held. When using a knife, use a firm grip, try to use even pressure for cutting, cut downwards and avoid cutting towards the body. Never try to catch a falling knife. Knives should not be left lying around on worktops and tables. They should not be placed unprotected in cupboards or drawers, nor left in washing up-washes. They should always be stored in suitable sheaths or racks. Cutting blocks, tables and boards should be firm, smooth and clean. There should always be enough room so that a person using a knife is not in danger of being bumped by another person. When carrying a knife always hold the point of the knife downwards.</p>
 <p>Work safely with cookers & ovens Always use the protective clothing/equipment provided. Look out for other people and hazards when transferring hot foods. Turn off the main supply and allow to cool before cleaning. Switch off equipment when not in use. Report all faults immediately to the supervisor. Do not: Use the equipment unless trained and authorised to do so. Drop foods or wet clothes over the equipment to dry. Use defective equipment. Caution Hot surfaces and liquids</p> <p>1 5625 K 2 5625 K</p>	 <p>Caution Hot surface</p> <p>1 4285 G M 2 4285 G M</p>		

Hygiene

 <p>Now wash your hands</p> <p>1 5408 G M E 2 5408 G M</p>	 <p>Prevent the spread of flu</p>	 <p>Prevent the spread of flu</p>
 <p>Please wash your hands after going to the toilet</p> <p>1 5424 G 2 5424 G</p>	 <p>Dispose of used tissues in bins provided</p> <p>2 5502 E</p>	 <p>Wash your hands frequently</p> <p>2 5501 E</p>
 <p>Use hand sanitiser</p> <p>1 5418 G M 2 5418 G M</p>	 <p>Please wash only hands here</p> <p>1 5602 E 2 5602 E K</p>	 <p>Prevent the spread of flu Catch it Cover your nose and mouth with a clean tissue when you cough or sneeze Bin it Dispose of used tissues in your nearest bin Kill it Washing your hands and cleaning surfaces prevents the spread of germs</p> <p>2 5503 E</p>
 <p>Please flush the toilet after use</p> <p>1 5487 G E 2 5487 G E</p>	 <p>6 x Stickers 65mm Diameter 5 1654</p>	

Guides

 <p>Wash Your Hands</p> <p>Synthetic Paper 420 x 594mm 5 5917</p>	 <p>Wash Your Hands</p> <p>Pocket Guide 80 x 120mm 5 5918</p>
---	---



Multi-Message Signs

Multi-message signs can be used to display several safety messages on one sign, consolidating important information into a single focal point and removing the risk of sign clutter. Different safety sign categories can be placed together vertically or horizontally on the same sign.

The sign should never combine two categories into one message. Multi-message signs should follow the design principles of BS EN ISO 7010:2012 to ensure maximum levels of message comprehension.



Hazardous Substances



1 4268 G M
2 4268 G M



1 4267 G
2 4267 G



1 4530 G
2 4530 G



1 4266 G
2 4266 G



1 6219 G M P
2 6219 G



1 4290 G
2 4290 G



1 5463 G
2 5463 G



1 4269 G M
2 4269 G M



1 4534 G M
2 4534 G



1 4533 G M
2 4533 G



1 6274 K
2 6274 K



1 4525 G
2 4525 G

Hazardous Substance Labels on pages 92 - 95
A range of internationally recognised symbols

Asbestos



1 6271 M
2 6271 G



1 4500 G
2 4500 G



1 6272 G M P
2 6272 G



1 6273 K
2 6273 K

SITE SAFETY

*State contact details required
5mm Foam PVC
600 x 900mm
5 8049



1 6270 K G
2 6270 K G

Noise Control



1 5222 G M
2 5222 G M
8 5222 G



1 5223 G M
2 5223 G M
8 5223 G



1 6250 G M P
2 6250 G M



1 6251 G M
2 6251 G M
8 6251 G

Hot Works



1 4559 G M
2 4559 G M



1 4560 G M
2 4560 G M



1 4562 G M
2 4562 G M



1 4561 G M
2 4561 G M

Material Codes			Landscape Sizes				Portrait Sizes	
1 Rigid Plastic	5 Miscellaneous	7 Polycarbonate	A 100 x 75mm	G 300 x 100mm	K 400 x 300mm	P 600 x 400mm	E 150 x 200mm	K 300 x 400mm
2 Self Adhesive Vinyl	6 Aluminium	8 Quick Fix	E 200 x 150mm	J 400 x 200mm	M 600 x 200mm	Q 600 x 450mm	H 250 x 300mm	P 400 x 600mm



Flammable Substances

Flammable Substances

Danger
Explosive gases

No smoking

No naked lights

1 6206 **K Q**
2 6206 **K**

Danger
Petroleum spirit
Highly flammable

No smoking

No naked lights

1 6202 **K Q**
2 6202 **K Q**

Danger
Flammable liquid

No smoking

No naked lights

1 6205 **K Q**
2 6205 **K Q**

Danger
Petroleum spirit
Highly flammable

No smoking

Switch off engine

1 6201 **K Q**
2 6201 **K Q**

Danger
Highly flammable

No smoking

No naked lights

1 6204 **K Q**
2 6204 **K Q**

Danger
Battery charging in progress
Explosive gases

No smoking

No naked lights

1 6225 **K Q**
2 6225 **K**

Danger
Flammable liquid

No smoking or naked lights when batteries are on charge

1 6208 **K Q**
2 6208 **K**

Danger
Petroleum mixture
Highly flammable

No smoking

No naked lights

1 6203 **K Q**
2 6203 **K**

Danger
Explosive atmosphere
Highly flammable

No smoking

No naked lights

1 6233 **K Q**
2 6233 **K**

Danger
L.P.G. Highly flammable

No smoking

No naked lights

1 6207 **K Q**
2 6207 **K Q**

Danger
Petroleum spirit
Highly flammable

No smoking

No naked lights

No mobile phones

Switch off engine

Rigid Plastic
200 x 600mm
5 6226

Danger
Petroleum spirit
Highly flammable

No smoking

No naked lights

No mobile phones

Switch off engine

CCTV in operation

Rigid Plastic
100 x 400mm
5 6339

Danger
Explosive atmosphere
L.P.G. Highly flammable

No smoking

No naked lights

1 6234 **K Q**
2 6234 **K**

Danger
Flammable vapour

No smoking

No naked lights

1 6227 **K Q**
2 6227 **K**

Danger
Petroleum spirit highly flammable

No smoking

No naked lights

No mobile phones

Switch off engine

1 6228 **K Q**
2 6228 **K Q**

Hazard symbols most commonly encountered

TO ALL PERSONNEL
GHS labels classify chemicals in regard to their hazardous properties. Please pay particular attention to any container or product bearing any of the symbols illustrated

ALWAYS
Follow departmental instructions for the protection of your health and safety

1 6484 **Q**
2 6484 **Q**

Emergency Shut Off

Water mains shut off valve

Keep clear

1 6051 **K**
2 6051 **K**

Gas mains shut off valve

Keep clear

1 6035 **K**
2 6035 **K**

Electrical mains switch

Keep clear

1 6034 **K**
2 6034 **K**

Fuel shut off valve

Keep clear


1 6593 **K**
2 6593 **K**



Machinery

 1 6277 G 2 6277 G	 1 4225 G 2 4225 G	 1 6210 G 2 6210 G	 1 4224 H 2 4224 H
 1 6212 G	 1 6209 G	 1 6213 G	
 1 6231 G 2 6231 G	 1 6220 G 2 6220 G	 1 4527 K	 1 6242 Q 2 6242 A
 1 6221 G 2 6221 G	 1 6505 G 2 6505 G		

Vehicles

 1 4528 Q 2 4528 Q	 1 4032 Q 2 4032 Q	 1 4033 Q 2 4033 Q	 1 4242 H K
 1 6279 Q 2 6279 Q	 1 6275 Q 2 6275 Q	 1 6278 K Q 2 6278 K Q	 1 7599 K Q
 1 4234 G M 2 4234 G	 1 5426 K 2 5426 K	 1 4047 Q 2 4047 Q	 1 3221 Q Banner with Eyelets 1270 x 610mm 5 3221
 1 6506 G M		 2 1813 E	 2 4046 E
 2 1814 E	 2 1811 E		

Material Codes				Landscape Sizes			
1 Rigid Plastic	3 Photolum Rigid Plastic	5 Miscellaneous	7 Polycarbonate	A 100 x 75mm	G 300 x 100mm	K 400 x 300mm	Q 600 x 450mm
2 Self Adhesive Vinyl	4 Photolum Self Adhesive	6 Aluminium	8 Quick Fix	E 200 x 150mm	H 300 x 250mm	M 600 x 200mm	V 900 x 600mm



Forklift Signs

DRIVER NOTICE

 **Caution**
Be aware of pedestrians

 **No unauthorised entry**

 All drivers and visitors must report to reception

 Parking and driver instructions must be obeyed

 **Speed limits must be observed**

1 4303 W

DRIVER NOTICE

 **Caution**
Be aware of pedestrians

 **Vehicles must not enter the site without the authority of the site supervisor**

 **Unsupervised reversing in and out of site is strictly forbidden**

 **Speed and parking restrictions must be observed**

1 4304 W

DRIVER NOTICE

 **Caution**
Be aware of pedestrians

 **The use of mobile phones while driving is prohibited**

 All operators must have a valid forklift licence

 **Seatbelts must be worn at all times**

 **Speed limits must be observed**

1 4305 W

FORKLIFT SAFETY

Only adequately trained personnel are allowed to operate lift trucks on this site. Pre-use checks should be carried out in compliance with the Provision and Use of Work Equipment Regulations 1998.

 **Caution Forklift trucks operating**

 Daily checks must be completed before use

 **Sound horn and drive slowly**

 **Seatbelts must be worn at all times**

 **Do not travel with forks raised**

1 4066 W

WAREHOUSE NOTICE

 **Caution**
Forklift trucks operating

 **No unauthorised persons allowed beyond this point**

 **High visibility clothing must be worn**

 **Protective footwear must be worn**

 **Pedestrians must keep to walkways**

1 4307 W

FORKLIFT PARKING

 Engage parking brake

 Forks must be lowered to the floor

 Masts must be upright

 **Do not extend forks into the aisle or walkway**

 Return keys at the end of your shift

1 4310 C

DRIVER NOTICE

 Report to site manager before coupling to trailer

 Loading must be completed before coupling to trailer

 Comply with traffic signals at all times

 Parking brake and wheel chocks must be applied if uncoupling trailer

 **Do not attempt to pull away on a red light**

1 4306 C

FORKLIFT SAFETY

 **Do not use truck until a pre-shift inspection has been completed**

 Report all defects immediately

 Record and report all near miss incidents

1 4308 C

 **Caution**
Forklift Lane

 **No pedestrians**

 **Keep clear of all obstructions. Place rubbish in the bins provided**

1 4315 C

FORKLIFT LOADING

 Complete a daily check of forklift before use

 Ensure all loads are secure and stable


 Ensure brakes are set and wheels are locked on trailers before loading or unloading

 **Do not stack the load too high**

1 4309 C

Forklift Inspection Checklists

Employers have a duty of care to ensure all employees operating or working in the vicinity of forklifts are protected from harm. **Good to Go Safety** offers a simple yet effective solution for forklift safety with daily or weekly inspections. Complete pre-use checks as part of your forklift safety maintenance programme and ensure all staff are aware of the forklifts' status at all times. See pages 125-127 for more information.



Site Safety Signs



1 6218 G M
2 6218 G M



1 6217 G M
2 6217 G



1 6464 Q



1 6404 M P
2 6404 M P
7 6404 M P
8 6404 M P

Banner with Eyelets
1270 x 610mm
5 5087

Fluted Polypropylene
600 x 400mm
Includes Company Logo
5 5785



1 6457 G M



1 6215 G M P



1 6223 G M
2 6223 G



1 6222 M
2 6222 M



1 6429 M
2 6429 M



1 6216 G M
2 6216 G M
8 6216 G M

Confined Spaces



1 6260 H K
2 6260 H



1 6262 H K
2 6262 H K



1 6264 H K
2 6264 H K
8 6264 H K



1 6263 H K
2 6263 H




1 6265 H K
2 6265 H K



1 7611 Q



1 6211 G M
2 6211 G



Fragile Roof / Structures



1 6276 Q
2 6276 Q



1 6232 G P
2 6232 G



1 3658 G M
2 3658 G M



1 6230 M



1 6214 G M P
2 6214 G M



1 4299 G M
2 4299 G M

Quarry Safety



1 4292 Q



1 4314 Q



1 4311 Q



1 4313 Q

Material Codes				Landscape Sizes				Portrait Sizes	
1 Rigid Plastic	3 Photolum Rigid Plastic	5 Miscellaneous	7 Polycarbonate	G 300 x 100mm	K 400 x 300mm	P 600 x 400mm	W 900 x 600mm	Ⓞ 450 x 600mm	
2 Self Adhesive Vinyl	4 Photolum Self Adhesive	6 Aluminium	8 Quick Fix	H 300 x 250mm	M 600 x 200mm	Q 600 x 450mm		Custom available	



Amenities

Toilets



1 7007 **G L**
2 7007 **G L**
8 7007 **G**



1 7061 **G**
2 7061 **G**
8 7061 **G**



1 7008 **G L**
2 7008 **G L**
8 7008 **G**



1 7009 **G L**
2 7009 **G L**
8 7009 **G**



1 7053 **G L**
2 7053 **G**



1 7051 **G L**
2 7051 **G**



1 7058 **G**
2 7058 **G**



1 7057 **G**
2 7057 **G**



1 7094 **G L**
2 7094 **G L**



1 7080 **G**
2 7080 **G**



1 7086 **G**
2 7086 **G**



1 7087 **G**
2 7087 **G**



1 7076 **V**
2 7076 **V**



1 7077 **V**
2 7077 **V**



1 7065 **E**
2 7065 **E**



1 7096 **E**
2 7096 **E**



1 7095 **E**
2 7095 **E**

Amenity Symbols



1 7043 **C**
2 7043 **C**



1 7048 **F**
2 7048 **F**



1 7024 **D F**
2 7024 **D F**



1 7025 **D F**
2 7025 **D F**



1 7093 **D F**
2 7093 **D F**



1 7054 **F**
2 7054 **F**



1 7026 **F**
2 7026 **F**



1 7027 **F**
2 7027 **F**



1 7022 **F**
2 7022 **F**



1 7052 **F**
2 7052 **F**

Room Signs



1 7081 **G**
2 7081 **G**



1 7017 **G L**
2 7017 **G L**



1 6425 **G**
2 6425 **G**



1 7018 **G L**
2 7018 **G L**



1 7010 **G L**
2 7010 **G L**



1 7015 **G L**
2 7015 **G L**



1 7014 **G L**
2 7014 **G**



1 7033 **G**
2 7033 **G**



1 7020 **G**
2 7020 **G**



1 7021 **G L**
2 7021 **G L**



1 6408 **G M**
2 6408 **G M**
8 6408 **G M**



1 7046 **G L**
2 7046 **G L**



1 7013 **G L**
2 7013 **G**



1 7070 **G L**
2 7070 **G**



1 7074 **G L**
2 7074 **G**



1 7011 **G L**
2 7011 **G L**

Garage Signs




1 6510 **M**



1 6513 **G**



Self Adhesive
25 x 25mm
5 6487
150 x 150mm
5 6350



2 6518 **E H**



Reflective Aluminium
600 x 625mm
5 7970



1 6511 **M**



1 6514 **G M**



Self Adhesive
25 x 25mm
5 6488
150 x 150mm
5 6330



General Notices

<p>Notice Authorised persons only</p> <p>1 7044 E K 2 7044 E K</p>	<p>Please leave this lavatory clean for the next user</p> <p>1 7037 E 2 7037 E</p>	<p>NO BALL GAMES</p> <p>1 7030 K 6 7030 K</p>	<p>Private Car Park This car park is for residents and their visitors only</p> <p>1 7798 K</p>	<p>CAR PARK The management cannot accept responsibility for loss or damage of property or vehicles in this car park.</p> <p>1 7592 K Q</p>
<p>Reception →</p> <p>1 7596 K</p>	<p>Reception ←</p> <p>1 7597 K</p>	<p>All visitors must report to reception</p> <p>1 7055 E 2 7055 E</p>	<p>Visitors car park</p> <p>1 7574 K Q</p>	<p>All visitors please sign in</p> <p>1 7092 E 2 7092 E</p>
<p>Notice Responsibility cannot be accepted for any articles left in this cloakroom</p> <p>1 7002 K</p>	<p>Notice Private property Keep out</p> <p>1 7003 K</p>	<p>Notice Keep this gate shut</p> <p>1 7001 K</p>	<p>Notice Trespassers will be prosecuted</p> <p>1 7006 K</p>	<p>Please do not park in front of these gates</p> <p>1 7075 K</p>
<p>Entrance</p> <p>1 7579 G M</p>	<p>Keep clear</p> <p>1 7566 G M</p>	<p>Visitors only</p> <p>1 7576 G M</p>	<p>Car park</p> <p>1 7575 G M</p>	



Custom Designs
We can produce digitally printed specials to include graphics, fonts, photography and colour to suit your needs.

Simply provide us with the relevant artwork and we can deliver in a range of materials and sizes.

Call us now for a quote.


Door Signs

<p>Push</p> <p>1 7028 A 2 7028 A E 8 7028 A</p>	<p>Pull</p> <p>1 7029 A 2 7029 A E 8 7029 A</p>	<p>Automatic door ←</p> <p>2 7071 A E</p>	<p>Automatic door →</p> <p>2 7072 A E</p>	<p>Please close the door</p> <p>1 7042 D 2 7042 D</p>
---	---	---	---	--

EasiFIX Projecting Signs

Use EasiFIX projecting signs for quick identification of toilets and rest rooms from multiple view points. Supplied with drilling guide for simple and accurate installation.

Rigid Plastic
Face: 150 x 200mm
Concealed Fixings



Floor Stand

Chrome Floor Stand for use with a Suspended Frame.

Simply insert a Rigid PVC Sign of your choice to create a mobile and eye catching signage solution.

1100mm height (excluding frame).

Suspended Frame and Rigid PVC Sign not included.

5 8726



Suspended Sign Frame

All suspended frames are supplied with a suspension kit for easy installation. Can be used either single or double sided.



- Grey**
300 x 100mm 5 8681
450 x 150mm 5 8680
- White**
300 x 100mm 5 8700
450 x 150mm 5 8701
- Green**
300 x 100mm 5 8703
450 x 150mm 5 8704

Material Codes		Landscape Sizes						Portrait Sizes	
1 Rigid Plastic	5 Miscellaneous	A 100x75mm	D 150x100mm	E 200x200mm	F 300x250mm	L 450x150mm	Q 600 x 450mm	E 150 x 200mm	
2 Self Adhesive Vinyl	8 Quick Fix	C 150x150mm	E 200x150mm	G 300x100mm	K 400x300mm	M 600x200mm	V 300x150mm	Custom sizes	

Braille Information Signs

Designed to help you meet your obligations under the DDA and Equality Act 2010. A 2-ply PVC material with a self adhesive back offers a durable, easy to install, scratch resistant braille sign for internal use. Available in various colours and surface finishes. Laser and routing capabilities offer a high quality finish.

Raised letters, symbols and braille help ensure people with visual impairment can read important messages. No need for additional signs as our braille / tactile range can be read by everyone.



Braille Amenity Signs 1.5mm 2-Ply PVC with Self Adhesive Backing

 Toilet 225 x 150mm 5 6491	 Toilet 225 x 150mm 5 6492	 Toilet 225 x 150mm 5 6121	 ← Toilets 225 x 150mm 5 6493	 Toilets → 225 x 150mm 5 6494	 Toilet 150 x 150mm 5 6110		
 Ground 225 x 150mm 5 6129	 Floor 1 225 x 150mm 5 6130	 Floor 2 225 x 150mm 5 6131	 Floor 3 225 x 150mm 5 6132	 Alarm Pull Cord 225 x 150mm 5 6127			
 Reception 300 x 150mm 5 6151	 Please Ring For Assistance 300 x 150mm 5 6149		 Please Ask Staff For Help 225 x 150mm 5 6490	 Stairs 150 x 150mm 5 6118	 150 x 150mm 5 6104		
 Women 150 x 150mm 5 6108	 Men 150 x 150mm 5 6109	 150 x 150mm 5 6103	 Entrance 150 x 150mm 5 6106	 Staff Only 150 x 150mm 5 6117	 Toilet 150 x 150mm 5 6107	 Baby 150 x 150mm 5 6114	 Shower 150 x 150mm 5 6115

If you have a specific request, including custom colours, text or logo's please give our sales office a call and we will be pleased to help.

Call us now for a quote.

Braille Safety Signs 1.5mm 2-Ply PVC with Self Adhesive Backing

 Fire Exit 450 x 150mm 5 6185	 Fire Exit 450 x 150mm 5 6186	 Fire Exit 450 x 150mm 5 6199	 Fire Exit 450 x 150mm 5 6187			
 No Smoking 300 x 150mm 5 6168	 Restricted Access 300 x 150mm 5 6171	 No Mobile Phones 300 x 150mm 5 6170	 Fire Alarm 150 x 225mm 5 6178	 Fire Extinguisher 150 x 225mm 5 6179	 First Aid 150 x 225mm 5 6180	 Drinking Water 150 x 225mm 5 6489
 Caution Forklift Trucks 300 x 150mm 5 6319	 Caution Mind The Step 300 x 150mm 5 6177	 Refuge Point 300 x 150mm 5 6176				

Braille Door Signs

 Push 100 x 75mm 5 6134	 Pull 100 x 75mm 5 6135
--	---

Braille Lift Labels

25 x 25mm Pack of 15
5 6141

Numbers 1 - 99

			
--	---	---	---

Quote code 5 6136 and the number you require
e.g - 5 6136 / 1
75 x 75mm
5 6136



Ramp Signage



1 7601 **K Q**



1 7602 **K Q**



17604 **K Q**



1 7606 **K Q**
6 7606 **K**

Standard Access Ramp

A general purpose solution to enable safe disabled access with a loading capacity of 250kg (40 stone). Lightweight fibreglass makes it easy to position. Contrasting guidance lines and a hard wearing grit surface.

Length	Internal Width	Overall Width	Weight	Code
600mm	800mm	875mm	5kg	5 9860
1200mm	800mm	875mm	10kg	5 9862



Threshold Access Ramp

Designed to overcome most door thresholds with a loading capacity of 250kg (40 stone). Lightweight fibreglass with a hard wearing grit surface.

Length	Height	Overall Width	Weight	Code
450mm	75mm	760mm	3.5kg	5 9863
450mm	100mm	760mm	4kg	5 9864
450mm	125mm	760mm	4.25kg	5 9865



Workplace Wellbeing Posters

This range of posters helps raise awareness of mental health and general wellbeing amongst employees in the workplace. Produced on tough, durable, wipe clean synthetic paper. Rolls up for easy storage but won't tear or delaminate. Suitable for both internal and external use.



Synthetic Paper
420 x 594mm
5 7098



Synthetic Paper
420 x 594mm
5 7099



Synthetic Paper
420 x 594mm
5 7100



Synthetic Paper
420 x 594mm
5 7097



Branded Designs

Add your corporate branding to any of our safety signs to reinforce your commitment to the Equality Act 2010.

Call us now for a quote



Snap shut frames finished with a sleek aluminium frame and supplied with an anti-glare PVC protective cover. Snap frames allow easy insert and removal of posters allowing frequent update of information and safety messages.

25mm extruded aluminium frame with 1.5mm strong plastic back panel. Anti-glare poster cover, durable protective frame finish.

Aluminium
420 x 594mm
5 8767

Material Codes

1 Rigid Plastic 2 Self Adhesive Vinyl 5 Miscellaneous 8 Quick Fix

Landscape Sizes


K 400x300mm **Q** 600 x 450mm Custom sizes are available on request



Hotels & Bars

Hotel and Bar Signs

• 440 Micron Matt Rigid • 80 x 205mm



5 5107 5 5104 5 5105 Double Sided
5 5106



5 8543 5 8515 5 8516 5 8517



2 7621 (A) 2 7626 (A) 1 3629 (A) 1 6007 (A) 1 4286 (A) 1 4287 (A) 1 4236 (G A) 1 4288 (A)
2 3629 (A) 2 6007 (A) 2 4286 (A) 2 4287 (A) 2 4236 (G A K) 2 4288 (A)
8 4236 (G A)



2 5631 (B)



1 5632 (K)
2 5632 (K)



5 x Double Sided Table Cards, 150 x 50mm, Rigid Plastic
5 5633



For catering signs see page 40



1 7109 (H)
2 7109 (H)



1 7110 (H)
2 7110 (H)



1 7111 (H)
2 7111 (H)



1 7105 (H)
2 7105 (H)



1 7106 (H)
2 7106 (H)



1 7108 (H)
2 7108 (H)



1 7107 (H)
2 7107 (H)



1 7112 (H)
2 7112 (H)

Engraved Key Fobs

• 1.5mm 2 Ply PVC Engraved Key Fobs

These key fobs are supplied complete with a drill hole for key ring attachment. Key fobs help prevent risk of keys being lost or left behind and allow additional information to be engraved such as room numbers, hotel name or contact number. Please specify your text of choice when ordering.

Colour	Oval		Rectangle	
	78 x 150mm	50 x 100mm	78 x 150mm	50 x 100mm
TEXT Black text on White	5 1524	5 1530	5 1542	5 1536
TEXT White text on Black	5 1525	5 1531	5 1543	5 1537
TEXT White text on Red	5 1526	5 1532	5 1544	5 1538
TEXT White text on Blue	5 1527	5 1533	5 1545	5 1539
TEXT White text on Green	5 1528	5 1534	5 1546	5 1540
TEXT Black text on Yellow	5 1529	5 1535	5 1547	5 1541



General Information

Waste Management

Recycling Signs on pages 58-59

A range of recycling signs to ensure your workplace identifies bins and areas dedicated to a recycling programme.



Paper

1 6617 (H)
2 6617 (H)(A)



Plastic bottles & cans

1 6618 (H)
2 6618 (H)(A)




Glass bottles & jars

1 6623 (H)
2 6623 (H)(A)



Cardboard

1 6619 (H)
2 6619 (H)(A)



Save energy

Switch off

2 6036 (A)
8 6036 (A)



Please turn off the light when not in use

1 6621 (A)
2 6621 (A)
8 6621 (A)



Please turn off electrical appliances when not in use

1 6629 (A)
2 6629 (A)

Office Etiquette

Keep offices and kitchens clean and tidy with our range of signs to promote appropriate behaviour from staff.

Refrigerator Do's and Don'ts

Do's

- ✓ Clean up leaks and spills immediately
- ✓ Check that door is closed completely
- ✓ Label and store items in appropriate containers
- ✓ Remember to throw away spoiled food

Don'ts

- ✗ Don't leave food uncovered
- ✗ Don't adjust temperature settings or leave the refrigerator door open longer than you need
- ✗ Don't move or take items that are not yours
- ✗ Don't leave items inside refrigerator beyond their 'use by date'

1 5623 (H)
2 5623 (H)

Microwave Oven Do's and Don'ts

Do's

- ✓ Clean up any messes or spills
- ✓ Reset the microwave controls when finished
- ✓ Cover all items in microwave
- ✓ Remove any metal/foil packaging

Don'ts

- ✗ Don't take someone else's food out of the microwave while cooking
- ✗ Don't leave your food unattended while it is in the microwave
- ✗ Don't fail to let the appropriate person know if the microwave is broken or faulty

1 5624 (H)
2 5624 (H)

Photocopier Do's and Don'ts

Do's

- ✓ Reset copier settings when you are finished
- ✓ Recycle any unwanted copies
- ✓ Restock paper if needed

Don'ts

- ✗ Don't pick up someone else's copies
- ✗ Don't leave your originals behind
- ✗ Don't use company photocopier for personal use
- ✗ Don't be afraid to ask for assistance

1 5629 (H)
2 5629 (H)

Printer Do's and Don'ts

Do's

- ✓ Add paper and toner when empty
- ✓ Recycle unwanted copies
- ✓ Only take your printout

Don'ts

- ✗ Don't leave coloured or special paper in the tray
- ✗ Don't use company printer for personal use
- ✗ Don't be afraid to ask for help

1 5630 (H)
2 5630 (H)

Toilets

Girls toilets

1 7087 (G)
2 7087 (G)

Boys toilets

1 7086 (G)
2 7086 (G)

Staff toilets only

1 7080 (G)
2 7080 (G)

Staff room

1 7081 (G)
2 7081 (G)

This toilet is inspected at regular intervals. Time of last check

1 5430 (K)
2 5430 (K)

These toilets were inspected by: _____ Time: _____

1 5436 (K)

Do not flush sanitary products down the toilet

1 5229 (A)
2 5229 (A)

Please turn off the taps. Save water and our environment

1 6622 (A)
2 6622 (A)

Please flush the toilet after use

1 5487 (G)(E)
2 5487 (G)(E)

Please wash your hands after going to the toilet

1 5424 (G)
2 5424 (G)

Dry Wipe Marker Pens Single Black 5 3433

Dry Wipe Marker Pens Pack of Four 5 3439

Peel & Stick Labels

• Self Adhesive Vinyl

Caution Hot water

65mm Diameter Sheet of 6 5 6098

Caution Hot water

65mm Diameter Sheet of 6 5 6094

Do not flush sanitary products down the toilet

65mm Diameter Sheet of 6 5 6099

Wash your hands

65mm Diameter Sheet of 6 5 1654

Do not switch off

40 x 18mm Sheet of 10 5 3436

Do not unplug

40 x 18mm Sheet of 10 5 3438

Computer

40 x 18mm Sheet of 10 5 4040

Material Codes				Landscape Sizes		Portrait Sizes	
1 Rigid Plastic	3 Photolum Rigid Plastic	5 Miscellaneous	7 Polycarbonate	A 100 x 75mm	G 300 x 100mm	A 75 x 100mm	H 250 x 300mm
2 Self Adhesive Vinyl	4 Photolum Self Adhesive	6 Aluminium	8 Quick Fix	E 80 x 80mm	K 400 x 300mm	E 150 x 200mm	K 300 x 400mm



Schools

School Signs

 No eating or drinking in this area	 No smoking outside the school gates	 Do not leave valuables in changing rooms	 Visitors must register at the main office	 Please do not bring your mobile phones to school	 Children must be supervised at all times	 Please keep to the left
1 3232  2 3232 	1 5462  2 5462 	1 5442  2 5442 	1 5461  2 5461 	1 5471  2 5471 	1 5465  2 5465 	1 5240  2 5240 

 No mobile phone zone	 No electronic devices allowed beyond this point	 No parking	 No idling
 Greet your child with a smile, not a mobile	 Stopping here puts children in danger	 Switch off engine Reduce emissions	
1 5470  8 5470 	1 5475  2 5475 	1 5472 	1 5473 





Welcome to  Please treat these grounds with respect. Children must be supervised at all times. We will not be held responsible for any injury or accident that occurs on these grounds	Welcome to  Please treat this area with respect	Welcome to our playground Please treat our playground with respect. Children must be supervised at all times whilst using playground equipment at this school. This school will not be held responsible for any injury or accident that occurs through its use outside of normal school hours	Warning Trespassing or causing nuisance on a school site can lead to a criminal conviction under Section 547 of the Education Act 1996
1 5477 	1 5476 	1 5478 	7 4231 
Add name or logo for free. Please specify when ordering.			

 All Visitors Please sign in at the main office	 All Visitors Please press button for assistance	 This is a Child Safe Area Please drive slowly	 This is a Child Safe Area Please close the gate	 This is a Child Safe Area Welcome to our school	 Rigid Plastic 300 x 300mm 5 1688 Rigid Plastic 450 x 450mm 5 1689 Face Adhesive 300 x 300mm 5 1687
1 5482 	1 5483 	1 5480 	1 5481 	1 5479 	

 5 SLOW	 10 SLOW	 No idling	 Use handrail	 Quiet Exams in progress	 Warning Parking here could endanger a child's life	 Caution Wet floor
R2 Reflective on Aluminium Composite, complete with channelling		1 5474 	1 5457  2 5457 	Fluted Polypropylene 300 x 600mm 5 5041	Fluted Polypropylene 300 x 600mm 5 8552	Fluted Polypropylene 300 x 600mm 5 8501
400 x 700mm 5 5485	400 x 700mm 5 5484					

Coaches & Buses

Enables coach and bus operators to inform passengers of the obligations of Motor Vehicles (Wearing of Seat Belts) (Amendment) Regulations.

 65mm Diameter Sheet of 6 5 1650	 65mm Diameter Sheet of 6 5 1651	 65mm Diameter Sheet of 6 5 1652	 Seatbelts must be worn at all times Passengers must remain seated at all times Passengers must not stand forward of the driver's position	 Seatbelts must be worn
			2 5439 	2 5437 

Adapt-a-Sign

A cost effective sign solution, allowing you to adapt the sign to efficiently manage any changes in personnel or company details. Helps ensure your signs remain up to date at all times. Developed to hold a standard A4 sheet of paper, which you can simply print off with your relevant contact details and insert into the sign frame. Manufactured from a 3mm PVC, with a hard wearing clear PVC cover. Size: 215 x 310mm.



5 1043



5 1059



5 1035




5 1052




5 1053



5 6079



5 6022



5 6083



5 6027



5 6004



5 6091



5 1432



5 1423

Adapt-a-Sign Frames



Use blank frames to display your own message. Perfect for displaying escape route plans, photos of rooms for residents suffering from dementia, or for general information messages.

- 5 6193 Blue
- 5 6192 Green
- 5 6197 Black
- 5 6191 Red
- 5 6194 Yellow




5 1037



5 5436



Adhesive Pads
Pack of 4
5 8724



1. Type up personnel details



2. Print out on A4 page



3. Insert printout into Adapt-a-Sign



4. Replace when details change

Material Codes			Landscape Sizes			Portrait Sizes	
1 Rigid Plastic	4 Photolum Self Adhesive	7 Polycarbonate	F 200 x 200mm	K 400 x 300mm	P 600 x 400mm	E 150 x 200mm	
2 Self Adhesive Vinyl	5 Miscellaneous	8 Quick Fix	G 300 x 100mm	M 600 x 200mm	Q 600 x 450mm	K 300 x 400mm	
3 Photolum Rigid Plastic	6 Aluminium		H 300x250mm	Custom sizes are available		P 400 x 600mm	



Stand-off Signs

Deluxe Information Signs

Sometimes a standard sign is not enough and the location requires something a little more elegant. Our deluxe range of signs offer a choice of finishes to help your signs stand out from the crowd.

Stand-offs give your signs extra visual impact as they stand out from the wall or door. Acrylic or metallic materials provide a contemporary professional appearance which is perfect for hotels, retail and high profile establishments, if you can't find the message you are looking for then let us know and we'll be happy to provide a quote.



Visual Impact

• 5mm Clear Acrylic • Sub-surface Frosted Crystal Vinyl • Anodised Aluminium Stand-offs



450 x 150mm
5 9192



450 x 150mm
5 9188




450 x 150mm
5 9189



200 x 200mm
5 9194



200 x 200mm
5 9196



200 x 200mm
5 9195



450 x 150mm
5 9190



450 x 150mm
5 9191



450 x 150mm
5 9187



450 x 150mm
5 9688

Please state your required text when ordering


Visual Impact Safety Signs with Stand-offs

5mm clear acrylic with subsurface print and a choice of frosted crystal or photoluminescent backing. Includes anodised aluminium stand-offs for surface mounting. Perfect for contemporary buildings looking for that elegant and prestigious design.



Frosted Acrylic
200 x 150mm
5 1237

Photoluminescent Acrylic
200 x 150mm
5 1253



Frosted Acrylic
200 x 150mm
5 1233

Photoluminescent Acrylic
200 x 150mm
5 1256



Frosted Acrylic
200 x 150mm
5 1234

Photoluminescent Acrylic
200 x 150mm
5 1255



Frosted Acrylic
200 x 150mm
5 1235

Photoluminescent Acrylic
200 x 150mm
5 1254



Frosted Acrylic
450 x 150mm
5 9468

Photoluminescent Acrylic
450 x 150mm
5 9472



Frosted Acrylic
450 x 150mm
5 9467

Photoluminescent Acrylic
450 x 150mm
5 9471



Frosted Acrylic
450 x 150mm
5 9469

Photoluminescent Acrylic
450 x 150mm
5 9473



Frosted Acrylic
450 x 150mm
5 9470


Photoluminescent Acrylic
450 x 150mm
5 9474



Custom Visual Impact Signs

Add a contemporary feel to your business with these popular acrylic stand off signs. You can customise and personalise the designs to show any message, image or graphic you require.

Simply supply the message / logo or image you wish when ordering.



Aluminium Stand-offs

• 200 x 50mm • Aluminium • Anodised Aluminium Stand-offs



5 9617



5 9616



5 9619



5 9689




5 9615



5 9614








5 9618



Please state your required text when ordering


Deluxe Door Discs • 76mm Diameter • Pre-drilled • Fixings Included

		
Aluminium 59137 Stainless Steel 59134 Brass 59131	Aluminium 59138 Stainless Steel 59135 Brass 59132	Aluminium 59139 Stainless Steel 59136 Brass 59133
		
Aluminium 59128 Stainless Steel 59125 Brass 59122	Aluminium 59129 Stainless Steel 59126 Brass 59123	Aluminium 59130 Stainless Steel 59127 Brass 59124



Engraved Signs • Aluminium or Brass Effect • Adhesive Backing • Engraved 1.5mm PVC

Engraved signs enable a durable, permanent and tactile message to be displayed. 2-ply pvc laminate with aluminium or brass effect surface creates a cost effective professional finish.

			
Aluminium 140 x 35mm 5 9119 Brass 140 x 35mm 5 9118	Aluminium 140 x 35mm 5 9059 Brass 140 x 35mm 5 9058	Aluminium 140 x 35mm 5 9061 Brass 140 x 35mm 5 9060	
			
Aluminium 140 x 35mm 5 9077 Brass 140 x 35mm 5 9076	Aluminium 140 x 35mm 5 9065 Brass 140 x 35mm 5 9064	Aluminium 140 x 35mm 5 9079 Brass 140 x 35mm 5 9078	Aluminium 140 x 35mm 5 9081 Brass 140 x 35mm 5 9080
			
Aluminium 140 x 35mm 5 9089 Brass 140 x 35mm 5 9088	Aluminium 140 x 35mm 5 9085 Brass 140 x 35mm 5 9084	Aluminium 140 x 35mm 5 9091 Brass 140 x 35mm 5 9090	
			
Aluminium 35 x 70mm 5 9071 Brass 35 x 70mm 5 9070	Aluminium 35 x 70mm 5 9073 Brass 35 x 70mm 5 9072	Aluminium 70 x 140mm 5 9067 Brass 70 x 140mm 5 9066	Aluminium 70 x 140mm 5 9069 Brass 70 x 140mm 5 9068
			
			

Custom Printed Composite Signs • Aluminium or Brass Effect

This elegant and professional looking selection of signs offer the look and feel of a deluxe brushed aluminium or brass sign but without the added expense by using a brass or aluminium effect composite material.

Please state the required text when ordering.

	
Aluminium 140 x 35mm 5 8858 Brass 140 x 35mm 5 8859	Aluminium 150 x 200mm 5 8860 Brass 150 x 200mm 5 8861
300 x 100mm 5 8856 Brass 300 x 100mm 5 8857	



Aluminium Door Sliders • 300 x 40mm • Anodised Aluminium • Self Adhesive Backing

		
5 9121	5 9112	5 9147
		
5 9113	5 9114	5 9116
		
5 9117		

Engraved Signs and Tags



Our range of engraved products are supplied on a 2-ply 1.5mm rigid PVC laminate. This material is heat-resistant and robust to withstand the toughest of environments, making them a cost effective and practical solution for many industrial applications. Engraved signs and tags provide a permanent and effective message, removing the risk of print being scratched away or damaged during general cleaning and maintenance. If you can't find the size or shape that you require please contact us for a quote.

Engraved Valve Tags • Pack of 50 • 1.5mm 2 Ply PVC Engraved Valve Tags

Our valve tags are engraved to give better quality than printed, stamped or punched versions. The tags are drilled at the top centre allowing you to connect it to a ball chain or cable tie.

Numbered Only

Each pack contains fifty sequential numbers. Please specify the number range required (eg. 1-50)

Numbered with Prefix

Each pack contains fifty sequential numbers with prefix lettering. Please specify the number range and prefix you require (eg. GAS:1-50, T:51-100)

Colour	Numbered Only		Number with Prefix	
	27mm	38mm	27mm	38mm
TEXT Black text on White	5 1500	5 1506	5 1512	5 1518
TEXT White text on Black	5 1501	5 1507	5 1513	5 1519
TEXT White text on Red	5 1502	5 1508	5 1514	5 1520
TEXT White text on Blue	5 1503	5 1509	5 1515	5 1521
TEXT White text on Green	5 1504	5 1510	5 1516	5 1522
TEXT Black text on Yellow	5 1505	5 1511	5 1517	5 1523

Don't forget to order ball chains



Engraved Key Fobs 1.5mm 2 Ply PVC Engraved Key Fobs

With a choice of size and shape these key fobs are supplied complete with drilled hole for key ring attachment. Larger sized key fobs help prevent risk of keys being lost or left behind and allow additional information to be engraved such as room numbers, hotel name or contact number. Please specify your text of choice when ordering. Split rings available to purchase below.

Colour	Oval		Rectangle	
	78 x 150mm	50 x 100mm	78 x 150mm	50 x 100mm
TEXT Black text on White	5 1524	5 1530	5 1542	5 1536
TEXT White text on Black	5 1525	5 1531	5 1543	5 1537
TEXT White text on Red	5 1526	5 1532	5 1544	5 1538
TEXT White text on Blue	5 1527	5 1533	5 1545	5 1539
TEXT White text on Green	5 1528	5 1534	5 1546	5 1540
TEXT Black text on Yellow	5 1529	5 1535	5 1547	5 1541



Engraved Signs 1.5mm 2 Ply PVC Engraved Adhesive Backed Signs

In addition to our standard range of engraved signs on page 55 you are also able to create your own message on a range of sizes and colourways. Ideal for creating door signs, table numbers or industrial tags, the permanently engraved surface has the advantage of being tamper proof, and is less easily damaged by general cleaning and maintenance. This range of signs are supplied with a strong self-adhesive backing for ease of installation. Please specify your text of choice when ordering.

Colour	95mm Dia.	100 x 75mm	300 x 100mm	140 x 35mm	35 x 70mm
TEXT Black text on White	5 1548	5 1554	5 1560	5 1567	5 1573
TEXT White text on Black	5 1549	5 1555	5 1561	5 1568	5 1574
TEXT White text on Red	5 1550	5 1556	5 1562	5 1569	5 1575
TEXT White text on Blue	5 1551	5 1557	5 1563	5 1570	5 1576
TEXT White text on Green	5 1552	5 1558	5 1564	5 1571	5 1577
TEXT Black text on Yellow	5 1553	5 1559	5 1566	5 1572	5 1578
TEXT Aluminium Effect	5 1595	5 1597	5 1599	5 1496	5 1498
TEXT Brass Effect	5 1596	5 1598	5 1600	5 1497	5 1499




ID Tags 0.8mm Polypropylene

Our ID tags are colour coded for use on equipment tests and inspections, or asset marking. Supplied plain or specify required printing when ordering.

Durable material; resistant to chemicals and high temperatures.

Colour	Self tie tag 210 x 50mm Pack of 14	Wide flag tag 100 x 65mm Pack of 20
White	5 5150	5 5155
Red	5 5151	5 5156
Blue	5 5152	5 5157
Green	5 5153	5 5158
Yellow	5 5154	5 5159



Self tie tag

Wide flag tag

Accessories




25mm Split Ring
Nickel Plated Steel
5 5160





100mm Ball Chain
Tin Plated Connector
Pack of 50
5 5161

Fire Information Signs


Manufactured from anodised aluminium or brass with printed detail, these signs are ideal for prestigious environments where a high quality finish is essential. Self adhesive backed for ease of installation.

 <p>WATER</p> <p>SAFE FOR: Wood, paper and textiles</p> <p>NOT FOR: Flammable liquid fires Flammable liquid fires Live electrical equipment Flammable METAL fires</p>	 <p>WATER</p> <p>SAFE FOR: Wood, paper and textiles</p> <p>NOT FOR: Flammable liquid fires Flammable liquid fires Live electrical equipment Flammable METAL fires</p>	 <p>CARBON DIOXIDE</p> <p>SAFE FOR: Flammable liquids</p> <p>SAFE FOR: Live electrical equipment</p> <p>NOT FOR: Wood, paper and textiles Wood, paper and textiles</p> <p>NOTICE Do not operate within confined space</p>	 <p>CARBON DIOXIDE</p> <p>SAFE FOR: Flammable liquids</p> <p>SAFE FOR: Live electrical equipment</p> <p>NOT FOR: Wood, paper and textiles Wood, paper and textiles</p> <p>NOTICE Do not operate within confined space</p>	 <p>Fire action if you discover a fire</p> <p>Operate nearest fire alarm point automatically.</p> <p>Leave the building by the nearest exit.</p> <p>Report to assembly point</p> <p>Do not stop to collect personal belongings</p> <p>Do not use lift</p>	 <p>Fire action if you discover a fire</p> <p>Operate nearest fire alarm point</p> <p>Fire Brigade will be called automatically.</p> <p>Report to your assembly point</p> <p>Leave the building by the nearest exit.</p> <p>Do not stop to collect personal belongings</p> <p>Do not use lift</p>	 <p>Fire action if you discover a fire</p> <p>Operate nearest fire alarm point</p> <p>Call the Fire brigade by telephoning 999</p> <p>Leave the building by the nearest exit.</p> <p>Report to your assembly point</p> <p>Do not stop to collect personal belongings</p> <p>Do not use lift</p>	 <p>Fire action if you discover a fire</p> <p>Operate nearest fire alarm point</p> <p>Call the Fire brigade by telephoning 999</p> <p>Leave the building by the nearest exit.</p> <p>Report to your assembly point</p> <p>Do not stop to collect personal belongings</p> <p>Do not use lift</p>
Brass 75 x 200mm 5 9182	Aluminium 75 x 200mm 5 9186	Brass 75 x 200mm 5 9180	Aluminium 75 x 200mm 5 9184	Brass 150 x 200mm 5 9529	Aluminium 150 x 200mm 5 9528	Brass 150 x 200mm 5 9539	Aluminium 150 x 200mm 5 9538
 <p>FOAM SPRAY</p> <p>SAFE FOR: Wood, paper and textiles</p> <p>SAFE FOR: Flammable liquids</p> <p>NOT FOR: Live electrical equipment Flammable METAL fires</p>	 <p>FOAM SPRAY</p> <p>SAFE FOR: Wood, paper and textiles</p> <p>SAFE FOR: Flammable liquids</p> <p>NOT FOR: Live electrical equipment Flammable METAL fires</p>	 <p>USE TO SMOTHER FIRES</p> <p>Chip pan fires Deep fat fires Waste bin fires</p> <p>CLOTHING FIRES Wrap tightly round someone whose clothes are burning to extinguish flames</p>	 <p>USE TO SMOTHER FIRES</p> <p>Chip pan fires Deep fat fires Waste bin fires</p> <p>CLOTHING FIRES Wrap tightly round someone whose clothes are burning to extinguish flames</p>				
Brass 75 x 200mm 5 9179	Aluminium 75 x 200mm 5 9183	Brass 75 x 200mm 5 9181	Aluminium 75 x 200mm 5 9185	Brass 175 x 175mm 5 9102	Aluminium 175 x 175mm 5 9103	Brass 175 x 175mm 5 9104	Aluminium 175 x 175mm 5 9105
 <p>Keep locked shut</p>	 <p>Automatic fire door keep clear</p>	 <p>Fire door keep shut</p>					
Aluminium 70 x 70mm 5 9097	Aluminium 70 x 70mm 5 9099	Aluminium 70 x 70mm 5 9075					
 <p>WATER</p> <p>SAFE FOR: Wood, paper and textiles</p> <p>NOT FOR: Live electrical equipment Flammable liquid fires Flammable METAL fires</p>	 <p>WATER</p> <p>SAFE FOR: Wood, paper and textiles</p> <p>NOT FOR: Live electrical equipment Flammable liquid fires Flammable METAL fires</p>	 <p>FOAM SPRAY</p> <p>SAFE FOR: Wood, paper and textiles</p> <p>SAFE FOR: Flammable liquids</p> <p>NOT FOR: Live electrical equipment Flammable METAL fires</p>	 <p>FOAM SPRAY</p> <p>SAFE FOR: Wood, paper and textiles</p> <p>SAFE FOR: Flammable liquids</p> <p>NOT FOR: Live electrical equipment Flammable METAL fires</p>	 <p>CARBON DIOXIDE</p> <p>SAFE FOR: Flammable liquids</p> <p>SAFE FOR: Live electrical equipment</p> <p>NOT FOR: Wood, paper and textiles Wood, paper and textiles</p> <p>NOT FOR: Flammable METAL fires</p>	 <p>CARBON DIOXIDE</p> <p>SAFE FOR: Flammable liquids</p> <p>SAFE FOR: Live electrical equipment</p> <p>NOT FOR: Wood, paper and textiles Wood, paper and textiles</p> <p>NOT FOR: Flammable METAL fires</p>	 <p>ABC POWDER</p> <p>SAFE FOR: Wood, paper and textiles</p> <p>SAFE FOR: Flammable liquids</p> <p>SAFE FOR: Flammable gases</p> <p>SAFE FOR: Flammable solids</p> <p>SAFE FOR: Flammable metals</p> <p>SAFE FOR: Live electrical equipment</p>	 <p>ABC POWDER</p> <p>SAFE FOR: Wood, paper and textiles</p> <p>SAFE FOR: Flammable liquids</p> <p>SAFE FOR: Flammable gases</p> <p>SAFE FOR: Flammable solids</p> <p>SAFE FOR: Flammable metals</p> <p>SAFE FOR: Live electrical equipment</p>
Brass 200 x 150mm 59484	Aluminium 200 x 150mm 59485	Brass 200 x 150mm 59488	Aluminium 200 x 150mm 59489	Brass 200 x 150mm 59486	Aluminium 200 x 150mm 59487	Brass 200 x 150mm 59490	Aluminium 200 x 150mm 59491

Emergency Escape Signs

 <p>Fire exit</p>	 <p>Fire exit</p>	 <p>Fire exit</p>	 <p>Fire exit</p>	 <p>Push bar</p>	 <p>Push bar to open</p>
Brass 300 x 100mm 5 9516	Aluminium 300 x 100mm 5 9522	Brass 300 x 100mm 5 9517	Aluminium 300 x 100mm 5 9523	Brass 300 x 100mm 5 9520	Aluminium 300 x 100mm 5 9526
 <p>Fire exit</p>	 <p>Fire exit</p>	 <p>Fire exit</p>	 <p>Fire exit</p>	 <p>Fire exit</p>	 <p>Fire exit</p>
Brass 300 x 100mm 5 9518	Aluminium 300 x 100mm 5 9524	Brass 300 x 100mm 5 9519	Aluminium 300 x 100mm 5 9525	Brass 200 x 100mm 5 9521	Aluminium 200 x 100mm 5 9527

Information Signs

					
Brass 140 x 140mm 5 9048	Aluminium 140 x 140mm 5 9049	Brass 140 x 140mm 5 9052	Aluminium 140 x 140mm 5 9053	Brass 100 x 100mm 5 9054	Aluminium 100 x 100mm 5 9055

Recycling Signs



An extensive range of recycling signage to ensure your workplace identifies bins and areas dedicated to your recycling programme. All signs are WRAP compliant (Waste & Resources Action Programme).

The aim of the WRAP programme is to help businesses, local authorities, community groups and individuals recycle and reuse more, and to reduce food waste. If you can't find the sign you need for your businesses' recycling programme let us know and we are happy to quote for custom designs.

Recycle here
Help our business to help the environment

paper

✓ Yes Please
Printer Paper | Magazines
Envelopes | Newspapers

✗ No Thanks
Plastic Coated | Cardboard
Tetra Pak | Tissues

1 6673 (H) (Q)
2 6673 (H)

Recycle here
Help our business to help the environment

mixed paper & card

✓ Yes Please
Paper | Cardboard
Card | Magazines
Newspapers | Egg Boxes

✗ No Thanks
Plastic Coated | Tetra Pak
Staked Card | Staked Paper
Tissues

1 6674 (H) (Q)
2 6674 (H)

Recycle here
Help our business to help the environment

mixed glass bottles & jars

✓ Yes Please
Wine bottles | Beer bottles
Cans | Clear bottles

✗ No Thanks
Pyrex | Drink Glasses
Window Panes | Ceramics

1 6675 (H) (Q)
2 6675 (H)

Recycle here
Help our business to help the environment

plastics

✓ Yes Please
Juice bottles | Milk Cartons
Nappies | Softy bottles
Soda bottles

✗ No Thanks
Polystyrene | Photo Bags
Food Wrapping | Pots and Tubs

1 6676 (H) (Q)
2 6676 (H)

Recycle here
Help our business to help the environment

food tins & drink cans

✓ Yes Please
Juice Cans | Food Tins
Bev. Cans

✗ No Thanks
Paint Tins | Aerosol
Fuel | Chemical Tins

1 6677 (H) (Q)
2 6677 (H)

food tins & drink cans

1 6646 (M)
2 6646 (G)

automotive waste

1 6651 (M)
2 6651 (G)

paper

1 6634 (M)
2 6634 (G)

plastics

1 6631 (M)
2 6631 (G)

aluminium cans

1 6647 (M)
2 6647 (G)

used engine oil

1 6652 (M)
2 6652 (G)

cardboard

1 6635 (M)
2 6635 (G)

plastic bottles

1 6632 (M)
2 6632 (G)

aerosols

1 6649 (M)
2 6649 (G)

car batteries

1 6653 (M)
2 6653 (G)

mixed paper & card

1 6636 (M)
2 6636 (G)

electrical

1 6661 (M)
2 6661 (G)

scrap metal

1 6650 (M)
2 6650 (G)

tyres

1 6654 (M)
2 6654 (G)

plasterboard

1 6659 (M)
2 6659 (G)

printer cartridges

1 6664 (M)
2 6664 (G)

metals

1 6645 (M)
2 6645 (G)

other recyclables

1 6660 (M)
2 6660 (G)

wood & timber

1 6658 (M)
2 6658 (G)

batteries

1 6662 (M)
2 6662 (G)

clear glass bottles & jars

1 6639 (M)
2 6639 (G)

food waste

1 6644 (M)
2 6644 (G)

hardcore & rubble

1 6657 (M)
2 6657 (G)

fluorescent tubes

1 6663 (M)
2 6663 (G)

glass

1 6637 (M)
2 6637 (G)

mixed glass bottles & jars

1 6638 (M)
2 6638 (G)

green glass bottles & jars

1 6641 (M)
2 6641 (G)

brown glass bottles & jars

1 6640 (M)
2 6640 (G)

Bespoke Recycling Signs

We can create custom signs for site specific recycling programmes. These boards can include company logos, images, text and be designed to advise of a wide range of recyclable materials accepted on your site. Please supply artwork or provide details of your required design and ask us for a quote. We are able to manufacture on a wide range of materials and sizes to suit your preference and budget.



Recycling area

1 6611 (M)

Recycling



Paper

1 6617 (H)
2 6617 (H)(A)



Plastic bottles & cans

1 6618 (H)
2 6618 (H)(A)



Glass bottles & jars

1 6623 (H)
2 6623 (H)(A)



Cardboard

1 6619 (H)
2 6619 (H)(A)



Self Adhesive Tabs
Ideal for quick, easy installation in indoor environments.

5 8724



Non recyclable waste

1 6624 (H)
2 6624 (H)(A)



Steel cans & tins

1 6625 (H)
2 6625 (H)(A)




Please do not put tea bags, nappies or other sanitary disposables down the toilet. Use the bin provided.

1 3629 (A)
2 3629 (A)



Energy Saving



2 6036 (A)
8 6036 (A)



1 6620 (A)
2 6620 (A)
8 6620 (A)



1 6628 (A)
2 6628 (A)



1 6621 (A)
2 6621 (A)
8 6621 (A)



1 6629 (A)
2 6629 (A)



1 6622 (A)
2 6622 (A)

Bespoke

Create your own recycling sign.

Code	Description
5 9450	A4 Rigid Plastic
5 9451	A4 Self Adhesive

Supply text / artwork when ordering.



Recycling just one plastic bottle saves enough energy to power a CFL bulb for 30 hours



Help our business to help the environment
EXAMPLE - YOUR LOGO - YOUR DETAILS

Waste



1 6601 (K)(Q)



1 6602 (K)(Q)



1 6610 (K)(Q)



1 6604 (K)(Q)



1 6606 (K)(Q)



1 6607 (K)(Q)



1 6608 (K)(Q)



1 6609 (K)(Q)



1 6605 (K)(Q)

Aluminium Roll Top

These highly durable roll top signs are designed to neatly hook over scaffolding and railings. For a bespoke roll top sign please call our office and quote 5 6386 for assistance.



Aluminium
600 x 400mm
5 6601



Aluminium
600 x 400mm
5 6602



Aluminium
600 x 400mm
5 6666



Aluminium
600 x 400mm
5 6604



Aluminium
600 x 400mm
5 6386

Material Codes				Landscape Sizes		Portrait Sizes	
1 Rigid Plastic	3 Photolum Rigid Plastic	5 Miscellaneous	7 Polycarbonate	G 300 x 100mm	M 600 x 200mm	A 75 x 100mm	C 450 x 600mm
2 Self Adhesive Vinyl	4 Photolum Self Adhesive	6 Aluminium	8 Quick Fix	K 400 x 300mm	Q 600 x 450mm	H 250 x 300mm	



Spill Station Signs



Regulation 13 of the Control Of Substances Hazardous to Health Regulations 2002 places a duty on employers to provide for appropriate emergency response including immediate remedial action. EN ISO 14001 requires organisations to “establish and maintain procedures to identify potential for and respond to accidents and emergency situations, and for preventing and mitigating the environmental impact that may be associated with them” (Clause 4.4.7).

Our range of signs inform how to effectively respond to any oil, chemical or general fluid spill on site, land and water, inline with EU guidelines and legislation to assist with ISO 14001 compliance.

Spill kit station

- 1 Protect**
a. Evacuate non-essential personnel
b. Assess the spill and identify the liquid
c. Choose the appropriate protective clothing and safety equipment to respond safely
- 2 Confine**
a. Confine the liquid with absorbent booms or socks
b. Overlap the ends of the socks by several inches to prevent any liquid from breaking through
- 3 Clean up**
a. Clean up the spill with pillows, mats or loose absorbents
b. Place the absorbents starting from the outside of the spill working inward
- 4 Dispose**
a. Place saturated absorbents in the provided yellow temporary disposal bags and close with plastic ties
b. Dispose of properly

1 6000 W

Spill kit station

1 6048 H
2 6048 H



Non-adhesive Polythene
75mm x 250m
5 8624

Emergency spill response equipment

1 6049 H
2 6049 H



Non-adhesive Polythene
70mm x 500m
5 8621

Drain isolation kit

Use this kit to prevent spills entering the local drains

1 6046 H
2 6046 H



Non-adhesive Polythene
75mm x 250m
5 8634

Emergency spill kit

1 6030 H
2 6030 H
8 6030 H

Spill kit located at:

1 6032 H
2 6032 H
Adapt-a-Sign
150 x 200mm
5 6091

Emergency Chemical spill kit

1 6033 H
2 6033 H

Emergency Oil spill kit

1 6031 H
2 6031 H

In the event of an emergency spill, you should:

- Identify the spill and assess the risk
- Take the necessary action to contain and clean up the spill
- Report the spill to the appropriate authority
- Record the spill and the actions taken

Do not use any equipment unless you have the necessary personal protective equipment (PPE) for the spill.

Do not use any equipment which can cause further spillage.

Do not use any equipment which can cause further spillage.

1 6045 E(H)
2 6045 E(H)

Spill Protective Equipment

This equipment only to be used in the event of a spill emergency. Take the equipment with you to the spill muster point. Raise the alarm and then follow the spill response instructions given to you by the incident controller.

1 6044 H
2 6044 H

Spill Kit

Aggressive fluids (Hazchem)

- Best for use on aggressive fluids (acids and alkalis)
- Can be used on non-aggressive fluids
- Can be used on hydrocarbons (oil and fuels) on land
- Do not use on hydrocarbons (oil and fuels) on water
- Wear approved personal protective equipment

1 6040 H
2 6040 H

Spill Kit

Non-aggressive fluids

- Best for use on non-aggressive fluids
- Can be used on hydrocarbons (oil and fuels) on land
- Do not use on aggressive fluids (acids and alkalis)
- Do not use on hydrocarbons (oil and fuels) on water
- Wear approved personal protective equipment

1 6041 H
2 6041 H

Spill Kit

Oil only

- Best for use on hydrocarbons (oil and fuels) on water
- Can be used on oil spills on land
- Do not use on aqueous (water based) fluids
- Do not use on aggressive fluids (acid and alkalis)
- Wear approved personal protective equipment

1 6042 H
2 6042 H

Spill Kit

For Emergency Spill Team Only

- For emergency spill only
- Not for general use
- In event of emergency spill to raise the alarm contact

1 6043 H
2 6043 H

Permit to Work

Ensure that only competent employees work with Hazardous Substances.

58174

See page 86 for more information

EasiFIX Projecting Sign

Identify important locations from several view points with our projecting signs. The fixings are concealed for a neat finish and they come supplied ready to install with a drilling guide.

Rigid Plastic
Face: 150 x 200mm



5 6092



5 4300



5 4301



Lightweight Free-Standing Signs

Perfect for identifying areas contaminated by a spill. Use with a 10m chain post kit on page 79 for an effective containment solution. For all free-standing signs see page 34.



300 x 600mm Fluted Polypropylene



5 8533



5 8534



5 8526

Up to 10 words on both sides

Free-Standing Signs

Provide a clear and appropriate warning of risks with our yellow 300 x 575mm polypropylene self standing signs.



5 8516



5 8545



5 8524

Up to 10 words on both sides

Door Screen Signs

Door Screen Safety Signs offer an innovative solution to warn people of potential hazards and prevent access by fitting a barrier with the appropriate message across a doorway.

- 600 x 450mm flexible PVC sign
- Spring loaded poles (710 to 1010mm to fit most single doorways)
- Rubber end caps for maximum grip
- Warning message prevents access and warns of hazards
- Wipes clean and rolls away for easy storage
- An excellent temporary barrier to prevent access during cleaning or repairs.



5 5130



5 5131



5 5132



5 5134



5 5135



5 5133



5 5136



Cover-up Signs

The Cover-Up Sign provides a clear barrier to faulty equipment such as toilets, vending machines and office equipment. A clear visual message warns of the fault whilst the sign itself provides a physical barrier. Assembled in seconds, using hook and loop fixings. Simply collapse the Cover-Up sign when it is no longer required and store until the next use.

- Provides a clear warning message and physical barrier
- Strong, lightweight & waterproof fluted polypropylene
- Floor or wall mounted, wipe-clean material
- Collapsible and reusable for easy storage
- Offers a professional looking solution for short-term maintenance issues



Fluted Polypropylene
880 x 430 x 350mm
Supplied with suction cups for wall fixing
5 5110



5 5111



5 5112



Water Safety

Designed to the specifications of ISO 20712-3: 2014 Water Safety Signs.



1 4207 G M E K P
2 4207 G



1 4273 K



1 4275 E K



1 4280 E K



1 3626 E K



1 3614 E K



1 4313 G



1 3022 E K



1 3615 E K



1 3618 E



1 3621 E K

Material Codes			Landscape Sizes			Portrait Sizes		
1 Rigid Plastic	5 Miscellaneous	7 Polycarbonate	H 300 x 250mm	M 600 x 200mm	W 900 x 600mm	E 150 x 200mm	K 300 x 400mm	
2 Self Adhesive Vinyl	6 Aluminium	8 Quick Fix	G 300 x 100mm	Q 600 x 450mm		H 250 x 300mm	P 400 x 600mm	



6S Steps to Safety

6S is a system for organising spaces so work can be performed efficiently, effectively and safely. This system focuses on putting everything where it belongs and keeping the workplace clean and tidy, which makes it easier for people to do their jobs without wasting time or risking injury.

A neat and tidy workplace will see higher productivity; produce fewer errors/defects; meet deadlines better; be a safer place to work; identify problems earlier; promote stronger communication levels; reduce waste and lower costs. Our range of signs and posters help to promote the importance of 6S.

6S Steps to Safety

6S is a system for organising spaces so work can be performed efficiently, effectively, and safely. This system focuses on putting everything where it belongs and keeping the workplace clean, which makes it easier for people to do their jobs without wasting time or risking injury.

The Steps to Follow:

- 1. SORT**
Go through all the tools, furniture, materials, equipment and instructions in your work area to determine what needs to be present and what can be removed. Keep only the items that are frequently used or of importance. If you are unsure then tag the item and place it in a red tag holding area until a decision can be made.
- 2. SET IN ORDER**
Consider how the layout and organisation of an area could increase / decrease waiting time, motion and unnecessary transportation. Arrange tools, parts and instructions in such a way that the most frequently used items are the easiest and quickest to locate.
- 3. SWEEP AND SHINE**
Cleanse your work area, which means sweeping, mopping, dusting, wiping down surfaces, putting tools and materials away etc. In addition to basic cleaning, you should perform regular maintenance on equipment and machinery. Planning for maintenance ahead of time means businesses can catch problems and prevent breakdowns - saving time and money!
- 4. STANDARDISE**
Assign regular tasks, create schedules, and post instructions so that activities become routine that everyone can follow over the same methods and ensuring consistency throughout. Visual cues such as signs, labels, arrows, floor markings, colour tapes and mapping software systems can help provide direction and keep items in place.
- 5. SUSTAIN**
Strive to adopt routine 6S - 5S-type processes, not just 6S. 6S is a continuous part of an organisation's culture. It is important to recognise and reward the improvement of the system in place. It is important not to let standards slip and to ensure continuous improvement in the system from all levels.
- 6. SAFETY**
By following the 6S steps your safety should become a natural outcome. Minimising risks and identifying hazards can help to reduce exposure to the workplace, reduce near misses and adapt your 6S programme to prevent recurrence.

Rigid Plastic
400 x 600mm
5 5940

6S "Sort" Actions

6S is a system for organising spaces so work can be performed efficiently, effectively, and safely. This system focuses on putting everything where it belongs and keeping the workplace clean, which makes it easier for people to do their jobs without wasting time or risking injury.

SORT

Go through all the tools, furniture, materials, equipment and instructions in your work area to determine what needs to be present and what can be removed. Keep only the items that are frequently used or of importance.

QUESTIONS TO ASK DURING THE "SORT" PHASE:

1. What is the purpose of this item?
2. When was this item last used?
3. How frequently is it used?
4. Who uses it?
5. Does it really need to be here?

IF AN ITEM IS DEEMED UNNECESSARY CONSIDER THE FOLLOWING OPTIONS:

1. Check to see if it would be of use to a different department
2. Recycle / Throw Away / Sell the Item
3. Put items into storage until required.

If you are unsure whether to keep the item then red-tag it and place it in a red-tag holding area until a decision can be made.

USE IT OR LOSE IT

Rigid Plastic
400 x 600mm
5 5942

6S "Set in Order" Actions

6S is a system for organising spaces so work can be performed efficiently, effectively, and safely. This system focuses on putting everything where it belongs and keeping the workplace clean, which makes it easier for people to do their jobs without wasting time or risking injury.

SET IN ORDER

Consider how the layout and organisation of an area could increase / decrease waiting time, motion and unnecessary transportation. Arrange tools, parts and instructions in such a way that the most frequently used items are the easiest and quickest to locate.

QUESTIONS TO ASK DURING THE "SET IN ORDER" PHASE:

1. Which people (or workstations) use which items?
2. When and how often are items used?
3. Which items are used most frequently?
4. Is there a benefit in grouping items by type or colour?
5. Where would it be most logical to place items?

CONSIDER EASE OF REACH, REDUCTION OF MOVEMENT & ERGONOMICS FACTORS:

1. Are more storage containers and/or shadow boards necessary to keep things organised?
2. Is it obvious when an item is missing?

A PLACE FOR EVERYTHING AND EVERYTHING IN ITS PLACE

Rigid Plastic
400 x 600mm
5 5941

6S "Sweep & Shine" Actions

6S is a system for organising spaces so work can be performed efficiently, effectively, and safely. This system focuses on putting everything where it belongs and keeping the workplace clean, which makes it easier for people to do their jobs without wasting time or risking injury.

SWEEP AND SHINE

Cleanse your work area, which means sweeping, mopping, dusting, wiping down surfaces, putting tools and materials away etc. In addition to basic cleaning, you should perform regular maintenance on equipment and machinery. Planning for maintenance ahead of time means businesses can catch problems and prevent breakdowns - saving time and money!

FOR A CLEAN AND SAFE WORKPLACE:

1. Keep aisles clear
2. Immediately clean up spills
3. Make sure tools and equipment are kept clean and oil free
4. Properly and promptly dispose of waste, recycling where appropriate
5. See to it that fire exits are kept clear at all times
6. Smoke only in designated areas and use the provided bins
7. Stack items neatly and safely in defined locations
8. Make sure extinguishers are easily accessible and clearly marked
9. Ensure routine equipment maintenance programmes are put in place and followed accordingly
10. Always return equipment to its dedicated location when work is completed
11. Ensure paperwork is completed and filed at the end of each shift

A CLEANER AND TIDIER WORKPLACE IS A SAFER WORKPLACE

Rigid Plastic
400 x 600mm
5 5943

Keep all areas clean and tidy

6S

Rigid Plastic
400 x 600mm
5 5951

A place for everything and everything in its place

6S

Rigid Plastic
400 x 600mm
5 5952

Maintain your workstation in a tidy condition

6S

Rigid Plastic
400 x 600mm
5 5953

Red Tag Holding Area

6S

Rigid Plastic
400 x 600mm
5 5954

RED TAG HOLDING AREA

ONLY ITEMS TO BE CONSIDERED FOR DISPOSAL SHOULD BE PLACED WITHIN THIS HOLDING AREA

✓ ALL ITEMS MUST BE CORRECTLY LABELLED WITH A RED-TAG
✓ ALL ITEMS WITHIN THIS AREA MUST BE STORED TIDILY AND SAFELY
✓ ITEMS WILL BE ROUTINELY REVIEWED AND EVALUATED

1 5944 **KIP**

6S Steps to Safety

Keep all areas clean and tidy

1 5945 **K**

6S Steps to Safety

A place for everything and everything in its place

1 5946 **K**

6S Steps to Safety

Maintain your workstation in a tidy condition

1 5947 **K**

RED TAG

Date _____ Tagged by _____

Item Name _____
Location _____

Category

<input type="checkbox"/> Equipment	<input type="checkbox"/> Machine Parts
<input type="checkbox"/> Tools & Jigs	<input type="checkbox"/> Raw Materials
<input type="checkbox"/> Finished Goods	<input type="checkbox"/> Recyclables
<input type="checkbox"/> Work-In-Progress	<input type="checkbox"/> Containers, Etc.
<input type="checkbox"/> Consumables	<input type="checkbox"/> Misc
<input type="checkbox"/> Other _____	

Reason

<input type="checkbox"/> Scrap	<input type="checkbox"/> Def / Obsolete
<input type="checkbox"/> Not Needed	<input type="checkbox"/> Excess
<input type="checkbox"/> Defect	
<input type="checkbox"/> Other _____	

Additional Information on reverse →

RED TAG

Action to Take

<input type="checkbox"/> Return to _____
<input type="checkbox"/> Move to Red Tag Holding Area
<input type="checkbox"/> Move to _____
<input type="checkbox"/> Scrap
<input type="checkbox"/> Recycle
<input type="checkbox"/> Other _____

Additional Comments _____

6S Steps to Safety

Red Tag Holding Area

1 5948 **K**

6S Steps to Safety

Good house keeping makes our work safer

1 5949 **K**

6S Steps to Safety

6S supplies stored here


1 5950 **K**

Matt PVC Double Sided Pack of 10
80 x 150mm Supplied with 150mm Cable Ties
5 5939

Shadow Boards


A Shadow Board is a great addition to any 5S/6S system, acting as a locator for tools and equipment. They can be customised to mirror your site processes and devices, with personalised graphics/shadows that indicate exactly where the item should be stored when not in use. The shadow board allows the easy recognition of missing items and helps to ensure everything is stored correctly. Each shadow board is marked for accurate attachment of hooks, hangers and rails.

There are many important benefits derived from using a shadow board system such as: **1.** Systematic storage in an organised manner, makes it easy to locate items when needed, **2.** Improved productivity due to removing wasted time searching for tools and equipment, **3.** Accountability with each worker responsible for their workstation – missing items are quickly identified, **4.** Space utilisation is improved by keeping everything stored neatly in one easy to reach location.



Cleaning Station
Clean equipment and return to station after use
LOGO IF SUPPLIED

Includes:
1 x Mop 1 x 12 Litre Mop Bucket
1 x Broom 1 x Dustpan Brush
1 x Dustpan 1 x Free-Standing Sign
10mm Foam PVC
600 x 2000mm
5 5971



Cleaning Station
Clean equipment and return to station after use
LOGO IF SUPPLIED

Includes:
1 x Broom 1 x Dustpan Brush
1 x Dustpan 1 x Free-Standing Sign
1 x Shovel
10mm Foam PVC
600 x 2000mm
5 5972



Cleaning Station
Clean equipment and return to station after use
LOGO IF SUPPLIED

10mm Foam PVC
600 x 450mm
Includes Rail with 5 Hooks
5 5973



Tool Station
Clean equipment and return to station after use
LOGO IF SUPPLIED

10mm Foam PVC
450 x 600mm
Includes 300mm Magnetic Rail
5 5969
Includes 380mm Magnetic Rail
5 5970



Cleaning Equipment



D-Grip Shovel
Polypropylene
320 x 260mm
1150mm Height
5 5965



Top
Base
Broom / Mop Handle
Aluminium with
Polypropylene Grip
1195 x 23mm Dia
5 5961



Broom Head with Polyester Fill
285 x 56mm
5 5962



Mop Head
200g Yarn
5 5963



Dustpan
Polypropylene
330 x 203mm
5 5959



Dustpan Brush
Polypropylene
with Polyester Fill
280 x 35mm
5 5960



Mop Bucket
Polypropylene
285 x 370mm
12 Litre
5 5964

Hanging Equipment



Aluminium Channelled Hanging Rail
515 x 55mm with Blue End Caps
(Hangers not included)
5 5955



Magnetic Rail
300 x 35mm
5 5966



Magnetic Rail
380 x 45mm
5 5967



Metal Hook
for Magnetic Rail
20 x 100mm
5 5968



Plastic Hook
for Hanging Rail
55 x 70mm
5 5958



Large Hanger
for Hanging Rail
Fits 30-40mm Dia
77 x 86mm
5 5957



Medium Hanger
for Hanging Rail
Fits 20-30mm Dia
83 x 86mm
5 5956

Material Codes

1 Rigid Plastic 2 Self Adhesive Vinyl 5 Miscellaneous 6 Aluminium 7 Polycarbonate 8 Quick Fix

Landscape Sizes

400 x 300mm 600 x 400mm Custom sizes

Multi-Lingual Safety Signs

Multi-lingual signs are a useful way to get key safety messages across to employees and the public, within areas known to have a large percentage of people where English may not be their primary language. We are able to supply signs in a wide range of languages, so if you can't find the language or message that you require please contact us for a quote.

English, French & German



Fire action
if you discover a fire

1. Operate nearest fire alarm point.
Faire fonctionner l'alarme d'urgence le plus proche.
Den nächsten Feueralarm benutzen.

2. Fire Brigade will be called automatically.
Appel automatique des pompiers.
Feuerwehr wird automatisch gerufen.

3. Leave the building by the nearest exit.
Quitter le bâtiment par la sortie la plus proche.
Verlassen Sie das Gebäude durch den nächsten Ausgang.

4. Report to your assembly point at Present/Procéder au lieu d'appel à l'abri.
Melden Sie sich am Versammlungspunkt.

5. Do not stop to collect personal belongings.
Ne vous arrêtez pas pour prendre vos effets personnels.
Nicht aufhalten, um persönlichen Dinge zu holen.

6. Do not use lift.
N'utilisez pas les ascenseurs.
Den Aufzug nicht benutzen.

- 1 1435 (E) (H)
- 2 1435 (E) (H)
- 3 1435 (E) (H)

Fire action
if you discover a fire

1. Operate nearest fire alarm point.
Faire fonctionner l'alarme d'urgence le plus proche.
Den nächsten Feueralarm benutzen.

2. Call the Fire brigade by telephoning 999.
Appeler les pompiers à ce numéro.
Rufen Sie die Feuerwehr telefonisch an.

3. Leave the building by the nearest exit.
Quitter le bâtiment par la sortie la plus proche.
Verlassen Sie das Gebäude durch den nächsten Ausgang.

4. Report to your assembly point at Present/Procéder au lieu d'appel à l'abri.
Melden Sie sich am Versammlungspunkt.

5. Do not stop to collect personal belongings.
Ne vous arrêtez pas pour prendre vos effets personnels.
Nicht aufhalten, um persönlichen Dinge zu holen.

6. Do not use lift.
N'utilisez pas les ascenseurs.
Den Aufzug nicht benutzen.

- 1 1436 (E)
- 2 1436 (E)
- 3 1436 (E) (H)
- 4 1436 (E)

Fire action
if you discover a fire

1. Operate nearest fire alarm point.
Faire fonctionner l'alarme d'urgence le plus proche.
Den nächsten Feueralarm benutzen.

2. Fire Brigade will be called automatically.
Appel automatique des pompiers.
Feuerwehr wird automatisch gerufen.

3. Leave the building by the nearest exit.
Quitter le bâtiment par la sortie la plus proche.
Verlassen Sie das Gebäude durch den nächsten Ausgang.

4. Report to your assembly point at Present/Procéder au lieu d'appel à l'abri.
Melden Sie sich am Versammlungspunkt.

5. Do not stop to collect personal belongings.
Ne vous arrêtez pas pour prendre vos effets personnels.
Nicht aufhalten, um persönlichen Dinge zu holen.

6. Do not use lift.
N'utilisez pas les ascenseurs.
Den Aufzug nicht benutzen.

- 1 1437 (E) (H)
- 2 1437 (E) (H)
- 3 1437 (E)

Fire action
if you discover a fire

1. Operate nearest fire alarm point.
Faire fonctionner l'alarme d'urgence le plus proche.
Den nächsten Feueralarm benutzen.

2. Action will be called automatically.
Appel automatique des pompiers.
Feuerwehr wird automatisch gerufen.

3. Leave the building by the nearest exit.
Quitter le bâtiment par la sortie la plus proche.
Verlassen Sie das Gebäude durch den nächsten Ausgang.

4. Report to your assembly point at Present/Procéder au lieu d'appel à l'abri.
Melden Sie sich am Versammlungspunkt.

5. Do not stop to collect personal belongings.
Ne vous arrêtez pas pour prendre vos effets personnels.
Nicht aufhalten, um persönlichen Dinge zu holen.

6. Do not use lift.
N'utilisez pas les ascenseurs.
Den Aufzug nicht benutzen.

- 1 1424 (H)
- 2 1424 (H)

English & Polish

Fire Action

1. Operate nearest fire alarm.
1. Uruchomić alarm przy najbliższym punkcie pożarowym

2. Leave building by the nearest exit.
2. Wyjść z budynku najbliższym wyjściem

3. Report to assembly point.
3. Zgłosić się do Tworęgo punktu zbiorczego przy

- 1 1441 (E) (H)
- 2 1441 (E) (H)

Fire action
if you discover a fire

1. Operate nearest fire alarm point.
Uruchomić alarm przy najbliższym punkcie pożarowym

2. Fire Brigade will be called automatically.
Automatycznie zostanie zadzwoniona straż pożarna

3. Leave the building by the nearest exit.
Wyjść z budynku najbliższym wyjściem

4. Report to your assembly point at Present/Procéder au lieu d'appel à l'abri.
Melden Sie sich am Versammlungspunkt.

5. Do not stop to collect personal belongings.
Ne vous arrêtez pas pour prendre vos effets personnels.
Nicht aufhalten, um persönlichen Dinge zu holen.

6. Do not use lift.
N'utilisez pas les ascenseurs.
Den Aufzug nicht benutzen.

- 1 1440 (E) (H)
- 2 1440 (E) (H)
- 3 1440 (E)
- 4 1440 (E)

Fire alarm call point
Punkt uruchamiania alarmu pożarowego

- 1 1057 (E)
- 2 1057 (E)

Fire extinguisher
Gaśnica

- 1 1058 (E)
- 2 1058 (E)

Fire door keep shut
Drzwi przeciwpożarowe starannie zamykać

- 1 1647 (A)
- 2 1647 (A)

Fire exit keep clear
Wyjście ewakuacyjne nie zastawiać

- 1 1648 (H)
- 2 1648 (H)

No admittance for unauthorised personnel
Nieupoważnionemu personelowi wstęp wzbroniony

- 1 3243 (E) (H)
- 2 3243 (E) (H)

Safety helmets must be worn
Należy nosić kaski ochronne

- 1 5250 (E)
- 2 5250 (E)

Ear protection must be worn
Należy założyć środki ochrony uszu

- 1 5239 (E) (H) (K)
- 2 5239 (E) (H) (K)

High visibility jackets must be worn
Należy nosić kamizelki odblaskowe

- 1 5248 (E) (K)
- 2 5248 (E) (K)

Protective footwear must be worn
Należy nosić obuwie ochronne

- 1 5249 (E)
- 2 5249 (E)

Eye protection must be worn
Należy założyć środki ochrony oczu

- 1 5238 (H)
- 2 5238 (H)

No Smoking
Palenie wzbronione

- 1 3301 (E) (H)
- 2 3301 (E)

No Smoking
Palenie wzbronione

- 1 3302 (E) (H)

Fire exit
Wyjście ewakuacyjne

- 1 2075 (H)
- 2 2075 (H)

Fire exit
Wyjście ewakuacyjne

- 1 2076 (H)
- 2 2076 (H)

Fire exit
Wyjście ewakuacyjne

- 1 2077 (H)
- 2 2077 (H)

Fire exit
Wyjście ewakuacyjne

- 1 2078 (H)
- 2 2078 (H)

Bespoke Translations

We can provide translations for many languages. If you have a specific requirement please call us for a quote.

Welsh

Fire assembly point
Punkt zbiorczy na wypadek pożaru

- 1 2079 (Q)
- 2 2079 (Q)

First aid
Pierwsza pomoc

- 1 6054 (H)
- 2 6054 (H)

Caution
Forklift trucks operating
Uwaga
na wózki widłowe

- 1 4298 (K)
- 2 4298 (K)

Caution
Mind the step
Uwaga
stopień

- 1 4296 (E)
- 2 4296 (E)

Dim smygu
No Smoking

- 1 3025 (E) (H)
- 2 3025 (E)

Mae smygu yn fangre hon yn erbyn y gyfrai

It is against the to smoke in the premises

- 160 x 230mm
- 5 3039 Rigid plastic
- 5 3044 Self adhesive

Quality Control Signs

QUALITY CONTROL GOODS INWARDS	QUALITY CONTROL AWAITING INSPECTION	QUALITY CONTROL NON CONFORMING PRODUCTS	QUALITY CONTROL RETURNED STOCK	QUALITY CONTROL SCRAP	QUALITY CONTROL QUARANTINE AREA
1 7802 K	1 7806 K	1 7817 K	1 7815 K	1 7816 K	1 7814 K

Quality Control Tags

• Double Sided • Pack of 10 • Supplied with 150mm Cable Ties

QUALITY CONTROL PASSED INSPECTION	QUALITY CONTROL CALIBRATED	QUALITY CONTROL AWAITING INSPECTION	QUALITY CONTROL REJECTED	QUALITY CONTROL FAILED INSPECTION	QUALITY CONTROL NON CONFORMING PRODUCTS	QUALITY CONTROL QUARANTINE	RED TAG RED TAG
Matt PVC 80 x 150mm 5 9775	Matt PVC 80 x 150mm 5 9779	Matt PVC 80 x 150mm 5 9782	Matt PVC 80 x 150mm 5 9776	Matt PVC 80 x 150mm 5 9777	Matt PVC 80 x 150mm 5 9784	Matt PVC 80 x 150mm 5 9785	Matt PVC 80 x 150mm 5 5939

Fine Line Marker

Permanent waterproof and quick drying, weather resistant ink. Writes on most surfaces including gloss vinyl, laminates and DVDs. Finesline 0.6mm line width 5 3430

Bespoke Tags

We can provide you with bespoke tags to suit your needs. Call us now for a quote.

QC Labels

• Matt Self Adhesive Vinyl • Roll of 100 • 50 x 20mm

TESTED BY:	STOCK NO.	SERIAL No.	INSPECTED	PASSED BY:	CALIBRATED
DATE:				DATE:	BY: DATE:
5 9748	5 9759	5 9747	5 9758	5 9753	5 9752
PAT Test Labels on Page 32 Comply with IEE regulations and ensure all required information is on the label	NON-CONFORMING	QA REJECTED	REJECTED	QUARANTINED	NOT CALIBRATED
	BY: DATE:	BY: DATE:	BY: DATE: REASON:		
	5 9751	5 9749	5 9757	5 9755	5 9756
	QUALITY APPROVED	ACCEPTED	TESTED FOR ELECTRICAL SAFETY	CALIBRATED	
	BY: DATE:	BY: DATE:	BY: DATE:	BY: DATE:	
	5 9754	5 9750	5 9760	5 9766	

Safe Working Loads

Pallet Racking

SAFE WORKING LOADS

- Conduct regular inspections to check for:
 - correct application and use
 - loads within allowable safe limits
 - accidental damage, or dislodgement of structural components
- Report all damage to the racking safety officer
- Do not alter the structure without either:
 - checking effects against manufacturer's technical data
 - obtaining approval from supplier
- Do not climb racking
- Refer to SEMA "Code of practice for the use of static pallet racking"
- If in doubt always check with supplier

All loads to be uniformly distributed
 Racking supplied by: _____
 Date supplied: _____

5mm Foam PVC
600 x 450mm
5 6355

Mezzanine Flooring

SAFE WORKING LOADS

- Conduct regular inspections to check for:
 - correct application and use
 - loads within allowable safe limits
 - accidental damage, or dislodgement of structural components
- Report all damage to the racking safety officer
- Do not alter the structure without either:
 - checking effects against manufacturer's technical data
 - obtaining approval from supplier
- Refer to SEMA "Guide to the specification of Mezzanine Floors & SEMA-FEM users code"
- If in doubt always check with supplier

Racking supplied by: _____
 Date supplied: _____

5mm Foam PVC
600 x 450mm
5 6357

Cantilever Racking

SAFE WORKING LOADS

- Conduct regular inspections to check for:
 - correct application and use
 - loads within allowable safe limits
 - accidental damage, or dislodgement of structural components
- Report all damage to the racking safety officer
- Do not alter the structure without either:
 - checking effects against manufacturer's technical data
 - obtaining approval from supplier
- Do not climb racking
- Refer to SEMA-FEM "Guidance for the Safe use of Static Steel Racking and Shaking Users Code"
- If in doubt always check with supplier

All loads to be uniformly distributed
 Racking supplied by: _____
 Date supplied: _____

5mm Foam PVC
450 x 600mm
5 6356

Material Codes				Landscape		Portrait Sizes	
1 Rigid Plastic	3 Photolum Rigid Plastic	5 Miscellaneous	7 Polycarbonate	K 400 x 300mm	A 75 x 100mm	H 250 x 300mm	
2 Self Adhesive Vinyl	4 Photolum Self Adhesive	6 Aluminium	8 Quick Fix	Custom sizes	E 150 x 200mm	K 300 x 400mm	Custom sizes



Impact Protection and Floor Marking

Impact Protection


The impact protection system cushions and warns of protruding corners, edges, vulnerable pipes and protects many other areas such as walls, kerbs, trolley parks, vehicles, plant and machinery and is ideal for racking and shelving. Supplied in standard lengths of 1000mm and manufactured from high-grade flexible age resistant polyurethane foam with self adhesive or push on profiles. Protects staff from injury and property from damage. Can be easily cut to the required length.

Edge Protection (Self adhesive)




Semi-circular 40/40
5 9221


Profile Protection (Push on)



Trapeze 40/40/8
5 9229




Trapeze 40/80/8
5 9230




Semi-circular 40/40/8
5 9231



Pipe Protection (Self adhesive)




Curvature 40
5 9222



Curvature 85
5 9223

Surface Protection (Self adhesive)



Semi-circular 40/32
5 9225



Rectangle 60/20
5 9226



Rack Protector



Cost effective protective bumper, minimises the impact of forklift truck collisions. Supplied with two velcro straps (700mm) for quick and easy fixing to most uprights

- Yellow polyethylene - no rusting or denting
- Waterproof and chemical resistant
- Ability to reform itself after an impact
- Slim fit provides minimal aisle intrusion
- Manufactured to comply with BS6399-1: 1996

Height: 500mm
Clips to any frame width between 75-90mm

5 9235

Column Protector



Impact protection for columns and girders. Air pressure release to cushion the blow. Easy to assemble with no drilling or bolting down required. Supplied with velcro straps for securing around the column. Manufactured with a highly flexible and strong polyethylene. Suitable for warehouses, mezzanine floors and car parks.

Assembles in Seconds: No fixings required, fits over baseplate.
High Visibility: Rotationally moulded, UV Stabilised.

Material: Made from linear low density polyethylene (LLPE)
Wall Thickness: 6.4mm (1/4)
Dimensions: 1100mm(H) x 600mm(W) x 600mm(D)
Weight: 23kg

Fits Column
150-200mm wide **Code** 5 9249
250-300mm wide 5 9399

Pallet Marking



Tough PVC, high visibility yellow floor markers with aggressive adhesive backing for application to clean, flat surfaces. Capable of withstanding everyday traffic in a fully operational warehouse. Perfect to highlight pallet positions, walkways and traffic flow. Other colours available upon request.

	Centre Pallet Locator 300 x 300mm Quantity of 10 5 9505		Edge Pallet Locator 300 x 200mm Quantity of 10 5 9524
	Corner Pallet Locator 200 x 200mm Quantity of 10 5 9508		Walkway Locator 90mm Diameter Quantity of 100 5 9509
	Traffic Flow Marker 90 x 90mm Quantity of 100 5 9506		Walkway Footprints 300 x 100mm Quantity of 10 5 9507



Identification Letters & Numbers

A range of self adhesive letters and numbers for the identification of storage locations, bin numbers, aisle numbers, plant and equipment or many other applications. Each letter or number is available in Black on White or Black on Yellow.

* To order, state the individual letter or number you require and your choice of colour (black on white or black on yellow). E.g. 5 9670 / K / Black & Yellow



Label Size	A-Z (26 pack)	Singular Letter (10 pack) *	0 - 9 (10 pack)	Singular Number (10 pack) *
45 x 130mm	5 9840	5 9670	5 9846	5 9676
38 x 90mm	5 9841	5 9671	5 9847	5 9677
21 x 56mm	5 9842	5 9672	5 9848	5 9678
14 x 19mm	5 9843	5 9673	5 9849	5 9679




Label Holders

Multi-purpose label holder, supplied with white card inserts and clear plastic cover strips (Packs of 100).

Magnetic Size	Code
80 x 30mm	5 9874
80 x 50mm	5 9875

Self Adhesive Size	Code
80 x 30mm	5 9871
80 x 50mm	5 9872



Document Pockets

Industrial pockets for keeping documents clean and easily accessible, ideal for control of fast moving stock. (Packs of 10)

Magnetic Size	Code
A4 Landscape (297 x 210mm)	5 9884
A4 Portrait (210 x 297mm)	5 9885

Self Adhesive Size	Code
A4 Landscape (297 x 210mm)	5 9880
A4 Portrait (210 x 297mm)	5 9881

Magnetic Easy-Wipe Write-On Rolls

Suitable for both racking and shelving, can be easily cut to size and written on with a dry wipe marker pen. Cost effective, write-on, wipe off labelling.

Colour	Size	Code
White	20mm x 10m	5 9890
White	30mm x 10m	5 9892
White	50mm x 10m	5 9894
White	70mm x 10m	5 9896

*Other colours available upon request.



Equipment Tagging and Checklist System

Equipment tagging and inspection system designed to improve workplace safety. Perfect for ensuring warehouse equipment is always 'Good to Go'. Simply attach tag to equipment and use the corresponding check book to carry out an inspection, inserting the completed checklist inside the tag. A duplicate carbon copy of the completed checklist is provided for your management records. A tamper evident seal can be used to deter unauthorised access. Provides a clear visual confirmation of equipment status. A weekly kit provides everything required for 50 inspections, the daily kit for 275 inspections.

Components

Status Tag	5 1301	Wallet & Pen	5 1308	Tamper Evident Seals	5 1307
Dispenser	5 8099	Information Station	5 1335	Weather Resistant Holder	5 8109

Equipment Type	Check Book (25 Checks)	Weekly Kit (50 Checks)	Daily Kit (275 Checks)	A2 Poster
Forklift	5 1302	5 1309	5 1313	5 1360
Ladder	5 1304	5 1311	5 1315	5 1361
Pallet Truck	5 1336	5 1337	5 1338	5 1364
Racking	5 1305	5 1312	5 1316	5 1362
Podium Steps	5 1330	5 1331	5 1332	
Forklift Work Platform	5 1348	5 1349	5 1350	
Overhead Crane	5 1351	5 1352	5 1353	
Fleet Vehicles	5 1306	5 1328	5 1329	
Trailers	5 1339	5 1340	5 1341	
Bespoke	5 1317	5 1333	5 1334	
MEWP	5 1322	5 1323	5 1324	5 1366
Loader Crane	5 1354	5 1355	5 1356	5 1367

Full range available on pages 125 - 127



Warehouse Safety

Reflector Signs

The bottom half of these signs are designed to be read in vehicles' mirrors. Ensuring drivers are aware of procedures and that safety is maintained.



Warehouse Labels

- Self Adhesive Vinyl
- 75 x 100mm
- Roll of 250



Lifting Labels

Required by the Manual Handling Operations Regulations 1992 (as amended 2002), labels should be installed on to heavy packages and other items to indicate a manual handling risk.



Self Adhesive Vinyl
50 x 50mm - Roll of 500
5 4030

Reflective Tapes

- Self Adhesive

High visibility, retro-reflective marking tape. Resistant to corrosion, weather and most solvents. Shines brightly in the dark when light is directed at it.




Size	Colour	Code
50mm x 25m	Red & White	5 8643
50mm x 25m	Black & Yellow	5 8646

Floor Marking Tapes

- 50mm x 33m
- Self Adhesive

Ideal for use in factories, warehouses, hospitals and hotels. Sub surface printed and over laminated in hard wearing, anti-slip polycarbonate film. We advise the use of primer, edge sealer and floor cleaning fluids for improved adhesion (see page 74).



Business Starter Kit



If you are starting up a business or moving premises, you can save 10% with this handy kit, containing some of our most popular signs and must-have products, including the mandatory Health & Safety Law Poster.

Health & Safety Law Poster & Accident Report Book

Fire Log Book & 6 x Fire door keep shut Labels

First Aid (Rigid PVC 250 x 300mm)

No Smoking (Rigid PVC 300 x 100mm)

Fire Extinguisher (Rigid PVC 300 x 100mm)

Fire Action Notice (Rigid PVC 250 x 300mm)

Fire Exit Up (Rigid PVC 450 x 150mm)

5 1071

Magnetic Racking Signs

Magnetic PVC signs allow quick and easy application to racking beams to advise of temporary safety issues and/or weight restrictions.



1000 x 75mm
5 8888



1000 x 75mm
5 8889



1000 x 75mm
5 8901

Max load capacity	Max load capacity	Max load capacity	Max load capacity	Max load capacity	DO NOT CLIMB ON RACKING
500kg UDL per shelf	1000kg UDL per shelf	1200kg UDL per shelf	2000kg UDL per shelf	kg UDL per shelf	
100 x 75mm 5 8902	100 x 75mm 5 8903	100 x 75mm 5 8904	100 x 75mm 5 8905	100 x 75mm 5 8907	100 x 75mm 5 8908

Domed Mirrors

Ideal for shops and warehouse premises. Quarter and Half Dome are supplied with wall fixings. Full Dome includes chain kit for hanging from ceiling.



5 9241



5 9240




5 9217



Description	Size	Viewing Distance	Direction	Code
Quarter Dome	410mm	4 metres	2 way 90°	59217
Half Dome	600mm	6 metres	3 way 180°	59240
Full Dome	600mm	6 metres	4 way 360°	59241

Convex Mirrors

A range of convex mirrors supplied with a three year guarantee. Light and virtually unbreakable. Supplied with fixings.



Convex mirrors are supplied complete with fully adjustable bolts & bracket kit for either wall mounting or for posts (34 - 90mm diameter). The kit is robust and tested to withstand winds of up to 183 km/h. Easy to install, allows precise adjustment for optimal positioning.




Multi-Purpose

For use in warehouses, factories, high-risk collision situations, stock surveillance, work station safety and direct observation of hidden parts of machinery.

- Internal/External Use

Size	Viewing Distance	Code
300mm	3 metres	59201
400mm	5 metres	59202
500mm	7 metres	59203
600mm	11 metres	59204
700mm	15 metres	59205
800mm	20 metres	59206



Security Surveillance

Recommended for shop security as a deterrent to retail theft and to monitor tills. Effective in monitoring hospital corridors, reception areas, door access control, etc.

- Internal Use

Size	Viewing Distance	Code
300mm	2 metres	59207
400mm	4 metres	59208
500mm	6 metres	59209
600mm	8 metres	59210



Traffic


These mirrors assist road safety and can help eliminate blind spots at corners, concealed entrances / exits, car parks and junctions.

- Internal/External Use

Size	Frame Size	Viewing Distance	Code
600 x 400mm	680 x 500mm	9 metres	59213
800 x 600mm	950 x 750mm	20 metres	59214
1000 x 800mm	1150 x 950mm	30 metres	59215

Security Eyes

Research indicates that the feeling of being watched can influence the behaviour of people, leading to reduction in crime. Use alongside our standard signs to reinforce security and safety messages.



1 1751 **D G J M X**



1 1752 **D G J M X**

Mirror Messages

- 405 x 485mm
- Self Adhesive Backing

A practical and innovative way to portray safety messages. These acrylic mirrors provide useful reminders.



5 9218



5 9236



5 9238



5 9239



Material Codes				Landscape			
1 Rigid Plastic	3 Photolum Rigid Plastic	5 Miscellaneous	7 Polycarbonate	D 150 x 100mm	U 400 x 200mm	P 600 x 400mm	
2 Self Adhesive Vinyl	4 Photolum Self Adhesive	6 Aluminium	8 Quick Fix	G 300 x 100mm	M 600 x 200mm	X 200 x 100mm	Custom sizes




Pipelines

Pipeline Identification

Basic colour bands for the identification of pipe contents are supplied in strips of high quality self adhesive vinyl measuring 150 x 980mm.

Pipeline ID posters on page 88

Colour	95mm Dia.	BS4800	Code
Green	Water	12 D 45	5 9989
Silver - Grey	Steam	10 A 03	5 9990
Brown	Oils	06 C 39	5 9991
Beige	Gases	08 C 35	5 9992
Violet	Acids & Alkalis	22 C 37	5 9993
Light Blue	Air	20 E 51	5 9994
Black	Other Liquids	00 E 53	5 9995
Orange	Electrical & Ventilation	06 E 51	5 9996
Red	Fire Fighting	04 E 53	5 9997
Yellow	Warning	08 E 51	5 9998
Dark Blue	Fresh Water potable or non potable	18 E 53	5 9999



Where to apply pipe markers

Pipeline Flow Markers • 300 x 40mm • Self Adhesive Vinyl • Pack of 5

Pipeline identification markers are manufactured from high quality self adhesive vinyl. Each marker has a twin flow direction system so you can simply remove the direction which is not required. **Below are our best selling flow markers - Additional markers are available upon request.**



Air
 5 9979
 5 9980

Electricity
 5 9945
Steam
 5 9941

Gases
 5 9902
 5 9917

GAS
 5 9903
 5 9909

PROPANE
 5 9910
METHANE
 5 9911

Water
 5 9918
 5 9923
 5 9928

WASTE WATER
 5 9919
DRINKING WATER
 5 9924
FRESH WATER
 5 9929

COOLING WATER
 5 9921
HOT WATER
 5 9927
NON DRINKING WATER
 5 9932

Oils
 5 9963
 5 9975

OIL
 5 9965
DIESEL OIL
 5 9978

HEATING FUEL OIL
 5 9973
ALCOHOL
 5 9969

Acid & Alkali
 5 9948
 5 9960

SULPHURIC ACID
 5 9950
SODIUM HYDROXIDE
 5 9962

CAUSTIC SODA
 5 9956
ACID
 5 9946

Directional Flow • 50mm x 33mm • Self Adhesive Tape

Self adhesive marking tape with directional arrows indicating direction of flow in a pipe. Additional colours available on request.

5 9876
 5 9877
 5 9878 (CLEAR)
 5 9879
 5 9888
 5 9889




Lockout Tagout

The term lockout tagout (LOTO) refers to a safety procedure that ensures that dangerous machines and energy sources are properly shut off and not unexpectedly/accidentally started up before the completion of maintenance or servicing work. These energy sources could include electrical, mechanical, hydraulic, pneumatic, chemical, radiation, and thermal hazards. The point of a LOTO procedure is to identify and isolate a hazard that may cause injury if it were to start up or release stored energy during the maintenance of machines and equipment.

Hasps

For use by multiple workers who wish to isolate the same equipment with their own personal padlock. Steel hasp with 6 padlock holes on red handle. 6mm shackle diameter.

Size	Code
25mm Clearance	5 3313
38mm Clearance	5 3314



Padlocks

Thermoplastic padlocks with steel shackle (6.3mm dia and 38mm vertical clearance). Temperature resistant, chemical resistant, UV stable and corrosion resistant. Each padlock supplied with unique key for maximum security.

Colour	Code	Colour	Code
Red	5 3315	Blue	5 3319
Orange	5 3316	Purple	5 3320
Yellow	5 3317	Teal	5 3321
Green	5 3318	Black	5 3322

For keyed alike version please call for a quote.



Rotating Gate Valve Cover

Tough, lightweight, dielectric thermoplastic bodies withstand chemicals and perform effectively in temperatures (-47°C to 177°C]. Surrounds the valve operating handle to protect against accidental valve operation. Unique design allows rotation for easier installation in confined space applications. Centre knockout can be removed for rising stem gate valves. Each size rotates into itself and nests within the next larger size to save space in storage. Multiple workers can apply their personal safety locks. Complete with high visibility permanent safety labels (English, French & Spanish) that can be written-on to identify the responsible person, then erased for the next job.

Fits Valve Diameter	Padlock Holes	External Diameter	Code
25 - 76mm	2	106mm	5 3336
50 - 127mm	3	155mm	5 3337
101 - 165mm	4	200mm	5 3338
152 - 254mm	4	285mm	5 3339
203 - 330mm	4	388mm	5 3340



Breaker Lockout

This miniature circuit breaker (MCB) lockout device is universal for many makes and models. It requires no tools to fit it on to the MCB. Locks out virtually all ISO/DIN circuit breakers throughout the world.

Dimensions: 52.65 x 17.70 x 29.99mm
 Body material: PBT with brass thread insert
 Cover: PBT & thermoplastic
 Screw: Stainless Steel
 Operating Temperature: -40°C to 70°C
 Corrosion Resistance: ASTM F883 Grade 6

5 3312



Cable Lock Out

Thermoplastic body with flexible insulated 4mm diameter, vinyl coated, 1.8m steel cable. If the cable is too slack it can be tightened without the need to remove the padlocks. During maintenance and repair activities up to four padlocks can be applied. Only when all workers have completed their work and removed their personal padlock can the cable lockout be removed and valve operation (or circuit breaker switching) be resumed.

5 3303



Electrical Plug Lock Out

Small version is suitable for UK standard 3 Pin, 13amp plugs. Large version is suitable for 240 and 550 volt plugs.

Size	Dimensions	Code
Small	100 x 100 x 100mm	5 3304
Large	190 x 130 x 90mm	5 3305



Double Sided Lockout Tags

• 80 x 150mm • Matt PVC • Pack of 10 • Supplied with 150mm Cable ties



Fine Line Marker Pen




5 3430

Lockout Signs and Labels



Free Standing Lockout Signs

Free standing signs are perfect to advise personnel of any short term lockout procedures being undertaken.



EasiFIX Projecting Sign



Ensure lockout stations are easily identified. Visible from a number of angles. Supplied with guide for easy installation. Fixings concealed for neat finish.

Rigid Plastic
Face: 150 x 200mm
5 3330

Lockout Tagout Stations & Kits



Lockout stations ensure that padlocks, tags and hasps are readily available from a dedicated location. Manufactured from extra tough polycarbonate in a one-piece moulded construction - eliminating the risk of loose parts. Lockable translucent cover protects contents from dust and grime and ensures the LOTO equipment is there when you need it. Reinforced snap-on clips provide easy padlock and hasp storage and removal. All stations can be wall mounted (fixings not included).

4 Lockout Station


- Dimensions (H x W x D): 311 x 406 x 44mm
- 4 x Red Lockout Padlocks (Keyed Different) - 5 3315
- 2 x Lockout Hasps (25mm Clearance) - 5 3313
- 12 x Double Sided Lockout Tags (Do not operate)



5 3333

10 Lockout Station

- Dimensions (H x W x D): 393 x 558 x 44mm
- 10 x Red Lockout Padlocks (Keyed Different) - 5 3315
- 4 x Lockout Hasps (25mm Clearance) - 5 3313
- 24 x Double Sided Lockout Tags (Do not operate)



5 3334

Portable Lockout Kit

- Toolbox Safety Lockout Kit, includes devices for locking off valves and electrical isolators:
- 6 x Red Lockout Padlocks (Keyed Different) - 5 3315
- 2 x Lockout Hasps (25mm Clearance) - 5 3313
- 3 x Adjustable Cable Lockout - 53303
- 1 x Gate Valve Lockout (25-76mm Dia) - 53336
- 1 x Gate Valve Lockout (50-127mm Dia) - 53337
- 1 x Gate Valve Lockout (101-165mm Dia) - 53338
- 1 x Ball Valve Lockout
- 6 x MCB Lockout (Standard width)
- 2 x MCB Lockout (Wide pins)



5 3331

20 Lockout Station

- Dimensions (H x W x D): 558 x 558 x 44mm
- 20 x Red Lockout Padlocks (Keyed Different) - 5 3315
- 2 x Lockout Hasps (25mm Clearance) - 5 3313
- 48 x Double Sided Lockout Tags (Do not operate)



5 3335

Electrical Warning Signs and Labels

Full range of signs and labels on pages 30 - 31



Portable Lockout Box

Mild steel with red polyester powder coating. Includes key drop facility on lid.

- 12 Padlock Locators (Padlocks not included)
- Up to 8mm Shackle dia.

152 x 230 x 95mm
Weight: 1.85kg

5 3332



Material Codes					Landscape Sizes		Portrait Sizes	
1 Rigid Plastic	2 Self Adhesive Vinyl	5 Miscellaneous	6 Aluminium	8 Quick Fix	A 100 x 75mm	Q 600 x 450mm	Ⓞ 100 x 150mm	Ⓞ 150 x 200mm



Floor Graphics


Circular • 400mm Diameter

Ideal for use in factories, warehouses, hospitals and hotels. Sub surface printed and over laminated in hard wearing anti-slip polycarbonate film. We recommend the use of primer, edge sealer and floor cleaning fluids for improved adhesion.



Custom Floor Graphics

A great solution to identify warehouse aisle / bay letters and numbers or to highlight potential dangers.



Supply us with your message of choice, logo or photograph and we will print your floor graphic.

Floor Preparation

A clean surface is vital to the performance and longevity of your floor graphics and tapes. Thorough cleaning and priming of all surfaces, together with edge-sealing to prevent the ingress of moisture and other contaminants, helping to increase the service life of your products.



Edge Sealer
140ml
5 9699



Floor Cleaning Fluid
1 Litre
5 8827



Floor Primer
1 Litre
5 9698

Anti-Slip Mats • 610 x 150mm


With aggressive pressure sensitive adhesive for bonding to most floor surfaces.



Caution 5 9634 | Watch your Step 5 9635



Reflective Strip 5 9696 | Photoluminescent 5 9697



Black & Yellow Chevron 5 9695

Floor Graphics • 400 x 600mm



5 8741



5 8737



5 8822



5 8819



5 8740



5 8739



5 8789




5 8817



5 8733



5 8730



5 8736



5 8818



5 8821



5 8738



5 8828



5 8732



5 8731



5 8820



5 8824



5 8735



5 8734



5 8823



5 8825



5 8826



600 x 400mm
5 8885



600 x 400mm
5 8881



600 x 400mm
5 8909



600 x 400mm
5 8923



600 x 200mm
5 8813



600 x 200mm
5 8815



600 x 200mm
5 8811



600 x 200mm
5 8807



400 x 200mm
5 8809



300 x 100mm
5 8749




Tapes & Floor Marking


Floor Marking Tapes

• Self Adhesive • 50mm Wide • 33m Length


Ideal for use in factories, warehouses, hospitals and hotels. Sub surface printed and over laminated in hard wearing, anti-slip polycarbonate film. We advise the use of primer, edge sealer and floor cleaning fluids for improved adhesion (see page 74)




5 8601



5 8604




5 8606




5 8632



5 8630




5 8602



5 8605



5 8603





5 8631


Anti-Slip Tapes

• Self Adhesive • 50mm Wide • 18m Length


Anti-slip tape provides a solution to problem slippery surfaces and steps. Recommended for internal use in pedestrian traffic routes. It has a near "diamond hard" aggregate and a conformable pressure adhesive giving strong adhesion to most surfaces, such as wood, concrete, steel or checker plate.



5 9623



5 9624



5 9694 Photoluminescent




5 9625


Photoluminescent Tapes

• Self Adhesive • 10m Length


Perfect for highlighting around safety equipment or as part of your way guidance marking.




40mm Wide
5 8644




40mm Wide
5 8641
80mm Wide
5 8642




40mm Wide
5 8647
80mm Wide
5 8648




20mm Wide
5 8658




40mm Wide
5 8656
80mm Wide
5 8657




40mm Wide
5 8653
80mm Wide
5 8654



40mm Wide
5 8659
80mm Wide
5 8660



40mm Wide
5 8656
80mm Wide
5 8657



40mm Wide
5 8653
80mm Wide
5 8654



40mm Wide
5 8650
80mm Wide
5 8651



Deluxe Floor Markers




5 8663
90mm Dia



5 8664
125mm Dia




5 8665
175 x 110mm




Aluminium back provides extra strength and durability in high traffic areas. Anti-slip surface.

Photoluminescent Class D Aluminium with self-adhesive backing.


Floor Markers




75 x 75mm
Pack of 20
5 8670



240 x 90mm
Pack of 20
5 8672



75mm Diameter
Pack of 20
5 8671



Photoluminescent way finding floor markers are an effective method of marking escape routes.

The markers have an anti-slip surface and strong adhesive backing.



Anti-Slip Stair Nosing


Durable stair nosing offers excellent slip resistance and complies with the DDA / Equality Act. Hard wearing GRP with carbon grit-top surface, effective even in wet and oily conditions. Easily fixed using screws or adhesives and can be cut to size. Available in either hazard yellow or photoluminescent versions.

The photoluminescent version is ideal for stairwells in case of a power failure. Suitable for both internal and external use.

Yellow W 1000 x H 55 x D 55mm 5 9852	Photoluminescent W 1000 x H 30 x D 70mm 5 9853	Tube of Adhesive 290ml 5 9856
--	--	-------------------------------------



Cable Protector



High grade fire retardant and non-conductive flexible polymer cable protector. No fixings required. Split base membrane allows cables to be pushed inside to leave the cable protector sitting flush to the floor. Gently sloping sides allow smooth passage of trucks and trolleys, whilst yellow warning stripes along each side of the profile ensures maximum visibility and reduced risk of a trip hazard.

Polymer - Easy to Cut
External: H 15mm x W 83mm x L 9m
Internal: H 7mm x W 30mm
5 9232

Economy Cable Cover



Grey rubber cable cover provides an effective solution to trip hazards where cabling is exposed. Smooth easy-clean surface, easily cut to length off the coil. Base can be slit for easy cable insertion. Gently sloping edges allow smooth passage of trucks and trolleys. Ideal for office environments.

Rubber
External: H 14mm x W 76mm x L 3m
Internal: H 10mm x W 28mm
5 9149

Stencils

Laser cut PVC stencils

Use with our spray paints below to clearly mark locations and messages where required.



300 x 400mm
5 9648



600 x 400mm
5 9660



600 x 400mm
5 9662



400 x 300mm
5 9647




A-Z and 0-9
(36 piece kit)
5 9644




A-Z and 0-9
(36 piece kit)
5 9645



A-Z and 0-9
(36 piece kit)
5 9646



0 - 9 (10 piece kit) 5 9640
A-Z (26 piece kit) 5 9641



0 - 9 (10 piece kit) 5 9642
A-Z (26 piece kit) 5 9643



Paint Applicators



Hand Held Applicator

Specially designed for comfortable hand use. Ideal for use with stencil sets. Makes marking steps or obstructions easy.
5 9604

4-Wheel Applicator

Minimal assembly is required for this 4 wheel paint applicator which produces rapid marking of up to 25 metres per minute.

The rear wheels are removable to get up close to walls and racking and colours can be changed without cleaning the machine.

50 - 75mm wide lines
5 9603

Paint Line Kit

If you require this kit with an alternative coloured paint, please advise your preferred colour of choice.



Contents

2 x 750ml Cans of Yellow Paint
1 x 4 Wheel Paint Applicator
1 x Chalk Line
1 x Chalk Refill

5 9601

Spray Paints



Marking Paint

Fast drying, long lasting, durable and cost effective synthetic resin paint. Easy to use, simply shake the can, insert into an applicator and apply.

Produces markings that are highly visible and are abrasion and chemical resistant. Adheres to most surfaces - concrete, asphalt, tarmac, metal and tiles.

Economical - one 750ml can produces a 50mm wide line approximately 50-90 metres long (dependant on surface). Environmentally friendly and conforms to the latest EU regulations.

5 9607 5 9605 5 9606



Barriers

Retractable Barrier Post

Use these stylish retractable barrier posts to manage crowds in shops, hotels or anywhere needing an orderly queueing system. Each 1015mm high post comes complete with 3.4m of retractable 50mm wide webbing stored in the head. Simply pull out and attach to additional posts or wall brackets. Includes a belt lock and slow retract braking system for safety purposes. Available in both polished or black powder coated stainless steel.

1015mm high post with 355mm diameter base providing excellent ballast of 9kg. Other standard webbing and post colours along with printed safety message belts are available upon request.

Belt Colour	Post and Base Colour	
	Polished Stainless Steel	Black
 Red	5 9026	5 9043
 Blue	5 9027	5 9044
 Black	5 9028	5 9045



Custom Webbing

For custom webbing options please contact us for a quote and specify your message of choice and the colours you wish to use.



Sign Frame for Retractable Barrier Post



These steel frames have a top opening and the sign simply slides in making replacement easy. A post top adapter slips over the top of the post for a firm fit.

The frame is supplied with two sheets of clear acrylic for use with A4 paper signs or can hold a 3mm thick A4 sign (not supplied).

Black	Polished Stainless Steel
5 8924	5 8925

Wall Bracket

This plastic wall bracket is for use with our retractable barrier posts. Secure the clip at the end of the webbing to this wall bracket to create a barrier. The plastic bracket is easily fitted to the wall with screws.



Industrial Retractable Barrier Post

Designed for outdoor use, these retractable posts feature a heavy duty, non-rusting recycled rubber base (480mm dia) and a powder coated stainless steel post (1015mm high) complete with 3.4m of safety chevron webbing (50mm wide) stored in the head. Simply pull out and attach to additional posts or wall brackets. Includes a belt lock and slow retract braking system for safety purposes. Rubber base includes carry handles and post can be removed for ease of handling/storage. Webbing can be supplied with safety messages – please ask for a quote.

1015mm high post with 480mm diameter base providing excellent ballast of 9kg

Belt Colour	Post Colour	Code
 Black & Yellow	 Yellow	5 9046
 Red & White	 Red	5 9047



Sign Frame on Post

Universal chain post and base with 300 x 250mm sign frame. Supplied complete with your sign of choice.

Please state required message when ordering.



Frame Colour	Post Colour	Code
 White	 Red & White	5 9631
 Yellow	 Black & Yellow	5 9632
 Red	 Red & White	5 9633

Retractable Wall Mount Barrier

3m x 50mm retractable webbing supplied in a black powder coated steel housing with wall screw fixings and a receiver clip supplied as standard. Perfect for environments where you want a flexible retractable barrier without taking up any floor space.

Longer length belts and printed safety messages are available on request.

Belt Colour	Code
 Red	5 9020
 Black	5 9022
 Red & White	5 8926
 Black & Yellow	5 8927



Chain Posts

Plastic posts and chains offer a lightweight, flexible option for cordoning off areas quickly and easily, making them perfect for temporary hazards such as spillages or for preventing access to areas during cleaning or hazardous work activities. The posts and bases are easily detached for ease of storage.

Universal Chain Post & Base

An ideal, low cost solution for cordoning off areas both internally and temporarily in outdoor environments. Quickly and easily deployed.

We recommend a maximum of two metres of plastic chain between posts.

- Corrosion proof plastic construction
- Four integrated chain eyes in cap allows easy directional changes
- Highly visible post colours

Plastic Base: Concrete infill of 2.9kg 300 x 300 x 300mm
Post: H 870mm x 40mm Diameter

Colour	Code
 Red & White	5 9039
 Black & Yellow	5 9040



10m Chain Post Kit

This 10 metre post and chain kit provides exceptional value for money. Allowing areas to be cordoned off quickly and easily.

We recommend a maximum of two metres of plastic chain between posts.

Includes:
 6 x Posts and Bases
 10 metres of Chain
 10 x Hooks and Links

Total Weight: 20kg

Colour	Code
 Red & White	5 9036
 Black & Yellow	5 9037



Plastic Chain



10 metres of polyethylene chain with 6mm links
 Can be easily cut to length if required.

Colour	Code
 Red & White	5 9041
 Black & Yellow	5 9042

Chain Links

Nylon links for connecting chains



S-Hook Link	
Colour	Code
 Red	5 9018
 Black	5 9019

Connector Link	
Colour	Code
 Red	5 8929
 Black	5 8930

Heavy Duty Chain Post & Base

A highly stable and extremely effective heavy duty chain post system consisting of a reflective, polypropylene post and recycled PVC base. Suitable for both internal and external use for either temporary or permanent applications.

100mm diameter post includes a retro-reflective red and white finish, providing excellent visibility when light is shone at it. The chain eye on top of the post rotates, guiding the chain to any angle required. Simply thread the chain through the eye and secure to the end posts with a connector link (sold separately). The post twists and locks into the base and easily dismantles for storage.

We recommend a maximum of 2.5 metres of plastic chain between posts.

Post Base:	Post:
Recycled PVC base with carry handles 70mm high, 570mm diameter 8.5kg	Moulded polypropylene with reflective finish 1000mm height with 100mm diameter Includes rotating chain eye 2.7kg

5 8928



Security Signs



If your business uses CCTV, you must inform people that they could be recorded. This is usually done by displaying signs, which must be clearly visible and readable. In order to comply with the Data Protection Act 1998, signs must state the purpose of scheme, and give details of the Data Protection Act Controller (either the person's name or position, or preferably the company's name) together with a contact telephone number or address, if it is not obvious.



1 1700 (H) (K)
2 1700 (H) (K)
8 1700 (H)



1 1710 (H) (K)
2 1710 (H)



1 1711 (H) (K)
2 1711 (H) (K)



1 1739 (H) (K)
2 1739 (H)



1 1712 (H) (K)
2 1712 (H) (K)
8 1712 (H)



1 1713 (H) (K)
2 1713 (H) (K)
8 1713 (H)



1 1721 (H) (K)
2 1721 (H) (K)
6 1721 (H) (K)
8 1721 (H)



1 1740 (H) (K)
2 1740 (H) (K)



1 1727 (H) (K)




1 1702 (D) (H)
2 1702 (D) (H)



1 1728 (H) (K)
2 1728 (H)



1 5444 (E)
2 5444 (E)



1 1719 (H)
2 1719 (H)



1 1730 (H) (K)



1 7530 (Q)



1 1731 (H) (K)



1 1736 (H)

Custom Designs

No matter what you require we can offer bespoke designs to suit your needs.

Call us now for a quote

Security Eyes

Research indicates that the feeling of being watched can influence the behaviour of people, leading to reduction in crime. Use alongside our standard signs to reinforce security and safety messages.



1 1750 (D) (G) (J) (M) (X)



1 1751 (D) (G) (J) (M) (X)



1 1752 (D) (G) (J) (M) (X)

Window Labels

• 75 x 100mm • Self Adhesive Face

Window labels have adhesive on the face, allowing them to be applied to the inside of the window and seen from the outside.



5 1702



5 1729



5 1730



5 9790



5 9791



5 9792

Visitor Management

Ideal for recording and identifying visitors in your premises. Perforated top copy tears off for insertion into badge wallet with a duplicate copy retained for a permanent visitor record. Starter kit includes a synthetic leather padded folder, visitor book with 300 badge inserts and 10 badge wallets with clips.



Description	Code
Visitor book starter kit	5 6071
Visitor book refill (300 badge inserts)	5 6072
Badge wallets with clips (pack of 10)	5 6073

Security Signs



Warning
Anti climb paint

1 1714 **G M**
2 1714 **G M**
8 1714 **G**



Warning
Barbed wire

1 1720 **G M**
2 1720 **G**
7 1720 **G M**



Warning
Razor wire

1 1715 **G M**
2 1715 **G**
7 1715 **G**



Warning
Fragile roof

1 4261 **G M E K P**
2 4261 **G M E K P**
8 4261 **G E**



Warning
Guard dogs on patrol

Keep out

1 6215 **G M P**



Exit for emergency use only

Caution
This door is alarmed

1 2065 **G L**
2 2065 **G L**



Fire exit only


Caution
This door is alarmed

1 2061 **G L**
2 2061 **G L**



Warning
Electric fence

1 4023 **G M**
2 4023 **G**



Cars parked here without authorisation will be clamped

1 7532 **M P**



Cars parked here without authorisation will be clamped
Release fee £....

1 7533 **M P** *State value



Caution
Security alarm will sound if door is opened

1 1738 **G**
2 1738 **G**



This is private property

The entry of unauthorised persons is prohibited

1 6433 **G**



Reflective Aluminium
600 x 150mm
5 6498



Reflective Aluminium
600 x 150mm
5 6497



Cars parked here without authorisation will be clamped
Release fee £50.

1 7539 **M P**



This door is alarmed

1 1706 **F U**
2 1706 **F U**



These doors are alarmed

1 1707 **F U**
2 1707 **F U**



MAX. HEADROOM

Reflective Aluminium
1200 x 150mm
5 6496

*State headroom required

Thieves will be prosecuted

1 1703 **K**

No tools stored in this vehicle overnight

2 1723 **E**

Notice Private property Keep out

1 7003 **K**

SECURITY NOTICE
These premises are under constant surveillance

1 1704 **K**
2 1704 **K**

No fly tipping
Fly tipping is an offence under the Environmental Protection Act (1990). Offenders may face up to a £50,000 fine and/or a prison sentence

1 1743 **K Q**
6 1743 **Q**



STAY SAFE
Terrorist Firearms and Weapons Attacks

RUN To a place of safety. This is a better option than to surrender or negotiate. If there's nowhere to go, then...

HIDE Remember to turn your phone on silent and turn off vibrate. Barricade yourself in if you can.

TELL The police by calling 999 when it is safe to do so

TREAT Assist and treat the injured or vulnerable when it is safe to do so

1 1746 **H P**
2 1746 **H P**



Stay Safe

Suspicious Items
Don't touch it, keep a safe distance and report it to a member of staff

1 1744 **H P**
2 1744 **H P**



STAY SAFE

Suspicious Items
Do not touch
Try and identify an owner in the immediate vicinity
If you still think it's suspicious don't touch it, call 999
Report it to a member of staff, security or if they are not available, call 999 (do not use your mobile phone in the immediate vicinity)
Move away to a safe distance
Remember - If you think it's suspicious, SAY SOMETHING

1 1745 **H P**
2 1745 **H P**



No wireless, electronic or recording devices allowed beyond this point

1 3671 **G M**
2 3671 **G M**



No electronic devices allowed beyond this point

1 5475 **K**
2 5475 **K**



Branded Security Signs

Add your company logo and/or contact details to any of our safety signs to emphasise your companies dedication to safety and security. Call us now for more details and depending on the quantity we'll be able to provide you with next day delivery!



No Drones
Use of drones and UAVs over this site is strictly prohibited. Anyone found operating a drone over this location will be reported for prosecution and subject to civil legal action

1 3649 **K Q**




Caution
Drones may be operating in this area

1 4067 **K Q**

Bird Deterrent Spikes

Bird deterrent spikes are simple but effective, easy to install, preventing birds from perching and nesting. Manufactured from transparent U-V stabilised polycarbonate to blend with any background. Spikes are rounded and so will not harm the birds and are not dangerous to maintenance personnel. Spikes come in 333mm lengths and can be fitted by the use of screws or by the use of all weather double sided tape, this is most suitable for clean smooth surfaces.



Material Codes		Landscape Sizes				Portrait Sizes	
1 Rigid Plastic	5 Miscellaneous	D 150 x 100mm	H 300 x 250mm	M 600 x 200mm	U 100 x 100mm	E 150 x 200mm	P 400 x 600mm
2 Self Adhesive Vinyl	6 Aluminium	E 200 x 150mm	J 400 x 200mm	P 600 x 400mm	X 200 x 100mm	H 250 x 300mm	Q 450 x 600mm
3 Photoluminescent Rigid Plastic	7 Polycarbonate	F 200 x 200mm	K 400 x 300mm	Q 600 x 450mm		K 300 x 400mm	
4 Photoluminescent Self Adhesive	8 Quick Fix	G 300 x 100mm	L 450 x 150mm	Custom sizes are available on request - Call us now for a quote			



First Aid Signs

Under the Health and Safety (First Aid) Regulations 1981 (as amended 1997) employers have a legal obligation to assess and introduce first aid provisions. Any such provisions should be easy to locate.



Adapt-a-Signs allow details to be updated on a paper insert and ensures information remains up to date. For more information see page 53.

1 6002 (H)
2 6002 (H)
8 6002 (H)
Rigid Plastic
210 x 297mm
5 8384
Self Adhesive Vinyl
210 x 297mm
5 8385

1 6004 (H)
2 6004 (H)
8 6004 (H)
Adapt-a-Sign
215 x 310mm
5 6004

1 6027 (H)
2 6027 (H)
8 6027 (H)
Adapt-a-Sign
215 x 310mm
5 6027

1 6022 (H)
2 6022 (H)
Adapt-a-Sign
215 x 310mm
5 6022

1 6023 (H)
2 6023 (H)
Adapt-a-Sign
215 x 310mm
5 6083

1 6003 (H)
2 6003 (H)
8 6003 (H)

1 6001 (H)
2 6001 (H)

1 6028 (H)
2 6028 (H)

1 6029 (H)
2 6029 (H)

1 6020 (H)
2 6020 (H)

1 6053 (H)
2 6053 (H)

1 6052 (H)
2 6052 (H)

1 6019 (H)
2 6019 (H)
8 6019 (H)

1 6018 (H)
2 6018 (H)

1 6038 (E K)
2 6038 (E K)

1 6076 (K)
2 6076 (K)

1 2147 (G L)
2 2147 (G L)
3 2147 (L)

1 6024 (F U)
2 6024 (F U)

1 6026 (F U)
2 6026 (F U)

1 6016 (F)
2 6016 (F)

1 6025 (F)
2 6025 (F)

Self Adhesive Vinyl
50 x 50mm
5 6084
Self Adhesive Vinyl
25 x 25mm
5 6085

1 6014 (G M)
2 6014 (G M)
8 6014 (G)

1 6015 (G M)
2 6015 (G M)

1 6012 (G M)
2 6012 (G)

1 6013 (G M)
2 6013 (G)

1 6010 (G M)
2 6010 (G M)

Fluted Polypropylene
400 x 400mm
5 5727

Fluted Polypropylene
400 x 400mm
5 5728

Fluted Polypropylene
400 x 400mm
5 5729

Reflective Armband
Enable staff and site visitors to quickly identify first aid personnel. Adjustable hook and loop fastening.
5 6469

Projecting Signs • Rigid Plastic • Face: 150 x 200mm

Identify locations of emergency equipment, visible from several view points with our EasiFIX projecting signs. Supplied ready to install with drilling guide, EasiFIX signs are designed to conceal the fixings for a neat finish.

5 6093

5 6087

5 6088

5 6089

5 6090

5 6086




Safe Condition Signs



1 6051 **K**
2 6051 **K**



1 6035 **K**
2 6035 **K**



1 6034 **K**
2 6034 **K**



1 6005 **A E H**
2 6005 **A E H**
8 6005 **E**



1 6055 **A E H**
2 6055 **A E H**
8 6055 **E**



1 6007 **A E H**
2 6007 **A E H**
8 6007 **E**

We can create custom signs using supplied images, text, design and can even include company logos. Contact us for a quote.



6 x Stickers
65mm Diameter
5 6094



6 x Stickers
65mm Diameter
5 6100



1 6515 **G**
2 6515 **G**



1 5459 **G M**
2 5459 **G M**

Vehicle Window Stickers

Face adhesive signs allow them to be applied to glass and be read from the other side of the window



Face Adhesive Vinyl
300 x 50mm
5 6096



Face Adhesive Vinyl
300 x 50mm
5 6097




Face Adhesive Vinyl
100 x 75mm
5 6037

Tamper Labels

Easy-break label clearly denotes when first aid box has been opened. Helps ensure first aid box remains fully stocked.



82 x 23mm
Roll of 50
5 6300



Accident Report Book

In line with the Data Protection Act 1998, this A4 book enables the record of an accident/incident relating to any individual to be easily removed from the main book and stored securely in an employee's private records.

50 individual records, all on perforated paper to enable records to be kept confidential.

5 6095




Emergency Treatment Wall Panels



Rigid Plastic
450 x 600mm
5 6080



Rigid Plastic
450 x 600mm
5 6081



Rigid Plastic
450 x 600mm
5 6082



Our emergency treatment wall panels can be fixed to any surface using a quick release hook and loop system and snatch handle for easy removal. This provides first aiders 'on the spot' treatment advice. Manufactured from rigid plastic.

Material Codes		Landscape Sizes			Portrait Sizes	
1 Rigid Plastic	5 Miscellaneous	E 200 x 150mm	H 300 x 250mm	M 600 x 200mm	A 75 x 100mm	
2 Self Adhesive Vinyl	6 Aluminium	F 200 x 200mm	K 400 x 300mm	U 100 x 100mm	E 150 x 200mm	
3 Photoluminescent Rigid Plastic	7 Polycarbonate	G 300 x 100mm	Custom sizes are available			H 250 x 300mm
4 Photoluminescent Self Adhesive	8 Quick Fix					

First Aid Posters & Pocket Guides

Ensure staff and visitors are aware of first aid procedures with this informative range of posters and pocket guides. Posters are supplied on an eco-friendly, PVC-free, synthetic paper that supplies excellent scratch, tear and water resistance properties. Double sided pocket guides are encapsulated to ensure durability and are useful reference tools for first aiders to carry with them at all times.



420 x 594mm
5 5903



420 x 594mm
5 5907



420 x 594mm
5 5917



Pocket Guide
80 x 120mm
5 5918




420 x 594mm
5 5900



Pocket Guide
80 x 120mm
5 5908



420 x 594mm
5 5901




Pocket Guide
80 x 120mm
5 5909



420 x 594mm
5 5905



Pocket Guide
80 x 120mm
5 5913



420 x 594mm
5 5902



Pocket Guide
80 x 120mm
5 5910



420 x 594mm
5 5904




Pocket Guide
80 x 120mm
5 5912




420 x 594mm
5 5906



Pocket Guide
80 x 120mm
5 5914



Posters with a YouTube logo next to them include a QR code, which can be scanned for additional free video content.



594 x 420mm
5 8999




594 x 420mm
5 8138

Safety Posters • 510 x 760mm • Synthetic Paper


A range of colourful, eye catching safety posters. Produced on tough, durable, wipe-clean synthetic paper. Rolls up for easy storage but won't tear or delaminate. Suitable for both internal and external use. Fits inside our anodised aluminium snap frame with anti-glare poster cover. We can create custom posters using supplied text, images, and logos, contact us now for a quote.



5 8188




5 8181




5 8182



5 8183



5 8189




5 8186



5 9821



5 8184




5 8190



5 8191



5 9822




5 8185



Aluminium Snap Frame

Snap frames allow easy insert and removal of posters allowing frequent update of information and safety messages.

25mm extruded aluminium frame
1.5mm strong plastic back panel
Anti-glare poster cover
Durable protective frame finish
510 x 760mm
5 9815



5 8187



5 8180




5 9820



Posters, Booklets & DVDs

A range of educational tools to inform staff of important health and safety messages. Perfect for training, inductions and toolbox talks.

Office Safety Training



26 Page A5 Booklet

Covers essential information on: Environmental; Occupational and human hazards including: Lifting; Fire Safety; Working with VDU's. Includes a questionnaire and certificate.
5 6044



A2 Laminated Poster
 420 x 594mm
5 8992



25 Minute Training DVD

Topics: Slips trips and falls; Safe manual handling; Display screen equipment; Fire safety basics; Accident prevention and reporting; People at risk; Personal Safety.
5 6486

Fire Safety Training



26 Page A5 Booklet

Covering essential information on: How fires start; Preventing a fire from starting and spreading; Evacuation procedures; Tackling small fires; Fire safety checklist; Fire safety legislation and do's and don'ts in a fire situation. Includes a questionnaire and certificate.
5 8168



A2 Laminated Poster
 420 x 594mm
5 8169



32 Minute Training DVD

Topics: An introduction to fire safety; Fire prevention; Extinguishing fires at work; Fire evacuation.
5 6056

Manual Handling Training



26 Page A5 Booklet

Covering essential information on: How to lift safely; Task assessment advice; Manual handling legislation. Includes a questionnaire and certificate.
5 8166



A2 Laminated Poster
 420 x 594mm
5 8167



25 Minute Training DVD

Topics: Anatomy of the back; Making an assessment; Lifting techniques; Lifting aids and equipment; LITE Assessment.
5 6057

Permits to Work Pack of 10

Permits to Work form an integral part of every Health & Safety Management System. They include risk assessment and sign-off to ensure that only competent employees are working on the identified hazards. Permits contain 3 parts (original, plus two carbon copies for management records) with a useful card backing in the form of an A4 sign.


Permit	Code
Hot work	5 8170
Electrical work	5 8171
Confined spaces	5 8172
Work at heights	5 8173
Hazardous substances	5 8174
General Work	5 8175



Health & Safety

32 Minute Training DVD

Topics: Slips trips and falls; Manual handling; PPE; Equipment safety; COSHH; Working at heights; Fire safety; People at risk; First aid and Accident reporting.



5 6485

Health & Safety Law Poster

The HSE released a new design of the statutory Health & Safety Law Poster in April 2009. The old version should no longer be used or displayed.

Includes a unique, serial numbered hologram to ensure its authenticity.

Easy to read and understand, providing benefits from increased awareness to both workers and employers.

Unlike the previous poster, there is no need to provide the name and address of the enforcing authority for the premises.

Reduces the administrative costs for employers, who no longer need to include and update additional information.

Semi Rigid (275Micron)
420 x 595mm (A2)
5 8112




Health & Safety Pocket Guide



Pack of 25 pocket guides, ideal for individual distribution.

Laminated Card
105 x 82mm
5 8133



Notice Boards

See page 119 for our range of notice boards. Complete with a Health and Safety Law Poster and document holders.

Work Safety Posters • 400 x 600mm • Rigid Plastic

Our range of rigid plastic posters provide staff and visitors with important safety information across a range of industries, covering legislation and best practice guidance.



5 8122



5 8114



5 8990



5 8129



5 8115



5 8116



5 8127



5 8113




Electricity

• 400 x 600mm • Rigid Plastic



5 8119



5 8135




5 8134

Site Safety

• Rigid Plastic



400 x 600mm
5 8130



600 x 900mm
5 8126



400 x 600mm
5 8132

Symbols & Pipeline Identification


• 400 x 600mm • Rigid Plastic



5 8118



5 8991



5 8131

Magnetic Dry Wipe Boards



Notice boards with a lacquered steel face can be used as both a magnetic and dry wipe board. The quality of the lacquer means the board can be wiped clean time after time without smudging or discolouration.

- Lacquered steel face
- Wall fixing kit included
- Silver anodised frame
- Soft board back panel

Size	Code
900 x 600mm	5 8762
1200 x 900mm	5 8763

Accessories



Magnetic Dry Wipe Eraser
Foam block with felt base for easy erasing
5 3454



Pack of 10 White Magnets
20mm Diameter magnets in white plastic casings
5 3453



Dry Wipe Marker Pens
Produces 2-3mm line width
Pack of 4: 5 3439
Single Black: 5 3433

Lockable Poster Frame

A high specification frame which is ideal for both indoor and outdoor locations. Featuring a strong extruded aluminium frame, tough plastic poster cover and a water seal to protect printed graphics. These frames are finished in silver anodised aluminium which is highly weather resistant.

- 45mm wide extruded aluminium frame
- 2mm strong plastic glazing
- Suitable for external use
- Waterproof seal
- Suitable for fixing landscape or portrait
- Door stay keeps frame wedged open whilst posters are inserted

Size	Code
A1 840 x 594mm	5 3458
A2 594 x 420mm	5 3457
A3 420 x 297mm	5 3456
A4 297 x 210mm	5 3455



Hanging Snap Frame

Suspending posters from your ceiling is a great way to maximise your advertising space. Ideal for retail, exhibitions, spas, hotels, restaurants, offices or showrooms. The aluminium snap frame rails include a rubber insert so the poster/sign is securely gripped as it hangs.

- 2 x 420mm Aluminium Rails
- 4 x End Caps
- 2 x Slide Hangers
- Will hold posters from 50-500gsm and signs up to 1mm thick
- Can secure both landscape and portrait displays
- Can be hung from the ceiling using our Wire Suspension Kit (sold separately)

5 8931



Wire Suspension Kit
Easy attachment of lightweight signs to ceiling
2 x 150mm Wire hooks
2 x Adhesive ceiling pads
5 8100

Coloured Easy Snap Frames



Snap shut frames finished in four attractive colours and supplied with an anti-glare PVC protective cover. Snap frames allow easy insert and removal of posters allowing frequent update of information and safety messages.

- 25mm Frame Extruded Aluminium
- Anti-glare poster cover
- Strong plastic back panel
- Wall fixing kit included

Colour	A1 594 x 840mm	A2 420 x 594mm	A3 297 x 420mm	A4 210 x 297mm	510 x 760mm
Green	5 8973	5 8974	5 8975	5 8976	5 8977
Red	5 8968	5 8969	5 8970	5 8971	5 8972
Blue	5 8958	5 8959	5 8960	5 8961	5 8962
Black	5 8963	5 8964	5 8965	5 8966	5 8967



Aluminium Easy Snap Frame



Durable extruded aluminium snap frames finished in a protective silver anodising. These frames are built to last.

Snap frames allow easy insert and removal of posters allowing frequent update of information and safety messages.

- 25mm extruded aluminium frame
 - Anti-glare poster cover
 - Strong plastic back panel
 - Wall fixing kit included
- | Size | Code |
|----------------|--------|
| A1 840 x 594mm | 5 8768 |
| A2 594 x 420mm | 5 8767 |
| A3 420 x 297mm | 5 8766 |
| A4 297 x 210mm | 5 8765 |
| 510 x 760mm | 5 9815 |



Hazardous Substances Labels

The carriage of dangerous goods by road, rail, inland waterway, sea and air is regulated internationally by European agreements, directives and regulations, and parallel legislation in the UK. Dangerous goods are assigned to different classes depending on their hazard. The person or business shipping the goods is responsible for classifying, marking and packaging the dangerous goods. ADR sets out the requirements for the classification, packaging and certification of dangerous goods being transported by road.

As well as the requirements specific to their transportation, suppliers of dangerous goods are required by law to label their hazardous products and packaged chemicals with hazard symbols, warnings and safety advice. A range of internationally recognised (GHS) symbols has been developed so that people handling the goods know the nature of the hazard they present.



							
1 4476 F 2 4476 F U	1 4438 F 2 4438 F U	1 4477 F U 2 4477 F U	1 4506 F U 2 4506 F U	1 4516 F 2 4516 F U	1 4435 F 2 4435 F U	1 4433 F U 2 4433 F U	1 4434 F U 2 4434 F U
Self Adhesive 100 x 100mm Roll of 100 5 9742	Self Adhesive 100 x 100mm Roll of 100 5 9741	Self Adhesive 100 x 100mm Roll of 100 5 9743	Self Adhesive 100 x 100mm Roll of 100 5 9740	Self Adhesive 100 x 100mm Roll of 100 5 9744	Self Adhesive 100 x 100mm Roll of 100 5 9746	Self Adhesive 100 x 100mm Roll of 100 5 9738	Self Adhesive 100 x 100mm Roll of 100 5 9739
							
1 4436 F 2 4436 F U	1 4517 F 2 4517 F U	1 4478 F 2 4478 F U	1 4432 F 2 4432 F U	1 4513 F 2 4513 F U	1 4508 F 2 4508 F U	1 4509 F 2 4509 F U	1 4510 F 2 4510 F U
Self Adhesive 100 x 100mm Roll of 100 5 9742	Self Adhesive 100 x 100mm Roll of 100 5 9741	Self Adhesive 100 x 100mm Roll of 100 5 9743	Self Adhesive 100 x 100mm Roll of 100 5 9740	Self Adhesive 100 x 100mm Roll of 100 5 9744	Self Adhesive 100 x 100mm Roll of 100 5 9746	Self Adhesive 100 x 100mm Roll of 100 5 9738	Self Adhesive 100 x 100mm Roll of 100 5 9739
							Self Adhesive 100 x 100mm Roll of 100 5 9745
1 4501 F 2 4501 F U	1 4502 F 2 4502 F U	1 4511 F 2 4511 F U	1 4512 F 2 4512 F U	1 4514 F 2 4514 F U	1 4515 F 2 4515 F U	1 4515 F 2 4515 F U	Self Adhesive 100 x 100mm Roll of 100 5 9745

GHS Labels

				
1 4540 U 2 4540 U	1 4541 U 2 4541 U	1 4542 U 2 4542 U	1 4543 U 2 4543 U	1 4544 U 2 4544 U
				Alternative sizes are available call for a quote
1 4545 U 2 4545 U	1 4546 U 2 4546 U	1 4547 U 2 4547 U	1 4548 U 2 4548 U	

LQ Labels

	2 4557 F U		Self Adhesive 100 x 100mm Roll of 100 5 9836
	Self Adhesive 100 x 100mm Roll of 100 5 9837		Self Adhesive 100 x 100mm Roll of 100 5 9835
	2 4558 F U		Self Adhesive 100 x 100mm Roll of 250 5 8159

Gas Cylinder Signs

		
1 4440 E 2 4440 E	1 4439 E 2 4439 E	1 4430 U 2 4430 U

Tags

- Matt PVC
- 80 x 150mm
- Double Sided
- Pack of 10
- Includes 150mm cable ties

	
5 4538	5 4539

Rolls of Labels

Self adhesive labels are supplied ready cut to peel off and apply. Conveniently supplied on rolls of 100, easy to store and easy to use. These labels can also be supplied as individuals or on sheet format. Call us for a quote if you cannot find the label you require and we will be happy to quote for your requirements.



Self Adhesive Labels
50 x 50mm
Roll of 100
5 9719



Self Adhesive Labels
50 x 50mm
Roll of 100
5 9725




Self Adhesive Labels
50 x 50mm
Roll of 100
5 9720



Self Adhesive Labels
50 x 50mm
Roll of 100
5 9726



Self Adhesive Labels
50 x 50mm
Roll of 100
5 9724



Self Adhesive Labels
50 x 50mm
Roll of 100
5 9721



Self Adhesive Labels
100 x 100mm
Roll of 100
5 9700



Self Adhesive Labels
100 x 100mm
Roll of 100
5 9701




Self Adhesive Labels
100 x 100mm
Roll of 100
5 9702



Self Adhesive Labels
100 x 100mm
Roll of 100
5 9703



Self Adhesive Labels
100 x 100mm
Roll of 100
5 9704



Self Adhesive Labels
100 x 100mm
Roll of 100
5 9705



Self Adhesive Labels
50 x 50mm
Roll of 100
5 9712



Self Adhesive Labels
50 x 50mm
Roll of 100
5 9715



Self Adhesive Labels
50 x 50mm
Roll of 100
5 9716



Self Adhesive Labels
50 x 50mm
Roll of 100
5 9717



Self Adhesive Labels
50 x 50mm
Roll of 100
5 9714



Self Adhesive Labels
50 x 50mm
Roll of 100
5 9711

Bespoke Labels

We can provide you with bespoke self adhesive labels. Whether you require company branding or a custom message contact our sales team for more information.



Self Adhesive Labels
50 x 50mm
Roll of 100
5 9707



Self Adhesive Labels
50 x 50mm
Roll of 100
5 9710



Self Adhesive Labels
50 x 50mm
Roll of 100
5 9706




Self Adhesive Labels
50 x 50mm
Roll of 100
5 9709


GHS Labels

• Roll of 250 • Self Adhesive Labels


GHS is the Globally Harmonised System of classification and labelling of chemicals (sometimes also referred to as CLP). GHS came into effect in 2009, phasing out the old black & orange CHIP designs by June 2015. The aim of the GHS regulation is to create a worldwide recognisable system of chemical classification and labelling.



5 8141 50 x 50mm
5 8150 100 x 100mm




5 8142 50 x 50mm
5 8151 100 x 100mm



5 8143 50 x 50mm
5 8152 100 x 100mm



5 8144 50 x 50mm
5 8153 100 x 100mm




5 8145 50 x 50mm
5 8154 100 x 100mm



5 8146 50 x 50mm
5 8155 100 x 100mm



5 8147 50 x 50mm
5 8156 100 x 100mm



5 8148 50 x 50mm
5 8157 100 x 100mm



5 8149 50 x 50mm
5 8158 100 x 100mm

Material Codes				Landscape Sizes	
1 Rigid Plastic	3 Photolum Rigid Plastic	5 Miscellaneous	7 Polycarbonate	E 200 x 150mm	U 100 x 100mm
2 Self Adhesive Vinyl	4 Photolum Self Adhesive	6 Aluminium	8 Quick Fix	F 200 x 200mm	



GHS & COSHH Information

The old orange and black CHIP labels have been replaced by the GHS design. The classification and labelling aspects of CLP/GHS have applied to substances since 1 December 2010 and to mixtures since 1 June 2015. The final deadline fell on 1 June 2017 and applied to mixtures that were already on the market before 1 June 2015 - the transitional period was intended to give suppliers time to either deplete stock that was already on the market or to arrange for re-packaging and re-labelling of goods to be completed before 1 June 2017.

Control of Substances Hazardous to Health Regulations 2002 (CoSHH)

Under CoSHH all persons at work need to know the safety precautions to take so as not to endanger themselves or others through exposure to substances hazardous to health.

What you need to know

Employers Must:

- Assess health risks to employees and others working on the premises.
- Initiate procedures to control and monitor unacceptable exposure to substances which may harm the health of employees and others on the premises.
- Provide information and training relevant to the hazards associated with each area of working to ensure that all personnel are aware of the risks involved and preventative measures taken to control them.

Employees Must:

- Make full and proper use of any control measure, personal protective equipment (PPE) or other facility provided.
- Report any defects found to the control measures, PPE or facilities provided.
- Follow the instructions provided within data sheets or other safety information, and only use and dispose of substances in the recommended manner.

Get to know the warning symbols

Rigid Plastic
400 x 600mm
5 8117

Handling Chemicals Safely

- All chemicals should be clearly marked
- Be aware of the storage requirements of each type:
 - Take account of any other mixing chemicals
 - Keep away from heat and flames
 - Avoid direct contact of any kind
 - Never inhale
 - Avoid contact with skin and eyes

Chemical Checklist

- Read and understand the label before operating any treatment
- Double-check that the chemical you are operating is the one required
- Consider the hazards, including violent reactions between chemicals
- Observe warning carefully in a well-ventilated area
- Always wear appropriate protective clothing
- Take extreme care about mixing hazardous chemicals
- Use material which reduces risk of inhalation: respiratory or coolant with skin, eyes and clothing
- Never eat, drink or smoke whilst handling chemicals
- Always use common sense after use

Know your CoSHH and GHS Warning Symbols

Rigid Plastic
400 x 600mm
5 8136

Know Your GHS and CHIP Warning Symbols

The Globally Harmonized System (GHS) of classification and labelling of chemicals was introduced in 2009 and sees the gradual phasing out of the orange and black CHIP labels. This poster has been designed to help employees identify the hazardous nature of chemicals through recognition of the symbols shown below.

Hazard: Explosive	Hazard: Flammable	Hazard: Oxidizing
GHS Symbol: CHIP Symbol:	GHS Symbol: CHIP Symbol:	GHS Symbol: CHIP Symbol:
GHS Hazard Class and Category: Explosives of Divisions 1.1, 1.2, 1.3, 1.4 Self-reactive substances and mixtures, Types A-D Organic peroxides, Types A,B	GHS Hazard Class and Category: Flammable gases, category 1 Flammable liquids, categories 1,2 Flammable solids, category 1 Self-heating substances and mixtures, Type B,C,D,E,F Self-heating substances and mixtures, category 1 Substances and mixtures, which in contact with water, may release flammable gases, category 1,2 Organic peroxide, Type E,F,G,H	GHS Hazard Class and Category: Oxidizing gases, category 1 Oxidizing liquids, categories 1,2,3
Hazard: Compressed Gas	Hazard: Corrosive	Hazard: Toxic
GHS Symbol: CHIP Symbol:	GHS Symbol: CHIP Symbol:	GHS Symbol: CHIP Symbol:
GHS Hazard Class and Category: Gases under pressure: - Compressed gases - Liquefied gases - Refrigerated liquefied gases - Dissolved gases	GHS Hazard Class and Category: Corrosive to metals, category 1 Skin corrosion, categories 1A, 1B, 1C Serious eye damage, category 1	GHS Hazard Class and Category: Acute toxicity (oral, dermal, inhalation), categories 1,2,3
Hazard: Irritant	Hazard: Health Hazard	Hazard: Environmental Hazard
GHS Symbol: CHIP Symbol:	GHS Symbol: CHIP Symbol:	GHS Symbol: CHIP Symbol:
GHS Hazard Class and Category: Acute toxicity (oral, dermal, inhalation), category 4 Skin irritation, category 2 Eye irritation, category 2 Skin sensitization, category 1 Specific Target Organ Toxicity - Single exposure, category 3	GHS Hazard Class and Category: Respiratory sensitization, category 1 Formaldehyde, categories 1A, 1B, 1C Carcinogenicity, categories 1A, 1B, 1C Reproductive toxicity, categories 1A, 1B, 1C Specific Target Organ Toxicity - Single exposure, categories 1,2 Specific Target Organ Toxicity - Repeated exposure, categories 1,2 Aspiration Hazard, category 1	GHS Hazard Class and Category: Hazardous to the aquatic environment - Acute hazard, category 1 - Chronic hazard, categories 1,2

Rigid Plastic
400 x 600mm
5 8165

Recommended Segregation for Storage of Hazardous Substances

Where a particular material has the properties of more than one class, the classification giving the more onerous segregation should be given

CLASS	1	2	3	4	5	6	8
Compressed Gases							
2.1 Flammable		KEEP APART	Segregate from	Segregate from	Segregate from	Segregate from	KEEP APART
2.2 Non-flammable/non-toxic		KEEP APART	KEEP APART	Segregation may not be necessary	Segregation may not be necessary	Segregation may not be necessary	KEEP APART
2.3 Toxic		Segregate from	KEEP APART	KEEP APART	Segregation may not be necessary	Segregation may not be necessary	KEEP APART
Flammable Liquids		Segregate from	KEEP APART	KEEP APART	Segregation may not be necessary	Segregation may not be necessary	KEEP APART
Flammable Solids		Segregate from	KEEP APART	KEEP APART	Segregation may not be necessary	Segregation may not be necessary	KEEP APART
4.1 Flammable		Segregate from	KEEP APART	KEEP APART	Segregation may not be necessary	Segregation may not be necessary	KEEP APART
4.2 Spontaneously combustible		Segregate from	KEEP APART	KEEP APART	Segregation may not be necessary	Segregation may not be necessary	KEEP APART
4.3 Dangerous when wet		Segregate from	KEEP APART	KEEP APART	Segregation may not be necessary	Segregation may not be necessary	KEEP APART
Oxidising Substances		Segregate from	KEEP APART	KEEP APART	Segregation may not be necessary	Segregation may not be necessary	KEEP APART
5.1 Oxidising Substances		Segregate from	KEEP APART	KEEP APART	Segregation may not be necessary	Segregation may not be necessary	KEEP APART
5.2 Organic peroxides		ISOLATE	ISOLATE	ISOLATE	ISOLATE	KEEP APART	KEEP APART
Toxic Substances		KEEP APART	KEEP APART	KEEP APART	KEEP APART	KEEP APART	KEEP APART
Corrosive Substances		KEEP APART	KEEP APART	KEEP APART	KEEP APART	KEEP APART	KEEP APART

Rigid Plastic
900 x 600mm
5 8176

Know Your GHS and CHIP Warning Symbols

The Globally Harmonized System (GHS) of classification and labelling of chemicals was introduced in 2009 and sees the gradual phasing out of the orange and black CHIP labels. This poster guide has been designed to help employees identify the hazardous nature of chemicals through recognition of the symbols shown below.

Hazard: Explosive	Hazard: Flammable	Hazard: Oxidizing	Hazard: Compressed Gas
GHS Symbol: CHIP Symbol:	GHS Symbol: CHIP Symbol:	GHS Symbol: CHIP Symbol:	GHS Symbol: CHIP Symbol:
GHS Hazard Class and Category: Explosives of Divisions 1.1, 1.2, 1.3, 1.4 Self-reactive substances and mixtures, Types A-D Organic peroxide, Types A,B	GHS Hazard Class and Category: Flammable gases, category 1 Flammable liquids, categories 1,2 Flammable solids, category 1 Self-heating substances and mixtures, Type B,C,D,E,F Self-heating substances and mixtures, category 1 Substances and mixtures, which in contact with water, may release flammable gases, category 1,2 Organic peroxide, Type E,F,G,H	GHS Hazard Class and Category: Oxidizing gases, category 1 Oxidizing liquids, categories 1,2,3	GHS Hazard Class and Category: Gases under pressure: - Compressed gases - Liquefied gases - Refrigerated liquefied gases - Dissolved gases
Hazard: Health Hazard	Hazard: Environmental Hazard	Hazard: Acute Toxicity	Hazard: Chronic Toxicity
GHS Symbol: CHIP Symbol:	GHS Symbol: CHIP Symbol:	GHS Symbol: CHIP Symbol:	GHS Symbol: CHIP Symbol:
GHS Hazard Class and Category: Respiratory sensitization, category 1 Formaldehyde, categories 1A, 1B, 1C Carcinogenicity, categories 1A, 1B, 1C Reproductive toxicity, categories 1A, 1B, 1C Specific Target Organ Toxicity - Single exposure, categories 1,2 Specific Target Organ Toxicity - Repeated exposure, categories 1,2 Aspiration Hazard, category 1	GHS Hazard Class and Category: Hazardous to the aquatic environment - Acute hazard, category 1 - Chronic hazard, categories 1,2	GHS Hazard Class and Category: Acute toxicity (oral, dermal, inhalation), categories 1,2,3	GHS Hazard Class and Category: Chronic toxicity (oral, dermal, inhalation), categories 1,2,3 Skin corrosion, categories 1A, 1B, 1C Serious eye damage, category 1

Laminated 50GSM Rigid Card
75 x 90mm
Pack of 10
5 8164

Hazard symbols most commonly encountered

TO ALL PERSONNEL
GHS labels classify chemicals in regard to their hazardous properties. Please pay particular attention to any container or product bearing any of the symbols illustrated

ALWAYS
Follow departmental instructions for the protection of your health and safety

1 6484
2 6484

Spill kit station

- 1 Protect**
Evacuate non-essential personnel
- 2 Confine**
Confine the liquid with absorbent booms or socks
- 3 Clean up**
Clean up the spill with pillows, mats or loose absorbents
- 4 Dispose**
Place the absorbents starting from the outside of the spill working inward

Additional instructions:
 a. Assess the spill and identify the liquid
 b. Place the absorbents starting from the outside of the spill working inward
 c. Choose the appropriate protective clothing and safety equipment to respond safely
 d. Dispose of properly

1 6000

For more spill containment and procedure signage see page 60

1 6000

Ready Made Hazchem Placards • 700 x 400mm • Reflective

When Ordering

When ordering these ready made Hazchem plates, please advise the SPECIALIST ADVICE OR TELEPHONE NUMBER you wish to display.

Petrol / Benzine



Aluminium 5 6358 | Self Adhesive 5 6359

Kerosene



Aluminium 5 6362 | Self Adhesive 5 6363

Diesel / Gas Oil



Aluminium 5 6360 | Self Adhesive 5 6361

Embossed ADR Plates

Embossed hazchem plates, displaying the HIN code (hazard indication number) and UN number with reflective orange background to ADR specifications. Can be placed inside the placard holder (56285) on the front and rear of the vehicle.

0.8mm Stainless Steel
400 x 300mm

Petrol / Benzine



5 6696

Kerosene



5 6698

Diesel / Gas Oil



5 6697

Multi-Load Placard

Under the Carriage of Dangerous Goods by Road Regulations 1996, reflective placards displaying the Emergency Action Code in the upper sector must be displayed at the rear of the vehicle.

*Specify your required action code and UN number when ordering



Aluminium 400 x 300mm
5 6365

Self Adhesive 400 x 300mm
5 6366


Custom Hazchem Placards • 700 x 400mm • Reflective

This system allows you to make up your own Hazchem or multi-load placard, produced to your exact specifications.

To order
Select the panel you require, specifying the letters from P, R, S, T, W, X, Z and E and numbers from 0-9

Select your hazard warning symbol from those shown on page 92.

Specify the SPECIALIST ADVICE OR TELEPHONE NUMBER you wish to display.



Aluminium 5 6238 | Self Adhesive 5 6239

Placard Holders




Designed to use with hazchem plates, multi-load placards and vehicle plates. Manufactured from 1mm black powder coated stainless steel. Plates and placards are sold separately.

Black Stainless Steel 400 x 300mm
5 6285

Black Stainless Steel 700 x 400mm
5 6286

Hazard Warning Vehicle Plate



Under ADR Regulations, plates must be displayed at the front of any vehicle carrying dangerous goods and at rear if dangerous goods are held in packages.

Aluminium 400 x 300mm
5 6364

Self Adhesive 400 x 300mm
5 6237

Reflective Magnetic 400 x 300mm
5 6338

Plate Cover


Place a cover over the plate when no hazardous goods are on board.



ADR Fabric Cover 400 x 300mm
5 6328

Folding Vehicle Plates

Can be folded and locked in place when the vehicle is not carrying any hazardous goods.



Non - Reflective PVC 250 x 250mm
5 6699



Reflective Aluminium 400 x 300mm
5 6327



Reflective Aluminium 400 x 300mm
5 6700

Material Codes

1 Rigid Plastic 2 Self Adhesive Vinyl 5 Miscellaneous 6 Aluminium

Landscape Sizes

600 x 450mm 600 x 900mm Custom sizes are available on request



Temporary Reflective Traffic Management Vehicle Marking



HIGHWAY MAINTENANCE

Self Adhesive 1300 x 100mm 5 6499	Magnetic 1300 x 100mm 5 6520
---	------------------------------------

MOTORWAY MAINTENANCE

Self Adhesive 1300 x 100mm 5 6519	Magnetic 1300 x 100mm 5 6521
---	------------------------------------

Magnetic
1400 x 140mm
5 6331

HIGHWAY MAINTENANCE

Self Adhesive 800 x 275mm 5 6522	Magnetic 800 x 275mm 5 6524
--	-----------------------------------

Magnetic
700 x 140mm
5 6336

MOTORWAY MAINTENANCE

Self Adhesive 800 x 275mm 5 6523	Magnetic 800 x 275mm 5 6525
--	-----------------------------------

Magnetic
700 x 140mm
5 6337

Vehicle Contour Marking

- Complies with ECE 04
- A mandatory requirement since July 2011 for most HGV's
- Highly reflective, extremely durable and coated with a suitably strong adhesive



Curtain-Sided

Description	Size	Code
Yellow Reflective	50m x 50mm	5 6353
Red Reflective	50m x 50mm	5 6354

Rigid-Sided

Description	Size	Code
Yellow Reflective	12.5m x 50mm	5 6332
Red Reflective	12.5m x 50mm	5 6334

ECE 70 Plates

Aluminium plate with high grade retro-reflective yellow and fluorescent red finish. Manufactured to ECE 70, specifications applicable to all trucks from April 1996.

Aluminium
1200 x 200mm
5 6347

Aluminium
1200 x 140mm
5 6340

Aluminium
600 x 140mm
5 6341

Aluminium
600 x 140mm
5 6342

Aluminium
300 x 200mm
5 6349

Aluminium
300 x 140mm
5 6345

Aluminium
300 x 140mm
5 6346


Aluminium
600 x 200mm
5 6348

Aluminium
140 x 300mm
5 6343

Aluminium
140 x 300mm
5 6344

Protruding Loads

Signs for marking overhanging and protruding loads from the sides, front and rear of vehicles, manufactured from 3mm PVC with non-reflective detail.



Long Vehicle Plates

Complies with BS AU 152 specifications for rear marking plates for vehicles. Manufactured from reflective aluminium.

LONG VEHICLE

Aluminium
1265 x 225mm
5 6295

LONG VEHICLE

Aluminium
525 x 250mm
5 6296

Dangerous Substance Site Marking

These signs should be used to highlight storage areas containing hazardous substances.

2WE HAZCHEM CYLINDERS MULTI-STORAGE

Aluminium
850 x 250mm
5 6267

Self Adhesive
850 x 250mm
5 6268

2XE HAZCHEM CYLINDERS MULTI-STORAGE

Aluminium
850 x 250mm
5 6269

Self Adhesive
850 x 250mm
5 6672

HAZCHEM 2SE CYLINDER

Aluminium
610 x 300mm
5 6259

Self Adhesive
610 x 300mm
5 6373

HAZCHEM 2WE CYLINDER

Aluminium
610 x 300mm
5 6374

Self Adhesive
610 x 300mm
5 6375

Custom Site Marking

CYLINDERS HAZCHEM MULTI-STORAGE

Aluminium
850 x 250mm
5 6281

HAZCHEM CYLINDER

Aluminium
610 x 300mm
5 6379

To order:
Select the panel you require, specifying the letters from P, R, S, T, W, X, Z and E and numbers from 0-9



Speed Restriction Labels

Speed restriction or speed limit stickers should be applied to a van, lorry or coach when they have a speed limiter fitted to them. Self-adhesive vinyl is easily applied to clean, dry surfaces.



 2 1817 FU	 2 1818 FU	 2 1819 FU	<p>Please be aware the road speed limits for this vehicle are</p> <ul style="list-style-type: none">  Single carriageways  Dual carriageways  Motorways 	<p>Please be aware the road speed limits for this vehicle are</p> <ul style="list-style-type: none">  Single carriageways  Dual carriageways  Motorways
 2 1820 FU	 2 1821 FU	 2 1822 FU		
 2 1823 FU	 2 1824 FU	 2 1825 FU	<p>I'm sticking to the speed limit Please keep a safe distance</p>	

Vehicle Information Labels

<p>Please leave enough room for these doors to fully open</p> <p>2 1810 E</p>	<p>No tools stored in this vehicle overnight</p> <p>2 1723 E</p>	<p>Keep clear Disabled access required for this vehicle</p> <p>2 1815 E</p>	 <p>This vehicle is fitted with a tracker</p> <p>2 1826 E</p>		
 <p>Warning This vehicle is left hand drive</p>  <p>Take care when passing as drivers view is limited</p> <p>2 1811 E</p>	 <p>Warning Heavy Vehicles</p>  <p>Leave extra space due to increased braking distance</p> <p>2 1814 E</p>	 <p>Danger Vehicles turning</p>  <p>Do not undertake on the inside of this vehicle</p> <p>2 4046 E</p>	 <p>Warning Tailgate is operated remotely</p>  <p>Do not stand behind trailer</p> <p>2 1813 E</p>		
 <p>Warning This vehicle makes wide turns</p> <p>2 1812 E</p>	 <p>Warning Cyclists beware of passing this vehicle on the inside</p> <p>2 1807 E</p>	 <p>This vehicle records images for the purpose of crime prevention and road safety</p> <p>2 1806 E</p>	 <p>NO SMOKING It is against the law to smoke in this vehicle</p>  <p>Do not use hand held mobile phones whilst driving</p>  <p>It is against the law to drive this vehicle whilst under the influence of either drugs or alcohol</p>  <p>Seatbelts must be worn at all times when this vehicle is moving</p> <p>Vehicle inspections must be carried out daily</p> <p>2 3669 E</p>		
<p>Bespoke Labels We can provide you with bespoke self adhesive labels. Whether you require company branding or a custom message contact our sales team for more information.</p>					
 <p>No vaping in this vehicle</p> <p>2 3059 GA</p>				 <p>Stay alive! Don't text and drive</p> <p>2 3670 A</p>	 <p>No smoking in this vehicle</p> <p>2 3008 GA</p>

Material Codes				Landscape Sizes			Portrait Sizes
1 Rigid Plastic	3 Photolum Rigid Plastic	5 Miscellaneous	7 Polycarbonate	E 200 x 150mm	S 200 x 75mm	V 300 x 150mm	A 75 x 100mm
2 Self Adhesive Vinyl	4 Photolum Self Adhesive	6 Aluminium	8 Quick Fix	F 200 x 200mm	U 100 x 100mm		E 150 x 200mm



Car Parks

General Car Park Signs

Car parks on private land are managed using the laws of contract or trespass, whilst car parks operated by local councils are generally regulated by law. Typically, a principle sign will be displayed near the entrance to the car park describing who the car park is for, and if there are time limits on how long it is possible to stay for and details of any charges or free periods that may apply. Additional signage in and around the car park may provide more information relating to height restrictions, traffic flow and any designated parking bays.



 1 7535 Q	 1 7536 Q	 1 7537 Q	 1 7538 Q	 1 7553 N
 1 7606 K Q 6 7606 K	 1 7601 K Q	 1 7602 K Q	 1 7604 K Q	 1 7848 H K 2 7848 H K
 1 7063 K Q	 1 7066 K Q	 1 7568 K Q	 1 7574 K Q	 1 7582 K
 1 7594 K	 1 7595 K	 1 7596 K	 1 7597 K	 1 7543 Q
 1 7583 G M	 1 7088 L	 1 7575 G M	 1 7079 L	
 1 7078 L	 1 7576 G M	 1 7566 G M	 1 7579 G M	

Free Standing Car Park Signs

• Rigid Plastic • 600 x 450mm • Complete with steel Frame and Clips

 5 8528	 5 7796	 5 8527
--	---	--



Branded Car Park Signs

We can produce signs with company / council branding, parking fees and opening / closing times. Call us now for more details and for pricing.

Car Park Security



Reflective Aluminium
1200 x 150mm
5 6496

State headroom required



Reflective Aluminium
600 x 150mm
5 6497




Reflective Aluminium
600 x 150mm
5 6498



1 7539 M P



1 7532 M P




1 7534 K




1 7598 F N




1 7592 K Q




1 7540 K Q
6 7540 K Q



1 7797 K



1 7798 K



1 1704 K



1 7796 K Q

Stencils • Laser cut PVC stencils



300 x 400mm
5 9648



600 x 400mm
5 9660



600 x 400mm
5 9662



400 x 300mm
5 9647




A-Z and 0-9
(36 piece kit)
5 9644




A-Z and 0-9
(36 piece kit)
5 9645



A-Z and 0-9
(36 piece kit)
5 9646



0 - 9 (10 piece kit) 5 9640
A-Z (26 piece kit) 5 9641



0 - 9 (10 piece kit) 5 9642
A-Z (26 piece kit) 5 9643

Ice Detector



Alerts drivers & pedestrians of icy conditions by flashing super-bright LED's continuously when the temperature drops to 3°C or below. This weatherproof, durable and extremely low maintenance sign is perfect for car parks - minimises the risk of ice related accidents.

- 6 Ultra-bright LED lights
- Includes channelling and fittings mounting to 76mm post.
- 2-3 year battery unit lifespan
- No mains power required

3mm Aluminium Composite
300 x 500mm
5 8092

Height Restriction Bar



Safely and effectively warn drivers of restricted height conditions ahead at car parks, buildings or facilities with restricted clearance.

Lightweight polyethylene construction minimises the risk of damage to vehicles.

- Easily installed
- No sharp edges
- Reflective for clear visibility
- 2 x Galvanised 2m suspension chains

Polyethylene
950 x 100mm Diameter
5 6323

Material Codes			Landscape			Portrait Sizes	
1 Rigid Plastic	5 Miscellaneous	7 Polycarbonate	F 200 x 200mm	H 300 x 250mm	L 450 x 150mm	N 400 x 400mm	P 400 x 600mm
2 Self Adhesive Vinyl	6 Aluminium	8 Quick Fix	G 300 x 100mm	K 400 x 300mm	M 600 x 200mm	Q 600 x 450mm	Custom sizes






Car Park Verge Signs

Verge Signs

• 450 x 150mm • 2mm Aluminium sign supplied on a 800mm pole



A quick and easy solution for parking and information signage. Can be simply sunk into the grass verge using the pole spike for temporary use or can be set into concrete for extra stability and permanent fixtures. When ordering customised verge signs please state the message, logo or number you wish to display.



Custom Verge Signs

We can provide verge signs at any size, with any message or image.

Call us now for more details and depending on the quantity we'll be able to provide you with next day delivery!

*State text required




*State number required



*State text required



*Provide text or logo



Speed Ramps

Ideal for reducing traffic speeds to between 5 - 10mph. With a built in cable recess channel (50mm dia) these speed bumps are ideal for temporary traffic lights or factories etc. The fixings are included (M12; 12 x 75mm Coach Screws with 14 x 75mm Nylon Plugs).

- Heavy duty recycled PVC speed ramps, manufactured in the UK
- Non-slip surface with embedded cat's eyes as standard
- 40,000 kg weight capacity with 3 year manufacturer's warranty

Description	Colour	Size	Code
Inner Segment	Black	75 x 500 x 480mm	5 8093
Inner Segment	Yellow	75 x 500 x 480mm	5 8094
End Segment	Black	75 x 210 x 480mm	5 8095
End Segment	Yellow	75 x 210 x 480mm	5 8096



Drop Down Parking Post

Collapsible yellow and black post is ideal for reserving parking bays and restricting access to private driveways or car parks. Internal pin mechanism allows the post to be locked in the upright position using a padlock (supplied) or laid flat.

- Powder coated steel construction is tough and weatherproof
- Combined lock housing and lift handle
- 750 high x 60mm diameter post
- 800mm overall height and just 100mm high when folded flat
- Supplied with 4 x M12 surface mounting bolts and a quality padlock
- Not to be used with cars with lower clearance than 140mm
- Must only be used on a flat surface



5 7999

Car Park Signs



Reflective Polypropylene
600 x 450mm
Cone not included
5 8086



1 7521 **Q**
6 7521 **Q**



1 7599 **K Q**



1 7512 **Q**
6 7512 **Q**



1 7513 **Q**
6 7513 **Q**




1 7501 **N**
6 7501 **N**



1 7502 **N**
6 7502 **N**



1 7503 **N**
6 7503 **N**



1 7549 **N**
6 7549 **N**

Bicycle Parking Signs



1 7694 **G M**



1 7693 **G M**



1 7695 **G M**



1 7692 **G M**

Free Standing Cycle Racks



Compact Cycle Rack ideal for domestic, company bicycle parks, housing estates, schools etc.

- Zinc plated steel construction (16mm dia tube).
- Suitable for bicycles up to tyre width 50mm.
- Accessible from both sides.
- Fully assembled, supplied with ground fixings.

Description	Code
Bicycle Rack of 3 (HxWxD): 255 x 720 x 330mm	5 8056
Bicycle Rack of 4 (HxWxD): 255 x 1025 x 330mm	5 8057
Bicycle Rack of 5 (HxWxD): 255 x 1340 x 330mm	5 8058

Wall Mounted Cycle Racks



For individual cycle parking, ideal for areas with limited space.

- Zinc plated steel construction (16mm dia tube).
- Suitable for bicycles up to tyre width 50mm.
- Adjustable through 180 degrees.
- Wall mounting – easily secured with fixings included.
- Fully assembled, compact and flexible design.

Size (HxWxD): 335 x 90 x 285mm - 5 8059

Material Codes	Landscape
1 Rigid Plastic 5 Miscellaneous 6 Aluminium	G 300 x 100mm K 400 x 300mm M 600 x 200mm N 400 x 400mm Q 600 x 450mm Custom sizes

Reflective Traffic Signs

RA1 & R2 Traffic Signs

From 1st July 2013, any **permanent** sign directing traffic as listed in the TSRGD Traffic handbook must be CE Marked. This means that any road traffic sign erected on a public highway will need to be manufactured in accordance with the CE Marking Standard. All of our R2 reflective signs are supplied complete with CE marking. If you cannot see the size or design that you need please call us for a competitive quotation.



Fig. 670
600mm Diameter
RA1 | R2
5 6566 | 5 7708



Fig. 670
600mm Diameter
RA1 | R2
5 6567 | 5 7709



Fig. 670
600mm Diameter
RA1 | R2
5 6568 | 5 7710



Fig. 670
600mm Diameter
RA1 | R2
5 6569 | 5 7711



Fig. 670
600mm Diameter
RA1 | R2
5 6570 | 5 7712



Fig. 616
600mm Diameter
RA1 | R2
5 6573 | 5 7715



Fig. 612
600mm Diameter
RA1 | R2
5 6575 | 5 7717



Fig. 613
600mm Diameter
RA1 | R2
5 6574 | 5 7716



Fig. 615
600mm Diameter
RA1 | R2
5 7819 | 5 7719



Fig. 625.1
600mm Diameter
RA1 | R2
5 7823 | 5 7723




Fig. 611.1
600mm Diameter
RA1 | R2
5 7821 | 5 7721



Fig. 601.1
750mm Octagon
RA1 | R2
5 7824 | 5 7724



Fig. 606
600mm Diameter
RA1 | R2
5 6562 | 5 7704



Fig. 606
600mm Diameter
RA1 | R2
5 6561 | 5 7703



Fig. 610
600mm Diameter
RA1 | R2
5 6559 | 5 7701



Fig. 610
600mm Diameter
RA1 | R2
5 6560 | 5 7702



Fig. 811
700 x 800mm
RA1 | R2
5 7838 | 5 7738



Fig. 652
300 x 450mm
RA1 | R2
5 7831 | 5 7731



Fig. 602
600mm Triangle
RA1 | R2
5 7829 | 5 7729



Fig. 557.1
600mm Triangle
RA1 | R2
5 7852 | 5 7752



Fig. 530A
750mm Triangle
RA1 | R2
5 6595 | 5 6594



Fig. 544
600mm Triangle
RA1 | R2
5 7893 | 5 7793



Fig. 521
600mm Triangle
RA1 | R2
5 7858 | 5 7758



Fig. 522
600mm Triangle
RA1 | R2
5 7859 | 5 7759

*When ordering state height required



Fig. 545
600mm Triangle
RA1 | R2
5 7894 | 5 7794



Fig. 517
600mm Triangle
RA1 | R2
5 7864 | 5 7764



Fig. 517
600mm Triangle
RA1 | R2
5 7865 | 5 7765



Fig. 661A
320 x 250mm
RA1 | R2
5 7832 | 5 7732

CE Permanent road signs must be CE marked

All signs are manufactured from 3mm traffic grade Aluminium Composite, a lightweight and weather resistant material ideal for external use.

Aluminium Composite has no scrappage value and so reduces the risk of theft.

Our road traffic signs are manufactured in accordance with Chapter 8 & TSRGD guidelines.

Our reflective material meets the specification of classes RA1 (for temporary use) and R2 (for permanent siting) under BS EN 12899.

All signs on this page are supplied complete with channelling for post mounting.



Fig. 544.2
600mm Triangle
RA1 | R2
5 7891 | 5 7791



Fig. 544.1
600mm Triangle
RA1 | R2
5 7892 | 5 7792



Fig. 512
600mm Triangle
RA1 | R2
5 7860 | 5 7760



Fig. 512
600mm Triangle
RA1 | R2
5 7861 | 5 7761

Need a different traffic sign or symbol? Contact us and we can provide you with a quote.



Re-Flex Plastic Frame

A temporary plastic road sign which is strong and robust, gives durability and long life. Due to it being an all plastic design the product will not conduct electricity or corrode over time. It is easy and safe to handle with no sharp edges and has a simple folding system for quick storage. One frame fits all sign shapes and sizes which removes the need for stocking multiple frames. The product can be completely recycled at the end of its life whilst the all plastic design removes the risk of theft for scrap metal value.

- Folding frame for quick deployment and compact stacking
- Design is of HDPE and no metal components
- Strong and Robust whilst being lightweight
- Non conductive
- Allows any face to be applied


H 871 x W 791 x D 35mm
57470

White Plastic Wing Nut

4 x wing nuts required for rectangular signs
3 x wing nuts required for triangular signs
5 7472 (Singular unit)

Leg Extension Kit

3 x Extension legs with wing nuts
Attach to frame when extra height is required
5 7471



Signs for Re-Flex Frames

- 3mm Polypropylene with RA1 Engineering Grade Reflective Face
- Pre-drilled for easy fixing



57561 600 x 450mm	57563 600 x 450mm	56431 600 x 450mm	56450 600 x 450mm	56471 600 x 450mm	57608 600 x 450mm
57526 600 x 450mm	57571 600 x 450mm	56438 600 x 450mm	57590 600 x 450mm	57525 600 x 450mm	57607 600 x 450mm
57528 600 x 450mm	57508 600 x 450mm	57509 600 x 450mm	57510 600 x 450mm	56426 600 x 450mm	56427 600 x 450mm
56452 600 x 450mm	56419 600 x 450mm	57480 600 x 450mm	57481 600 x 450mm	57482 600 x 450mm	57788 600 x 450mm
57483 750mm	57484 750mm	57485 750mm	57486 750mm	57487 750mm	57487 750mm




Sign Frames

Single Sided Sign Frames

• Grey Zinc Painted Iron



Double Sided Frames



Road Frame Clip



Keep your signs securely inside the frame with our Road Frame Clips.

Zinc plated steel for protection against corrosion.

A minimum of 4 clips per frame is recommended.

5 8755

Posts and Post Fixing

• See pages 128 - 129 for more sign fixing options

Grey Steel Posts



Grey painted steel pole for sign attachment available in a range of different lengths and diameters.

Grey Steel		Grey Steel	
76mm x 3.6m	5 8684	50mm x 3m	5 8769
76mm x 2.5m	5 8675	50mm x 2.5m	5 8676
76mm x 1.75m	5 8688	50mm x 1.5m	5 8800

Anti-Rotational Post



No more site visits to straighten twisted signs. This post prevents signs being rotated. It accepts standard clips, base plates and external caps.

Grey Steel	
3m x 76mm dia (30mm galvanised flat front)	5 8683

Post Caps



Grey plastic cap which fits onto the end of a post for a professional looking finish.

Grey Plastic	Grey Plastic
50mm Diameter	76mm Diameter
5 8750	5 8685

Tamtorque and Tamtorque Driver



Tamtorque sign fixing clamps have been designed for clamping signs to all types of posts. They give a quick and reliable fix to round, square or hexagonal posts every time. It removes the need to cut the band to size and therefore have no sharp edges which can snag or cut. Unlike other banding systems, the tamtorque clamp can be easily reused or readjusted. Tamtorque clamps are manufactured from high strength stainless steel and have a hardened tamper resistant screw with a unique recessed seven sided socket. This means that they can only be tightened or released with a special Tamtorque driver. An auto locking safety buckle ensures the free end of the band is safely tidied away.

Stainless Steel	
70-100mm Dia Post	5 8772

Stainless Steel	
100-130mm Dia Post	5 8774

Stainless Steel	
130-190mm Dia Post	5 8778

Stainless Steel	
190-250mm Dia Post	5 8780

Tamtorque	
Driver	5 8770



RA1 Zintec Reflective Traffic Signs

How well signs are seen dictates how drivers react. That's why the brightness and clarity of signage is so important. These range of traffic signs are manufactured using engineering grade (Class RA1) reflective sheeting applied on to 20/22 gauge Zintec plate. Traffic management signs for use with road sign frames as shown on page 104.



Class RA1 Fig. 7018
600x450mm 5 7950
1050 x 750mm 5 7901



Class RA1 Fig. 7018
600x450mm 5 7951
1050 x 750mm 5 7902



Class RA1 Fig. 7018
600x450mm 5 7952
1050 x 750mm 5 7903



Class RA1 Fig. 7010.1
600x450mm 5 7956
1050 x 750mm 5 7907



Class RA1 Fig. 7010.1
600x450mm 5 7957
1050 x 750mm 5 7908



Class RA1 Fig. 7014
600x450mm 5 7958
1050 x 750mm 5 7909



Class RA1 Fig. 2702
600x450mm 5 7953
1050 x 750mm 5 7904



Class RA1 Fig. 2702
600x450mm 5 7954
1050 x 750mm 5 7905



Class RA1 Fig. 2702
600x450mm 5 7955
1050 x 750mm 5 7906



Class RA1 Fig. 7011
600x450mm 5 7962
1050 x 750mm 5 7913



Class RA1 Fig. 7301
600x450mm 5 7963
1050 x 750mm 5 7914



Class RA1 Fig. 7010.1
600x450mm 5 7964
1050 x 750mm 5 7915



Class RA1 Fig. 7010.1
600x450mm 5 7959



Class RA1 Fig. 7010.1
600x450mm 5 7960
1050 x 750mm 5 7911



Class RA1 Fig. 7010.1
600x450mm 5 7961
1050 x 750mm 5 7912



Class RA1 Fig. 7302
600x450mm 5 7965
1050 x 750mm 5 7916



Class RA1 Fig. 511
600x450mm 5 7966
1050 x 750mm 5 7917



Class RA1 Fig. 511
600x450mm 5 7967
1050 x 750mm 5 7918



Class RA1 Fig. 562
600mm 5 8071
750mm 5 7920



Class RA1 Fig. 554
600mm 5 8073
750mm 5 7922



Class RA1 Fig. 7001
600mm 5 8075
750mm 5 7924



Class RA1 Fig. 557
600mm 5 8074
750mm 5 7923



Class RA1 Fig. 610
750 x 750mm 5 7946

Custom RA1 Zintec Signs

Please advise your custom message when ordering custom RA1 Zintec Signs.



Class RA1
600 x 450mm 5 8205
1050 x 750mm 5 8204



Class RA1
600mm 5 8207
750mm 5 8206

RA1 Zintec Supplementary Plates



Class RA1 Fig. 7000.1
850 x 355mm 5 7929



Class RA1 Fig. 7000.1
850 x 355mm 5 7930



Class RA1 Fig. 7000.1
850 x 355mm 5 7934



Class RA1 Fig. 7000.1
850 x 355mm 5 7935



Class RA1 Fig. 7000.1
850 x 355mm 5 7948

For use with frames 5 8761 (see page 104) - Additional plates are available on request.

Custom Supplementary Plates

Please advise your custom message when ordering custom supplementary plates.



Class RA1
850 x 355mm 5 8069

Lollipop Signs



Composite reflective sign on a 1500mm collapsible pole. Ergonomic handle, rubber feet and storage bag.

Ultra compact, unique one-piece folding design.

Description	Diameter	Material	Pole Length	Code
Stop / Go	600mm	Reflective Composite	1500mm	5 8089
Stop - Works	450mm	Reflective Composite	1500mm	5 8090
Stop - Children	450mm	Reflective Composite	1500mm	5 8091

Class	Reflective Material	Material	Usage
RA1	Engineer Grade: Lower reflectivity level sheeting, lower cost	20/22 Gauge Zintec Plating / 3mm Traffic: Aluminium Composite	Temporary Traffic Signs
R2	High Intensity Prismatic: Retains a high reflectivity level over time	3mm Traffic Dibond: Aluminium Composite	Permanent Traffic Signs (CE-Marked)



Fold-Up Signs

Fold-Up Road Signs

Designed specifically for short to medium term work-zones, they are compact and easy to store and transport when collapsed. Tripods are manufactured from rust-proof aluminium and all metalwork has bright zinc plating to prevent corrosion. Sign faces are constructed from reinforced grey PVC back panels with a reflective material protected by a clear PVC top layer for additional durability. Signs have a ground clearance of 300mm, as specified by UK Road Sign legislation. Special panels can be manufactured on request.



Triangular Signs

One piece unit



Size Code
600mm 5 6555
750mm 5 7645




Size Code
600mm 5 7634
750mm 5 7646



Size Code
600mm 5 6556
750mm 5 7647

Triangular



The shackle at the top of the tripod locks front legs open and keeps the signface taut

Triangular Signs with Supplementary Text



Size Code
600mm 5 6545
750mm 5 7642



Size Code
600mm 5 7600
750mm 5 7635



Size Code
600mm 5 7638
750mm 5 7639

Supplementary Text - Rust proof press studs - Create your own supplementary plate by using code 5 7682



5 6546



5 6547




5 6548



5 6550



5 6551




5 6553




5 6554



5 7682



The press stud strap holds the sign face neatly when rolled up for easy transportation and storage



Six rustproof press-studs enable easy fixing of interchangeable supplementary text or variants

Rectangular Signs

Two piece unit



900 x 600mm
5 7630



600 x 450mm
5 7680



900 x 600mm
5 7748



Includes reversible arrow
600 x 450mm
5 7628




1050 x 750mm
5 6558



Give way to oncoming vehicles


600 x 900mm
5 7678




Priority over oncoming vehicles

600 x 900mm
5 7679


Rectangular / Circular



At the top of the sign panel there is a concealed hook on springs which provides tension to keep the sign taut.




The bar at the bottom of the sign panel extends to hook under the spacer bolts on the front legs of the tripod.




A hook on the back leg of the tripod enables a ballast to be used in volatile conditions

Circular Signs

Two piece unit



600mm Dia
5 7631



600mm Dia
5 7661



750mm Diameter
Reversible Arrow
5 7681

Reflective Cone Signs

• Reflective Polypropylene • For use on 750mm / 1000mm traffic cones (not included) • Supplied flat to reduce storage space requirement • Lightweight




Custom Made Cone Signs

To customise these signs simply quote the relevant code and supply the message or image that you require when ordering.

Reflective Polypropylene
600 x 450mm
5 8079

Reflective Polypropylene
750mm
5 8078



Vehicle Warning Triangle

High visibility collapsible warning triangle to warn road users of a breakdown or hazard.



Supplied in robust storage case (460 x 160 x 35mm)


5 7799

Traffic Cones

Available in a choice of 3 sizes, can be stacked to save space.

Manufactured from recycled materials. Supplied complete with a reflective sleeve. These cones conform to BS EN 13422:2004.

Height	Code
500mm	5 7663
750mm	5 7664
1000mm	5 7665



Chapter 8 Roll-up Sign Kit

Compact and lightweight pack of eight reflective roll-up signs, as required for road works under Chapter 8 of The Traffic Signs Manual. This kit saves significant space and weight compared to traditional rigid signs and frames as it is supplied in two storage bags for ease of transportation. The kit also includes site layout guidance from the "Safety at Street Works" Red Book.

- Wind Tunnel Tested to 60mph
- Weight: 30kg (3.7kg per sign)
- Storage Dimensions (HxWxD): 500 x 1500 x 300mm

Kit includes tripods and the following 750mm signs:

2 x Men at Work	2 x Men at Work - End
1 x Road Narrows Offside	1 x Road Narrows Nearside
1 x Keep Left	1 x Keep Right

5 7669



Site Traffic

Non-Reflective Site Traffic Signs




1 7567 N 1 7504 N / 6 7504 N 1 7503 N / 6 7503 N 1 7502 N / 6 7502 N 1 7501 N / 6 7501 N 1 7546 N / 6 7546 N 1 7547 N / 6 7547 N 1 7719 N



1 7556 N / 6 7556 N 1 7545 N 1 7544 N / 6 7544 N 1 7557 N 1 7505 N / 6 7505 N 1 7555 N 1 7506 N / 6 7506 N

We will supply this sign showing your selected height in both metres and feet



1 7507 N / 6 7507 N 1 7551 N 1 7554 N 1 7550 N / 6 7550 N 1 7549 N / 6 7549 N 1 7553 N 1 7559 N 1 7511 N / 6 7511 N



1 7508 K Q / 6 7508 K Q 1 7509 K Q / 6 7509 K Q 1 7514 Q / 6 7514 Q 1 7515 Q / 6 7515 Q 1 7512 Q / 6 7512 Q 1 7513 Q / 6 7513 Q




1 7524 Q 1 7543 Q 1 7523 Q 1 7516 Q 1 6419 Q 1 7522 Q




1 7528 Q / 6 7528 Q 1 7510 K Q / 6 7510 K Q 1 5432 K Q 1 7591 Q 1 7499 K Q 1 7500 K Q



1 7612 Q 1 6417 Q M 1 6434 Q 1 6450 Q 1 6451 Q 1 6462 Q




1 7529 Q 1 6475 Q 1 6476 Q 1 6477 Q 1 7531 K 1 6412 K Q



1 7594 K 1 7595 K 1 7596 K 1 7597 K 1 7592 K Q 1 6440 P



Non-Reflective Site Traffic Signs

 1 7527 Q 6 7527 Q	 1 6426 Q	 1 6427 Q	 1 7624 Q	 1 7520 Q	 1 7584 Q
 1 7666 Q	 1 7525 Q 6 7525 Q	 1 6437 Q 6 6437 Q	 1 6452 Q 6 6452 Q	 1 7526 Q 6 7526 Q	 1 6431 Q 6 6431 Q
 1 6438 Q 6 6438 Q	 1 6470 Q 6 6470 Q	 1 7519 Q 6 7519 Q	 1 6432 Q	 1 7668 Q 6 7668 Q	 1 7590 Q
 1 7570 K Q	 1 7518 Q 6 7518 Q	 1 7517 Q 6 7517 Q	 1 7571 K Q 6 7571 Q	 1 7610 Q	 1 6430 Q
 1 7541 Q	 1 7569 Q 6 7569 Q	 1 7615 Q	 1 7521 Q 6 7521 Q	 1 7617 Q 6 7617 Q	 1 7618 Q
 1 7667 Q 6 7667 Q	 1 7749 Q 6 7749 Q	 1 7607 Q 6 7607 Q	 1 7561 Q 6 7561 Q	 1 7563 Q 6 7563 Q	 1 7609 Q 6 7609 Q
 1 7562 Q	 1 7564 Q	 1 6471 Q 6 6471 Q	 1 6472 Q	 1 7608 Q 6 7608 Q	 1 6453 Q
 1 7623 Q	 1 7622 Q	 1 7542 K Q	 Fly tipping is an offence under the Environmental Protection Act (1990). Offenders may face up to a £50,000 fine and/or a prison sentence. 1 1743 K Q 6 1743 Q	 No unauthorised entry All visitors must report to reception 1 7611 Q	 No parking Keep clear 1 3221 Q

Road & Site Traffic

Material Codes				Landscape			Portrait Sizes	
1 Rigid Plastic	3 Photolum Rigid Plastic	5 Miscellaneous	7 Polycarbonate	K 400 x 300mm	N 400 x 400mm	Q 600 x 450mm	Q 450 x 600mm	
2 Self Adhesive Vinyl	4 Photolum Self Adhesive	6 Aluminium	8 Quick Fix	M 600 x 200mm	P 600 x 400mm	Custom sizes are available		

Construction Site Safety Signs

It is important to understand the messages given to you by construction site safety signs, they are displayed to deliver a clear health and safety message. Failing to abide by a sign could result in the loss of your job, or even a life. The signs come in many forms, from the site hoarding and entrance points, to way guidance and will often consolidate several key safety messages onto one site safety board to avoid excessive sign clutter. Construction site safety signs are there for a reason. They deliver important information to warn of hazards to watch out for or requirements that must be followed.

Site Safety Signs



1 6412 **K Q**



1 6439 **K Q**



1 6445 **Q**



1 6419 **Q**



1 6218 **G M**
2 6218 **G M**



1 6217 **G M**
2 6217 **G**



1 6464 **Q**



1 6404 **M P** Banner with Eyelets
2 6404 **M P** 1270 x 610mm
7 6404 **M P** 5 5087
8 6404 **M P** Fluted Polypropylene
600 x 400mm
Includes Company Logo
5 5785



1 6457 **G M**



1 6215 **G M P**



1 6223 **G M**
2 6223 **G**



1 6222 **M**
2 6222 **M**



1 6429 **M**
2 6429 **M**



1 6216 **G M**
2 6216 **G M**
8 6216 **G M**

Mandatory Site Safety Signs



1 5232 **G M**
2 5232 **G M**
8 5232 **G**



1 5003 **G M E K**
2 5003 **G M E K**
8 5003 **G E**



1 5216 **M E K P** Floor Graphic
2 5216 **M E K** 400 x 600mm
6 5216 **M**
7 5216 **M**
8 5216 **G E** 5 8820



1 5010 **G M E K P**
2 5010 **G M E K**
8 5010 **G K**



1 5018 **G M E K P** Floor Graphic
2 5018 **G M E** 400 x 600mm
5 8730



1 6401 **M P**
7 6401 **M**



1 5221 **G M**
2 5221 **G M**



1 1632 **F G M N**
2 1632 **F G M N**



1 5019 **E K P**
2 5019 **E K**
6 5019 **P**



1 6236 **P**
8 6236 **P**



1 6229 **P**
6 6229 **P**



1 6402 **M P** Scaffold PVC Banner
1270 x 1270mm
5 5115



1 6411 **K Q**




1 5210 **E K**
2 5210 **E K**



1 5235 **K**
2 5235 **K**
8 5235 **K**



1 5486 **M P**



Mandatory Signs
For our full range of mandatory PPE signage please see page 36 (or call us for a quote if you cannot find the required message).

Warning Site Safety Signs

 <p>Danger Men at work</p> <p>1 4201 G M P Self Adhesive A4 (210 x 297mm) 5 8377 2 4201 G M Rigid Plastic A4 (210 x 297mm) 5 8376</p>	 <p>Danger Demolition work in progress</p> <p>1 6403 M P 2 6403 M PVC Banner 1270 x 610mm 5 5088</p>	 <p>Warning Battery charging in progress</p> <p>1 4211 G M E K 2 4211 G M E K Projecting Sign A4 (210 x 297mm) 5 4301</p>	 <p>Danger Vehicles unloading</p> <p>1 4244 K P</p>	 <p>Danger Scaffolding incomplete</p> <p>1 6442 P</p>
 <p>Danger Risk of falling</p> <p>1 4494 G M 2 4494 G M 8 4494 G</p>	 <p>Warning Hazardous area</p> <p>1 4240 G M 2 4240 G M 8 4240 G</p>	 <p>Warning Welding in progress</p> <p>1 4497 G M 2 4497 G M 8 4497 G</p>	 <p>Warning Construction site</p> <p>Rigid Plastic A4 (210 x 297mm) 5 8360 Self Adhesive A4 (210 x 297mm) 5 8361</p>	
 <p>Danger Men working overhead</p> <p>1 4202 G M P 2 4202 G M</p>	 <p>Warning Beware of moving vehicles</p> <p>1 6459 G M 2 6459 G M</p>	 <p>Warning Fragile roof</p> <p>1 4261 G M E K P 2 4261 G M E K P 8 4261 G E</p>	 <p>Danger Falling objects</p> <p>1 6456 G M Banner 1270 x 610mm 5 6456</p>	
 <p>Danger Men working below</p> <p>1 4203 G M P</p>	 <p>Danger Men working on plant</p> <p>1 4245 G M</p>	 <p>Warning Site traffic</p> <p>1 6460 G M</p>	 <p>Warning It is dangerous and illegal to operate machines without the proper guards in position</p> <p>2 4262 G</p>	
 <p>Warning Stand clear of suspended loads</p> <p>1 4250 G M</p>	 <p>Warning Look out for overhead loads</p> <p>1 6418 G M P 2 6418 G</p>	 <p>Warning Overhead crane</p> <p>1 6455 G M 2 6455 G</p>	 <p>Caution Ramp</p> <p>1 4257 G M P 2 4257 G</p>	
 <p>Danger Deep excavations</p> <p>1 4204 G M Q P 2 4204 G M</p>	 <p>Danger Open pit</p> <p>1 6503 G M 2 6503 G M</p>	 <p>Warning Danger of crushing</p> <p>1 3666 G M 2 3666 G M</p>	 <p>Danger Test area</p> <p>1 4230 G 2 4230 G</p>	
 <p>Danger Quarry workings</p> <p>1 4232 G M</p>	 <p>Danger Open manhole</p> <p>1 6454 G M</p>	 <p>Caution Arc welding</p> <p>1 4212 G M E K 2 4212 G</p>	 <p>Danger Asbestos hazard</p> <p>1 4409 G M P 2 4409 G M</p>	
 <p>Caution High noise level</p> <p>1 5220 G M 2 5220 G M</p>	 <p>Caution Never operate this machine without the proper guards in position</p> <p>1 4264 G 2 4264 G</p>	 <p>Caution Pedestrians</p> <p>1 4493 G M 2 4493 G M</p>	 <p>Danger Tipping exclusion zone</p> <p>1 4518 G M 2 4518 G M</p>	

Prohibition Site Safety Signs

 <p>No unauthorised persons allowed beyond this point</p> <p>1 3202 G M E K P Floor Graphic 400 x 600mm 8 3202 G E K 2 3202 G M E K P 5 8740</p>	 <p>No exit</p> <p>1 3215 G E K PVC Banner 1270 x 610mm 5 3215 2 3215 G E K</p>	 <p>Scaffolding incomplete Do not use</p> <p>1 6443 P</p>	 <p>Do not alter or adapt any scaffold on site without prior official approval</p> <p>1 3645 K P</p>	 <p>Access forbidden to all unauthorised persons</p> <p>1 3212 E K 2 3212 E K 8 3212 E K</p>
 <p>Children must not play on this site</p> <p>1 6405 M P 2 6405 P</p>	 <p>No vehicles beyond this point</p> <p>1 3217 G M P</p>			

Material Codes		Landscape Sizes			
1 Rigid Plastic	5 Miscellaneous	E 200 x 150mm	K 400 x 300mm	P 600 x 400mm	E 150 x 200mm
2 Self Adhesive Vinyl	6 Aluminium	F 200 x 200mm	M 600 x 200mm	Q 600 x 450mm	H 250 x 300mm
3 Photoluminescent Rigid Plastic	7 Polycarbonate	G 300 x 100mm	N 400 x 400mm	Custom sizes are available - ask for more information	
4 Photoluminescent Self Adhesive	8 Quick Fix				



Bespoke Site Safety Boards

Creating your own site safety board has never been easier. Follow the three simple steps below and we can create a bespoke board showing your messages of choice with (or without) your company branding to ensure everyone understands your site specific rules and obligations. Manufactured on 5mm foam PVC these large format boards are perfect for positioning at site entrances to reinforce key safety messages and raising brand awareness in the process. If the templates below don't suit your needs then we are happy to quote for alternative sizes and materials.



1. Select Board Template

Select a site safety board template that best accommodates your needs. (e.g. 5 8047)

SITE SAFETY
CHOOSE
4 SIGNS
FROM
BELOW

Without Branding 5mm Foam PVC 600 x 900mm 5 8039	With Branding 5mm Foam PVC 600 x 1200mm 5 8030
--	--

Branded Site Boards include:
Company Logo, Name and Contact Details above / below the Site Safety Messages.
E.g. See above showing 5 8047 / L J A B G D C H

SITE SAFETY	
CHOOSE	
8 SIGNS	
FROM	
BELOW	


Without Branding 5mm Foam PVC 900 x 1200mm 5 8048	With Branding 5mm Foam PVC 1200 x 1200mm 5 8047
---	---

All visitors & drivers must report to site office
Children must not play on this site
CHOOSE
4 SIGNS
FROM
BELOW

Without Branding 5mm Foam PVC 600 x 1000mm 5 8034	With Branding 5mm Foam PVC 600 x 1200mm 5 8019
---	--

2. Select Signs to add to your Board

Select appropriate messages from the following. You can include alternative sign messages found throughout this catalogue by choosing option P.

 A	 B	 C	 D
 E	 F	 G	 H
 I	 J	 K	 L
 M	 N	 O	 P (Please specify)

3. Supply Artwork

If you have selected a personalised site safety board, please supply a high resolution copy of your logo and details of contact details or project information to be included. EPS or Ai logo files are preferred however a clean, non pixelated high resolution jpeg should suffice (around 1500 x 1500 pixels).



Site Safety Boards

Choose from our standard range of site safety boards or add company branding and contact details for a personalised version.

SITE SAFETY

- No admittance for unauthorised personnel
- This is a hard hat area
- Protective footwear must be worn
- High visibility jackets must be worn

Without Branding
5mm Foam PVC
600 x 900mm
5 8035

With Branding
5mm Foam PVC
600 x 1200mm
5 8022

SITE SAFETY

- Construction work in progress. Parents are advised to warn children of the dangers of entering this site
- Danger Demolition work in progress
- No admittance for unauthorised personnel
- Use ear protectors
- This is a hard hat area
- High visibility jackets must be worn
- Protective footwear must be worn
- Danger Look out for overhead loads

Without Branding
5mm Foam PVC
1200 x 900mm
5 8037

With Branding
5mm Foam PVC
1200 x 1200mm
5 8027



Example of 5 8027 with company branding and contact details.

THINK SAFETY

- No unauthorised entry
- All visitors and delivery drivers must report to the site office
- Safety helmets, safety footwear and high visibility clothing must be worn at all times on this site
- You must be safety inducted to start work on this site
- Wear eye, ear, hand and respiratory protection where appropriate
- Danger of underground services. Check before you dig

Without Branding
5mm Foam PVC
900 x 1000mm
5 8031

With Branding
5mm Foam PVC
900 x 1200mm
5 8025

Fluted Polypropylene
1220 x 1220mm
5 5800

SITE SAFETY

- All visitors & drivers must report to site office
- Children must not play on this site
- Construction work in progress. Parents are advised to warn children of the dangers of entering this site
- High visibility jackets must be worn
- Report all accidents immediately
- Danger Deep excavations
- Protective footwear must be worn
- Danger Stop. Look. Listen. Beware of trucks
- Safety helmets are provided for your safety and must be worn
- No access for unauthorised personnel

Without Branding
3mm Foam PVC
900 x 1000mm
5 8097

With Branding
3mm Foam PVC
1200 x 1220mm
5 8098

Fluted Polypropylene
1220 x 1200mm
5 5798

Without Branding
5mm Foam PVC
900 x 1000mm
5 8038

With Branding
5mm Foam PVC
1200 x 1200mm
5 8028

SITE SAFETY

- High visibility jackets must be worn
- Protective footwear must be worn
- This is a hard hat area
- Danger Stop. Look. Listen. Beware of trucks

Without Branding
5mm Foam PVC
600 x 900mm
5 8036

With Branding
5mm Foam PVC
600 x 1200mm
5 8023

Lost Time Accident Boards

Lost Time Accident Boards show the number of days since an on-site accident was recorded. These displays are the perfect solution for construction sites to communicate their excellent track record for safety. Supplied with 2 sets of rigid PVC numbers to slide into the board's acrylic holders allowing you to update the display daily. Alternative designs and messages can be created, please ask for a quote.

SITE SAFETY

Days since the last lost time accident on this site

Without Branding
5mm Foam PVC
900 x 600mm
5 8033

With Branding
5mm Foam PVC
900 x 700mm
5 8032

ZERO IN ON SAFETY

This plant has had [] [] [] [] Consecutive accident free days

Hear it See it Report it

The previous record was [] [] [] []

With Branding
5mm Foam PVC
700 x 900mm
5 8053



Our Lost time accident boards come with two sets of slide in numbers.



Site Safety Boards

SITE SAFETY

Under the Health and Safety at Work Act 1974 all persons entering this site must comply with all regulations under this act. All visitors must report to the site office and obtain permission to proceed onto the site or any work area. Safety signs and procedures must be observed and personal protection and safety equipment must be used at all times.

- Construction work in progress. Parents are advised to warn children of the dangers of entering this site.**
- Safety helmets must be worn**
- Protective footwear must be worn**
- High visibility jackets must be worn**
- Unauthorised entry to this site is strictly forbidden**

1 6447 W | Fluted Polypropylene
1220 x 1220mm 55794

SITE SAFETY

Under the Health and Safety at Work Act 1974 all persons entering this site must comply with all regulations under this act. All visitors must report to the site office and obtain permission to proceed onto the site or any work area. Safety signs and procedures must be observed and personal protection and safety equipment must be used at all times.

- Construction work in progress. Parents are advised to warn children of the dangers of entering this site.**
- Safety helmets must be worn**
- Protective footwear must be worn**
- Unauthorised entry to this site is strictly forbidden**

1 6413 W

SITE SAFETY

Under the Health and Safety at Work Act 1974 all persons entering this site must comply with all regulations under this act. All visitors must report to the site office and obtain permission to proceed onto the site or any work area. Safety signs and procedures must be observed and personal protection and safety equipment must be used at all times.

- Construction work in progress. Parents are advised to warn children of the dangers of entering this site.**
- Safety helmets must be worn**
- High visibility jackets must be worn**
- Unauthorised entry to this site is strictly forbidden**

1 6420 W | Fluted Polypropylene
1220 x 1220mm 55796

SITE SAFETY

Under the Health and Safety at Work Act 1974 all persons entering this site must comply with all regulations under this act. All visitors must report to the site office and obtain permission to proceed onto the site or any work area. Safety signs and procedures must be observed and personal protection and safety equipment must be used at all times.

- Warning Dangerous site**
- All visitors must report to the site office**
- Approved personal protective equipment must be worn**
- No unauthorised access**

1 6416 W | Fluted Polypropylene
1220 x 1220mm 55793

SITE SAFETY

Under the Health and Safety at Work Act 1974 all persons entering this site must comply with all regulations under this act. All visitors must report to the site office and obtain permission to proceed onto the site or any work area. Safety signs and procedures must be observed and personal protection and safety equipment must be used at all times.

- Construction work in progress. Parents are advised to warn children of the dangers of entering this site.**
- Safety helmets must be worn**
- Unauthorised entry to this site is strictly forbidden**

1 6414 W | Fluted Polypropylene
900 x 600mm 56388

SITE SAFETY

Under the Health and Safety at Work Act 1974 all persons entering this site must comply with all regulations under this act. All visitors must report to the site office and obtain permission to proceed onto the site or any work area. Safety signs and procedures must be observed and personal protection and safety equipment must be used at all times.

- Heavy plant and machinery operate on this site**
- Vehicles must not enter the site without the authority of the site supervisor**
- Unsupervised reversing in and out of site is strictly forbidden**
- Speed and parking restrictions must be observed**

1 6415 W | Fluted Polypropylene
900 x 600mm 56389

SITE SAFETY

All visitors and contractors must report to site office to receive a site induction

- High visibility jackets must be worn**
- Protective footwear must be worn**
- No unauthorised access**
- Any person caught pilfering or causing damage on this site will be liable for prosecution**
- Maximum site speed**

1 6597 W

SITE SAFETY

Under the Health and Safety at Work Act 1974 all persons entering this site must comply with all regulations under this act. All visitors must report to the site office and obtain permission to proceed onto the site or any work area. Safety signs and procedures must be observed and personal protection and safety equipment must be used at all times.

- Safety helmets must be worn at all times**
- Safety footwear must be worn at all times**
- High visibility clothing must be worn at all times**
- Vehicles must not enter the site without the authority of the site supervisor**
- Unsupervised reversing in and out of site is strictly forbidden**
- Maximum site speed**

1 6596 W

Site Starter Packs


- Comprised of the most commonly used construction signs
- Each pack is supplied in an easy to store outer wrap
- Easy and economical way of purchasing construction site signs
- All signs made from Rigid Plastic




Pack 1 5 6390 • (9 signs)



Pack 2 5 6391 • (7 signs)



Pack 3 5 6392 • (7 signs)



Pack 4 5 6393 • (5 signs)



Pack 5 5 6678 • (7 signs)



Material Codes						Landscape Sizes
1 Rigid Plastic	2 Self Adhesive Vinyl	5 Miscellaneous	6 Aluminium	7 Polycarbonate	8 Quick Fix	W 900 x 600mm



Aluminium Roll Top Signs • 400 x 600mm

Manufactured from aluminium, durable roll top signs are designed to neatly hook over scaffolding and railings.



Bespoke

We can create custom aluminium roll top signs using supplied images, text, design and can even include company logos. Contact us now for a quote.

Code	Description
5 6386	400 x 600mm



Scaffold Banners • Stitched with loops • 440gsm PVC

Supplied with PVC fabric loops, allowing insertion of a scaffold tube to secure the banner. Excellent advertising opportunities for scaffold companies or to portray essential safety messages.



Bespoke

We can create custom scaffolding banners using supplied images, text, design and can even include company logos. Contact us now for a quote.

Code	Description
5 5109	1270 x 1270mm
5 5099	1270 x 610mm

Supplied complete with a clear PVC wallet (600 x 150mm) to display the relevant licence number. This allows the banner to be reused whilst showing the correct licence number at all times. Supplied with a removable rigid plastic insert.

Code	Description
5 5113	1270 x 1270mm



Scaffold Checks

Regular maintenance and scaffold inspections are vital to ensure that equipment remains safe and stable, especially after any adverse weather conditions. Using the Good to Go Safety Scaffold Check Book has never been easier and can reduce the risk of a costly scaffold collapse or accident. Simply attach the tag to the scaffold tube (at the point of entry) to ensure maximum visibility; complete the scaffolding checklist and you're good to go. See pages 125 - 127 for more information.

Duplicate copies of each completed checklist are retained within the check book, providing invaluable evidence of your Safe Equipment Management System in the event of an accident.



5 1319

5 1301

Scaffold Tags

These double sided scaffold tie tags are ideal for highlighting important safety information and sign-offs. They are supplied in packs of 10, complete with 150mm nylon cable ties



Matt PVC
80 x 150mm
5 3444

Matt PVC
80 x 150mm
5 3445

Ladder-Cade

Prevent access and raise awareness to dangerous ladders or scaffolding. Simply attach the banner to the ladder using cable ties to form a barrier with a clear safety message.

Perfect for quarantining faulty ladders.



440gsm PVC Banner
400 x 1270mm
5 5140

Site Information Signs

Information Signs



1 6408 **G M**
2 6408 **G M**
8 6408 **G M**



1 6410 **G M**
2 6410 **G M**
8 6410 **G M**



1 6409 **G M**
2 6409 **G M**
8 6409 **G M**



1 7061 **G**
2 7061 **G**
8 7061 **G**



1 6436 **G M**
2 6436 **G M**



1 6407 **G**
2 6407 **G**



1 7053 **G L**
2 7053 **G**



1 7051 **G L**
2 7051 **G**



1 7046 **G L**
2 7046 **G L**



1 6425 **G**
2 6425 **G**



1 7566 **G M**



1 6446 **G M**
2 6446 **G M**



1 6421 **G**
2 6421 **G**




1 6424 **G M**
2 6424 **G M**



1 7018 **G L**
2 7018 **G L**



1 6406 **P**



2 1723 **E**




1 6435 **K**



1 6444 **K Q**



1 6683 **K Q**
2 6683 **K**



1 6684 **K Q**
2 6684 **K**



1 6685 **K Q**
2 6685 **K**



1 6686 **K Q**
2 6686 **K**

Near Miss Stations



Take a proactive approach to improving site safety and ensure that all near misses and incidents are recorded and actioned upon with this 600 x 450mm station on 10mm foam PVC. Includes a suggestion box to store near miss tags (sold separately). Box can be removed for retrieval of completed tags.

10mm Foam PVC
600 x 450mm
5 6687

Suggestion Box



Fabricated in yellow polystyrene with a clear acrylic A5 sign holder on the front (insert your message of choice). The pocket behind the holder can be used to store your near miss tags. Sliding door at the rear gives access to remove the contents. The suggestion box is freestanding but can also be wall mounted.

Yellow Polystyrene with a Clear Acrylic front
W 275 x H 275 x D 100mm with 145mm Wide Slot
5 6689

Near Miss Tags

Allows near misses and incidents to be recorded and show the actions taken to eliminate repeat occurrences.

Front	Reverse
<p>NEAR MISS / INCIDENT REPORT</p> <p>Full Name: _____</p> <p>Personnel: <input type="checkbox"/> Equipment <input type="checkbox"/> Other <input type="checkbox"/></p> <p>Location: _____</p> <p>Date Reported: _____ Time: _____</p> <p>Reported By: _____</p> <p>Suggestions for Improvement: _____</p> <p>NEAR MISS / INCIDENT ACTION</p> <p>Person Using: _____</p> <p>Estimated Completion Date: _____</p> <p>Date: _____ Time: _____</p> <p>Work Request Number: _____</p> <p>Custom Feedback provided to Employee: <input type="checkbox"/></p> <p>Custom Action on Completed and Closed: <input type="checkbox"/></p>	<p>NEAR MISS / INCIDENT ACTION</p> <p>Person Using: _____</p> <p>Estimated Completion Date: _____</p> <p>Date: _____ Time: _____</p> <p>Work Request Number: _____</p> <p>Custom Feedback provided to Employee: <input type="checkbox"/></p> <p>Custom Action on Completed and Closed: <input type="checkbox"/></p>

Matt PVC
80 x 150mm
Pack of 10
5 6688




Fine Line
Marker Pen

5 3430

Notice Boards




These large internal notice boards are manufactured from 5mm foam PVC and include clear document wallets to place relevant documentation inside. A Health & Safety Law Poster is also included on each board. Helps to ensure all employees and visitors are fully aware of site rules and procedures at all times. If documents are removed from the wallet a "Missing" message will be displayed. These boards can be easily drilled for wall mounting.



5mm Foam PVC
1430 x 1075mm
5 8178

Document holders for:


- Register & Contact Details
- Company H&S Policy
- Site Rules
- Insurance Certificate
- Work Permit
- Electrical Permit
- Confined Spaces Permit
- Working at Height Permit
- Hazardous Substances Permit
- Excavation Permit
- Asbestos
- Other Permits



5mm Foam PVC
1430 x 1075mm
5 8021

Document holders for:


- Open Door Policy
- Site Rules
- Fire Plan
- Fire Action
- Fire Point Location Site Plan
- Company H&S Policy
- Insurance Certificate
- Notification Form
- Fire
- First Aid Policy
- Fire Notice
- Fire Location Site Plan
- Emergency Contact List
- Other Information



5mm Foam PVC
1430 x 1075mm
5 8177

Document holders for:

- Register & Contact Details
- Company H&S Policy
- H&S Minutes
- Accident Statistics
- Fire Point Location Plan
- Fire Plan
- Site Rules
- Fire Log Book
- Accident Report Book
- Employee Hand Book



5mm Foam PVC
1430 x 1075mm
5 8179

Document holders for:

- Register & Contact Details
- Site Inspection Register
- Construction Phase Plans
- F10 Notification Form
- Project Plan
- Fire Plan
- First Aid Plan
- Site Rules
- 4 x Contractor Risk Assessment / Method Statement

Branded Notice Boards

We can add company details and branding to our range of Notice Boards or if you're looking for something completely bespoke we can provide you with custom Notice Board designs to suit your needs. Contact us now for a quote.

Material Codes				Landscape Sizes				Portrait Sizes	
1 Rigid Plastic	3 Photolum Rigid Plastic	5 Miscellaneous	7 Polycarbonate	E 200 x 150mm	K 400 x 300mm	M 600 x 200mm	P 400 x 600mm		
2 Self Adhesive Vinyl	4 Photolum Self Adhesive	6 Aluminium	8 Quick Fix	G 300 x 100mm	L 450 x 150mm	Q 600 x 450mm	Custom sizes		



Site Saver Signs

Our Site Saver Signs are manufactured using a 4mm thick fluted polypropylene material. This low-cost material allows us to provide your own branded signs at an affordable price (perfect for temporary site signage - strong, lightweight and waterproof). Send your high resolution logo/image file at time of ordering for inclusion on site saver signs at no extra cost. If you can't see the sign you require please contact us as we can produce any design on a variety of materials.



Site Saver Safety Notices

• 4mm Fluted Polypropylene • 600 x 400mm

<p>5 5745</p>	<p>5 5752</p>	<p>5 5748</p>	<p>5 5747</p>	<p>5 5751</p>
<p>5 5755</p>	<p>5 5754</p>	<p>5 5753</p>	<p>5 5757</p>	<p>5 5758</p>
<p>5 5762</p>	<p>5 5763</p>	<p>5 5759</p>	<p>5 5760</p>	<p>5 5761</p>
<p>5 5765</p>	<p>5 5767</p>	<p>5 5768</p>	<p>5 5784</p>	<p>5 5787</p>
<p>5 5769</p>	<p>5 5770</p>	<p>5 5771</p>	<p>5 5772</p>	<p>5 5773</p>
<p>5 5774</p>	<p>5 5775</p>	<p>5 5776</p>	<p>5 5777</p>	<p>5 5778</p>
<p>5 5781</p>	<p>5 5782</p>	<p>5 5789</p>	<p>5 5790</p>	<p>5 5791</p>
<p>5 5785</p>	<p>5 5783</p>	<p>5 5786</p>	<p>5 5805 1220 x 810mm</p>	<p>5 5803 1220 x 810mm</p>

Construction & Site Safety

<p>Sign Clip Our sign clip allows easy fixing to posts and fencing.</p> <p>Polypropylene 40 x 10mm 5 8687</p>	<p>Step 1 Position the clip on the front of the sign</p>	<p>Step 2 Place thumbs at the end of the clip and press firmly until the nubs pop through to the rear</p>	<p>Step 3 Position the back plate over the nubs at the rear and click into place</p>	<p>Step 4 Insert cable tie for easy attachment to post or fencing</p>
--	---	--	---	--

Site Saver Amenity Signs • 4mm Fluted Polypropylene • 400 x 400mm

 YOUR LOGO 5 5712	 YOUR LOGO 5 5715	 YOUR LOGO 5 5718	 YOUR LOGO 5 5730	 YOUR LOGO 5 5724	 YOUR LOGO 5 5731	 YOUR LOGO 5 5732
 YOUR LOGO 5 5739	 YOUR LOGO 5 5737	 YOUR LOGO 5 5738	 YOUR LOGO 5 5733	 YOUR LOGO 5 5736	 YOUR LOGO 5 5706	 YOUR LOGO 5 5709
 YOUR LOGO 5 5740	 YOUR LOGO 5 5707	 YOUR LOGO 5 5708	 YOUR LOGO 5 5710	 YOUR LOGO 5 5711	 YOUR LOGO 5 5700	 YOUR LOGO 5 5703
 Site Speed Limit YOUR LOGO 5 5742	 Site Speed Limit YOUR LOGO 5 5743	 Site Speed Limit YOUR LOGO 5 5744	 YOUR LOGO 5 5741	 YOUR LOGO 5 5727	 YOUR LOGO 5 5728	 YOUR LOGO 5 5729

Cable Ties
For easy attachment to post or fencing



150mm	Pack of 10	5 8695	Pack of 50	5 8696
370mm	Pack of 10	5 8698		
770mm	Pack of 10	5 8697		

"YOUR LOGO HERE"
Remember to send us your high resolution logo when ordering for inclusion on your Site Saver Sign

Site Saver Safety Boards • 4mm Fluted Polypropylene • 1220 x 1220mm

<p>SITE SAFETY</p> <p>Under the Health and Safety at Work Act 1974 all persons entering this site must comply with all regulations under this act. All visitors must report to the site office and obtain permission to proceed onto the site or any work area. Safety signs and procedures must be observed and personal protection and safety equipment must be used at all times.</p> <ul style="list-style-type: none"> Warning Dangerous site All visitors must report to the site office Approved personal protective equipment must be worn No unauthorised access <p>YOUR LOGO HERE</p> <p>5 5793</p>	<p>SITE SAFETY</p> <p>Under the Health and Safety at Work Act 1974 all persons entering this site must comply with all regulations under this act. All visitors must report to the site office and obtain permission to proceed onto the site or any work area. Safety signs and procedures must be observed and personal protection and safety equipment must be used at all times.</p> <ul style="list-style-type: none"> Construction work in progress. Parents are advised to warn children of the dangers of entering this site. Safety helmets must be worn High visibility jackets must be worn Unauthorised entry to this site is strictly forbidden <p>YOUR LOGO HERE</p> <p>5 5796</p>	<p>SITE SAFETY</p> <p>Under the Health and Safety at Work Act 1974 all persons entering this site must comply with all regulations under this act. All visitors must report to the site office and obtain permission to proceed onto the site or any work area. Safety signs and procedures must be observed and personal protection and safety equipment must be used at all times.</p> <ul style="list-style-type: none"> Construction work in progress. Parents are advised to warn children of the dangers of entering this site. Safety helmets must be worn Protective footwear must be worn High visibility jackets must be worn Unauthorised entry to this site is strictly forbidden <p>YOUR LOGO HERE</p> <p>5 5794</p>
<p>SITE SAFETY</p> <ul style="list-style-type: none"> High visibility jackets must be worn Protective footwear must be worn This is a hard hat area Danger Stop. Look. Listen. Beware of trucks <p>YOUR LOGO HERE</p> <p>5 5802</p>	<p>SITE SAFETY</p> <p>All visitors & drivers must report to site office</p> <ul style="list-style-type: none"> Construction work in progress. Parents are advised to warn children of the dangers of entering this site High visibility jackets must be worn Report all accidents immediately Protective footwear must be worn Safety helmets are provided for your safety and must be worn Danger Deep excavations Danger Stop. Look. Listen. Beware of trucks No access for unauthorised personnel <p>YOUR LOGO HERE</p> <p>5 5798</p>	<p>SITE SAFETY</p> <ul style="list-style-type: none"> No admittance for unauthorised personnel This is a hard hat area Protective footwear must be worn High visibility jackets must be worn <p>YOUR LOGO HERE</p> <p>5 5801</p>



Multi-Message Banners

• 1270 x 810mm • Banners include Eyelets • 440gsm PVC

Lightweight, durable and weather resistant. PVC banners can be rolled up for easy transportation and storage. Perfect for site safety and advertising messages. Banners are eyeleted for easy fixing to fencing with cable or bungee ties.



SITE SAFETY

Under the Health and Safety at Work Act 1974 all persons entering this site must comply with all regulations under this act. All visitors must report to the site office and obtain permission to proceed onto the site or any work area. Safety signs and procedures must be observed and personal protection and safety equipment must be used at all times.

**Warning
Dangerous site**

All visitors must report to the site office

Approved personal protective equipment must be worn

YOUR LOGO/DETAILS HERE

No unauthorised access

With Branding
1270 x 810mm
5 5137

SITE SAFETY

Under the Health and Safety at Work Act 1974 all persons entering this site must comply with all regulations under this act. All visitors must report to the site office and obtain permission to proceed onto the site or any work area. Safety signs and procedures must be observed and personal protection and safety equipment must be used at all times.

Construction work in progress. Parents are advised to warn children of the dangers of entering this site.

Safety helmets must be worn

Protective footwear must be worn

High visibility jackets must be worn

YOUR LOGO/DETAILS HERE

Unauthorised entry to this site is strictly forbidden

With Branding
1270 x 810mm
5 5118

SITE SAFETY

Under the Health and Safety at Work Act 1974 all persons entering this site must comply with all regulations under this act. All visitors must report to the site office and obtain permission to proceed onto the site or any work area. Safety signs and procedures must be observed and personal protection and safety equipment must be used at all times.

Construction work in progress. Parents are advised to warn children of the dangers of entering this site.

Safety helmets must be worn

Protective footwear must be worn

YOUR LOGO/DETAILS HERE

Unauthorised entry to this site is strictly forbidden

With Branding
1270 x 810mm
5 5119

SITE SAFETY

Under the Health and Safety at Work Act 1974 all persons entering this site must comply with all regulations under this act. All visitors must report to the site office and obtain permission to proceed onto the site or any work area. Safety signs and procedures must be observed and personal protection and safety equipment must be used at all times.

Construction work in progress. Parents are advised to warn children of the dangers of entering this site.

Safety helmets must be worn

High visibility jackets must be worn

YOUR LOGO/DETAILS HERE

Unauthorised entry to this site is strictly forbidden

With Branding
1270 x 810mm
5 5124

SITE SAFETY

Under the Health and Safety at Work Act 1974 all persons entering this site must comply with all regulations under this act. All visitors must report to the site office and obtain permission to proceed onto the site or any work area. Safety signs and procedures must be observed and personal protection and safety equipment must be used at all times.

Heavy plant and machinery operate on this site

Vehicles must not enter the site without the authority of the site supervisor

Unsupervised reversing in and out of site is strictly forbidden

Speed and parking restrictions must be observed

YOUR LOGO/DETAILS HERE

With Branding
1270 x 810mm
5 5125

SITE SAFETY

Under the Health and Safety at Work Act 1974 all persons entering this site must comply with all regulations under this act. All visitors must report to the site office and obtain permission to proceed onto the site or any work area. Safety signs and procedures must be observed and personal protection and safety equipment must be used at all times.

Construction work in progress. Parents are advised to warn children of the dangers of entering this site.

Children must not play on this site

High visibility jackets must be worn

**Danger
Deep excavations**

**Danger
Stop. Look. Listen.
Beware of trucks**

No access for unauthorised personnel

Report all accidents immediately

Protective footwear must be worn

Safety helmets are provided for your safety and must be worn

YOUR LOGO/DETAILS HERE

With Branding
1270 x 810mm
5 5127

SITE SAFETY

Under the Health and Safety at Work Act 1974 all persons entering this site must comply with all regulations under this act. All visitors must report to the site office and obtain permission to proceed onto the site or any work area. Safety signs and procedures must be observed and personal protection and safety equipment must be used at all times.

Construction work in progress. Parents are advised to warn children of the dangers of entering this site.

No admittance for unauthorised personnel

**Danger
Demolition work in progress**

Use ear protectors

This is a hard hat area

High visibility jackets must be worn

Protective footwear must be worn

**Danger
Look out for overhead loads**

YOUR LOGO/DETAILS HERE

With Branding
1270 x 810mm
5 5128

Bespoke Banners

Your message here

Your message here

We can create custom banners using supplied images, text and company logos. Contact us quoting the following codes:

Code	Size
5 5096	1270 x 610mm
5 5097	1270 x 1270mm
5 5098	2440 x 1270mm

When ordering these banners please supply company details and a high resolution logo.

Bungee Ties



300mm length
Pack of 4
5 5141

Cable Ties



Pack of 10
150mm 5 8695
370mm 5 8698
770mm 5 8697

Pack of 50
150mm 5 8696



Multi-Message Banners

• 2440 x 1270mm • Banners include Eyelets • 440gsm PVC

5 5084

5 5085

5 5086

5 5129 Maximum of 8 messages - Please confirm requirements when ordering

Safety Message Banners

• 1270 x 610mm • Banners include Eyelets • 440gsm PVC

5 5088

5 6456

5 5087

5 3215

5 2011

5 2012

5 5093

5 5094

5 5095

5 5089

5 3221

5 5090

5 5092

5 5091

5 6470



Barriers

Barrier Tape



Non-adhesive Polythene
75mm x 250m
5 8622



Non-adhesive Polythene
75mm x 250m
5 8623



Non-adhesive Polythene
75mm x 250m
5 8629




Non-adhesive Polythene
75mm x 250m
5 8607



Non-adhesive Polythene
75mm x 250m
5 8624



Non-adhesive Polythene
75mm x 250m
5 8634




Non-adhesive Polythene
70mm x 500m
5 8620



Non-adhesive Polythene
70mm x 500m
5 8621

Reflective Barrier Tape

Complete with retro-reflective warning stripes for added night time visibility.



Non-adhesive Reflective Polythene
75mm x 250m
5 8649

Barrier Tape Dispenser

Hand held dispenser with serrated cutting edge. Allows quick and easy deployment of barrier tape.



5 8652

Underground Warning Tapes

Underground tape marks the position of buried pipes and cables.

High visibility 100% virgin grade plastic with resistance to fading and high resistance to acids, alkalis and oils.



150mm x 365m
5 8636



150mm x 365m
5 8637



150mm x 365m
5 8638


Cone Barriers

Cone Barrier unit connects cones together to cordon off 'work in progress' areas utilising 3.65m of retractable, high visibility chevron webbing.


Fits over the top of most standard traffic cones and is suitable for motorway maintenance, road-works and Health & Safety barriers.

This low cost and flexible solution ensures safety and ease of use.

Chevron Webbing
150mm x 3.65m
5 7983 *Cones not included



Plastic Expanding Barrier



Innovative, lightweight expanding barrier which collapses down into its own frame, allowing it to be easily carried like a toolbox. Ideal for fencing off hazardous areas.

- Distinctive red and white with reflective safety panels
- Manufactured from 100% recycled plastic
- Expands to a maximum length of 2100mm
- Collapses to just 155mm wide when stowed
- End columns are 1065mm high, with main barrier at 960mm high
- Water fillable for stability and ballast
- Barrier weighs only 7kgs (when empty)

57849

Workguard Folding Barrier



One piece, lightweight, portable folding barrier system, conforming to UK traffic signs manual Chapter 8, supplied ready assembled with 3 or 4 sides. Single sided reflective red and white flexible panels.

3 Sided | 4 Sided
5 7988 | 5 7989

Extending Barrier



Space saving metal barrier. Stands 1 metre high and expands to 3 metres in length.

Weight: Approx 8kg
3000 x 1000mm

5 7994

A tagging and checklist system designed to help companies improve safety, reduce maintenance costs and comply with legislation by spotting potential faults early, before they develop into a more costly or serious defect. This simple but highly effective Safe Equipment Management System allows pre-use checks to be completed on workplace equipment and the findings clearly displayed for all to see, removing any doubt as to when the last check was completed. A perfect addition to any safety or maintenance management programme, in accordance with PUWER (Provision & Use of Work Equipment Regulations), LOLER (Lifting Operations and Lifting Equipment Regulations) and WAHR (Working at Height Regulations), helping to ensure workplace equipment is always good to go.

Status Tag

Attach to workplace equipment (usually at point of entry) and advise employees when the equipment is "Good to Go" following a pre-use inspection. If a fault is found then the tag can display a "Do not use" message to quarantine the equipment until further notice.

- Manufactured from tough, durable, highly visible polypropylene
- Weather resistant and UV stable
- Channelled base allows flush fitting onto scaffold tubes
- Fixing options include cable ties, screws, rivets or adhesive
- Displays "Do not use" message until completed checklist is inserted
- Displays date of audit when used in conjunction with check book

Polypropylene
H120 x W52 x D13mm
5 1301




Check Books

Each Check Book includes comprehensive checklists to help companies meet their obligations to relevant legislation and industry guidelines. Duplicate copies of each completed checklist are created and retained within the check book, providing invaluable evidence of your Equipment Management System in the event of an accident.

- 25 individual checklists in each book
- Includes useful guidance notes for inspection procedures
- Carbon copies are retained within the check book
- Each checklist has a unique sequential number to aid audit and management documentation
- An integral addition to your maintenance and H&S programmes
- Sign & date, insert into tag and inform of equipments status

Custom solutions available. Please let us know if you have a specific requirement for equipment we don't currently offer.



Forklift	Ladder	Pallet Truck	Scaffold Tower	Racking	Fixed Scaffolding	Harness	MEWP	Excavator	Podium Steps	Tractor	Trailer	Fleet Vehicle	Overhead Crane	Forklift Basket	Loader Crane	Bespoke
5 1302	5 1304	5 1336	5 1303	5 1305	5 1319	5 1325	5 1322	5 1342	5 1330	5 1345	5 1339	5 1306	5 1351	5 1348	5 1354	5 1317

Wallet & Pen

This useful Wallet & Pen will protect the check book from general wear and tear whilst in use and it provides a solid writing surface while you are on the move.

Includes guidance notes on how to use the system.

PVC Coated
250 x 235 x 3mm (Flat)
5 1308



Tamper Seals

An optional extra which can provide a visual indicator that the checklist in place is verified. If the seal is missing, the equipment should not be used and a new check should be completed.

A useful add on when quarantining faulty equipment.

Polypropylene
Supplied in a box of 100
5 1307



Weather Resistant Folder

These industrial strength pockets are perfect for storing Check Books and equipment manuals. With a press seal fastening to keep those important inspection checklists clean and dry.

Self adhesive strip for permanent fixings.

Clear PVC
Can hold A4 documents
5 8109



Dispenser

Suitable for storing check books in a central location for quick access.

- Holds up to 10 Check Books
- Can be wall mounted - Pre-drilled

Clear Acrylic
H165 x W117 x D76mm
5 8099



Attach the status TAG at point of entry

Use a CHECK book to complete an inspection

Complete the checklist and RECORD the findings

Remove the top sheet and INSERT into the status tag

SECURE the tag by fitting a tamper evident seal

The tag will now DISPLAY the date and findings

Annual Kits

Regular equipment inspections can help identify potential faults before they develop into costly and dangerous defects. The frequency of inspection can be defined by a wide range of variants. On occasion, legislation will set out the specific time period that checks must be made or alternatively a risk assessment may define how often checks should be completed, based upon the level of risk and the potential outcome if a fault goes undetected. Using the Good to Go Safety system will help you improve safety, reduce maintenance costs and enable you to comply with legislation.



Weekly Inspection Kit

The Weekly Kit provides you with everything required to carry out 50 inspections - Ideal for one year of weekly inspections.

1 x Status Tag

Attach to the equipment and show its status.

2 x Check Books

(50 inspections) allowing one to be completed each week and the findings displayed inside the status tag.

100 x Tamper Evident Seals

Deter and identify unauthorised access to the status tag.

1 x Wallet


Store the current book and provide a suitable writing surface when completing checklists.

1 x Pen

Store inside the Wallet to ensure there is always a way to record findings.



Forklift	Ladder	Pallet Truck	Scaffold Tower	Racking	Fixed Scaffolding	Harness	MEWP	Excavator	Podium Steps	Tractor	Trailer	Fleet Vehicle	Overhead Crane	Forklift Basket	Loader Crane	Bespoke
51309	51311	51337	51310	51312	51320	51326	51323	51343	51331	51346	51340	51328	51352	51349	51355	51333



Daily Inspection Kit

The Daily Kit provides you with everything required to carry out one daily equipment inspection for a full year (Based on a 5-day working week)

2 x Status Tags

Attach to the equipment and show its status.

11 x Check Books

(275 inspections) allowing one to be completed each day and the findings displayed inside the status tag.

300 x Tamper Evident Seals

Deter and identify unauthorised access to the status tag.

1 x Wallet

Store the current book and provide a suitable writing surface when completing checklists.

1 x Pen

Store inside the Wallet to ensure there is always a way to record findings.



Forklift	Ladder	Pallet Truck	Scaffold Tower	Racking	Fixed Scaffolding	Harness	MEWP	Excavator	Podium Steps	Tractor	Trailer	Fleet Vehicle	Overhead Crane	Forklift Basket	Loader Crane	Bespoke
51313	51315	51338	51314	51316	51321	51327	51324	51344	51332	51347	51341	51329	51353	51350	51356	51334

Kits are supplied in a reusable box enabling books to be stored / filed securely. Replacement components can be purchased independently as and when required.



Our range of safety posters has been designed to reinforce the importance of completing pre-use inspections and are perfect accessories to our Good to Go Safety inspection systems. These posters provide a strong visual reminder to people, showing what they should be looking for during a pre-use inspection and highlights components included in the actual checklists. Produced on tough, durable, wipe-clean synthetic paper they are suitable for both internal and external use, making them perfect for displaying in even the harshest of environments. Rolls up for easy storage but won't tear or delaminate – can be easily positioned using pins, tape, adhesive or poster frames. A perfect addition to your safe equipment management systems.

Pre-use Inspection Posters • 420 x 594mm • Synthetic Paper



5 1360



5 1361



5 1364



5 1362



5 1367



5 1365



5 1363



5 1366

Posters for additional equipment types will be added throughout the year. If you can't see the poster you require please contact us to check availability

Information Board

A wall mounted information station provides details of the Good to Go Safety inspection process whilst offering easy access to check books in a central location. Ideal for warehouses, factories or busy workplaces.

Add your company logo for no additional charge

Includes 5 Check Book Dispensers

Each dispenser holds up to 10 check books (not included).

Dispensers are supplied with high bond adhesive backing for easy application to board.

The board is easily drilled for wall mounting

Allows easy visual awareness when replacement books need to be ordered

To add your company logo, please supply us with a high resolution file when placing your order.

See page 125 for additional dispensers

10mm Foam PVC
700 x 750mm
5 1335



External Fixings

Whatever the sign, we can supply the necessary fixings to ensure it is clearly visible using sign frames, adhesives, posts and clips, screws and cable ties. For traffic sign frames see page 104.

Grey Steel Posts



Grey painted steel pole for sign attachment available in a range of different lengths and diameters.

Grey Steel 76mm x 3.6m	5 8684	Grey Steel 50mm x 3m	5 8769
76mm x 2.5m	5 8675	50mm x 2.5m	5 8676
76mm x 1.75m	5 8688	50mm x 1.5m	5 8800

Anti-Rotational Post



No more site visits to straighten twisted signs. This post prevents signs being rotated. It accepts standard clips, base plates and external caps.

Grey Steel 3m x 76mm dia (30mm galvanised flat front)	5 8683
--	--------

Post Caps



Grey plastic cap which fits onto the end of a post for a professional looking finish.

Grey Plastic 50mm Diameter	5 8750	Grey Plastic 76mm Diameter	5 8685
-------------------------------	--------	-------------------------------	--------

Anti-Rotational Clip



Simple sign installations are achieved by inserting the 'foot' into the sign channel, and twisting the clip through 90°. The other end is then secured by the bolt. Raised lips on the inner help prevent sign rotation.

Stainless Steel 50mm Diameter	5 8640	Stainless Steel 76mm Diameter	5 8682
----------------------------------	--------	----------------------------------	--------

Base Plate



Zinc coated steel base plate. Recommended for secure and level anchoring of sign posts. Install approximately 600mm below the surface.

Steel 50mm Diameter	5 8699	Stainless Steel 76mm Diameter	5 8686
------------------------	--------	----------------------------------	--------

2 Piece Saddle



Two piece design features a saddle that slides into the sign channel. The saddle accepts all bands up to 19mm (3/4") and as the band tightens the saddle clamps tightly against the channel holding the sign securely in place.

70 x 30 x 30mm	5 8754
----------------	--------

Back to Back Clips



Allows 2 signs to be fitted back to back to a steel post

Back to Back clips are fitted with M8 bolts. Two clips are required per channel whether one or two post mounting. Supplied in pairs.

Stainless Steel 50mm	5 8689	Stainless Steel 76mm Diameter	5 8725
-------------------------	--------	----------------------------------	--------

Banding Tool and Straps



Has a tensioning capability of 2,400lbs and a built-in cutter for use with banding straps up to 19mm wide. Firstly, Push band through buckle teeth towards the operator, ears up. Pass band around object and again through buckle. (For best results repeat this operation to obtain double banding). Anchor end of band by folding back under buckle. Take up slack. Then place band in slots of tool and push nose of tool against the buckle. Grip band with clamping lever and apply tension by turning handle. Maximum pressure is being applied when there is no appreciable movement of band between nose and clamping block. Then you can swing tool over buckle. This movement increases tension of band and, to avoid breakage, handle must be reversed slightly as tool is swung over, whilst maintaining band tension. Cut band with cutter lever and slide tool off in same position (or tension will be lost). Finally, hammer ears down over cut band.

Banding Tool	Banding Strap 19mm x 30m	Banding Buckle Pack of 10
5 8751	5 8752	5 8753

Tamtorque Clamps & Driver



Tamtorque sign fixing clamps have been designed for clamping signs to all types of posts. They give a quick and reliable fix to round, square or hexagonal posts every time. It removes the need to cut the band to size and therefore have no sharp edges which can snag or cut. Unlike other banding systems, the tamtorque clamp can be easily reused or readjusted. Tamtorque clamps are manufactured from high strength stainless steel and have a hardened tamper resistant screw with a unique recessed seven sided socket. This means that they can only be tightened or released with a special Tamtorque driver. An auto locking safety buckle ensures the free end of the band is safely tidied away.

Stainless Steel 70-100mm Dia Post	5 8772	Stainless Steel 100-130mm Dia Post	5 8774	Stainless Steel 130-190mm Dia Post	5 8778	Stainless Steel 190-250mm Dia Post	5 8780	Tamtorque Driver	5 8770
--------------------------------------	--------	---------------------------------------	--------	---------------------------------------	--------	---------------------------------------	--------	---------------------	--------

Installation Guide



1. Thread the band through the two-piece saddle and around the post.



2. Screw the band through the housing using the driver or power tool.



3. Push any remaining band into the buckle for a safe, tidy finish.



4. Hold down any excess band while finally tightening.



5. Tamtorque can be released and re-positioned if required.

Internal Fixings

Floor Stand



This chrome finished floor stand allows a suspended frame to be slotted onto the top to provide an instant free-standing sign.

Base and frame can be removed for easy storage and transportation.

Floor stand is 1100mm high, excluding the suspended sign frame which is sold separately.

Chrome Finish
1100mm Height
5 8726

Suspended Frames



This impact resistant polyvinyl plastic frame is an ideal solution to hanging signs. It can be used both single or double sided and is supplied complete with suspension kit for easy installation.

Colour	300 x 100mm	450 x 150mm	600 x 200mm
White	5 8700	5 8701	5 8702
Black	5 8716	-	5 8717
Grey	5 8681	5 8680	5 8674
Red	5 8706	-	5 8707
Green	5 8703	5 8704	5 8705
Blue	5 8720	-	5 8721
Yellow	5 8713	-	5 8714

Adapt-a-Sign Frames



Adapt-a-sign's enable you to print off your own message and insert inside. A perfect solution for displaying constantly changing information and messages.

Clear PVC with 10mm border
Holds A4 sheet

Colour	215 x 310mm
Black	5 6197
Red	5 6191
Green	5 6192
Blue	5 6193
Yellow	5 6194

Suspension Kit



For easy attachment of lightweight signs to ceiling.

Two 150mm Wire Hooks
Two Self Adhesive Ceiling Buttons
5 8100

Brass Suspension Kit



Polished brass for a prestigious solution to ceiling fixing.

1.2m Brass Chain and Four Brass Hooks
Two Self Adhesive Ceiling Buttons
5 8729

Ceiling Hook Holder



Ideal for suspending signs up to 10kg

36mm Diameter x 60mm
Two 150mm Wire Hooks
5 8110 - Supplied in pairs

Ceiling Button



Self Adhesive White Plastic
20 x 20mm - Pack of 10
5 8106

Fixing Clip



Clear Plastic
20 x 20mm - Pack of 10
5 8104

Magnetic Hook



5kg load capacity
13 x 36mm - Supplied in a pair
5 8087

Large Fixing Clip



White Plastic
20 x 30mm - Pack of 10
5 8727

Adhesive Pad



Self Adhesive Tabs
10 x 25mm - Pack of 4
5 8724

Hook & Loop Dots



Self Adhesive Tabs
20mm Diameter - Pack of 10
5 8728

Double Sided Tape



Acrylic High-Bond Tape
33m x 25mm
5 8105

Sign Adhesive



Silicone
310ml
5 8694

Sign Adhesive Gun



Silicone Gun
5 8693

Poly Top Screws



Pack of 12

Red	5 8777	Green	5 8773	Black	5 8781
Blue	5 8771	Yellow	5 8779	White	5 8775

Cable Ties



150mm - Pack of 10 5 8695
150mm - Pack of 50 5 8696
770mm - Pack of 10 5 8697
370mm - Pack of 10 5 8698

Sign Clips



Sign clip for site saver signs.
Easy fixing to posts or fencing
5 8687

Bungee ties



300mm Length
Pack of 4
5 5141


Standard Specials

Standard Safety Sign Specials

We pride ourselves on having the most comprehensive health and safety sign range on the market, but we do appreciate that every workplace is different and will have different signage needs. With this in mind we offer "Standard Specials". Choose any symbol from our catalogue and by adding your own text we can create a sign that gets your exact message across whilst still complying to all UK safety sign legislation. Your company logo can also be added to make your sign completely personalised (prices on application).

Step 1. Decide on the Sign Style

The Health & Safety (Safety Signs & Signals) Regulations require employers to ensure their employees receive training in the meaning of safety signs. Employees should understand the meaning of symbols and colours used on a safety sign.

	<p>Prohibition</p> <p>Indicates an action or behaviour that must not be committed.</p>		<p>Mandatory</p> <p>Indicates a course of action to be followed or equipment to be used.</p>		<p>Warning</p> <p>Advises of a potential threat or hazard to health within an area.</p>
--	---	---	---	---	--

Step 2. Select the Material

Deciding on your sign message is only the first step. When ordering a sign, thought should also be given to where that sign is going to be displayed. Consider the environment it will be located within – is it internal or external? Is it for display in a warehouse or a prestige hotel? – This list is not exhaustive so if you can't see the product you require please contact our sales team and we will be happy to quote in the material of your choice.

Rigid Plastic



Easily drilled, white, glossy, rigid PVC plastic. Lightweight with high impact strength, suitable for internal and external use.

Self Adhesive Vinyl



High gloss, flexible PVC with self adhesive backing. Suitable for most smooth, dry and clean surfaces. Ideally suited for indoor use.

5mm Foam PVC



Bright white, lightweight and waterproof. Easily drilled for fixing. Ideal for external site safety boards.

Aluminium



0.9mm aluminium with gloss white powder coating. Suitable for both internal and external applications. Excellent weathering and UV resistance provides a long-life product.

Aluminium Composite



3mm, white aluminium skin with a polyethylene core. Lightweight & weather resistant. Ideal for external site safety boards. No scrappage value reduces risk of theft.

Step 3. Select the Size

Prohibition




Material	200 x 150mm	200 x 200mm	210 x 297mm	300 x 100mm	400 x 300mm	450 x 150mm	600 x 200mm	600 x 400mm	600 x 450mm
Rigid PVC	59301	59300	59346	59253	59252	59298	59251	59250	59299
Vinyl (SAV)	59305	59304	59347	59257	59256	59302	59255	59254	59303
5mm Foam	59313	59312	59349	59265	59264	59310	59263	59262	59311
Aluminium	59309	59308	59348	59261	59260	59306	59259	59258	59307
Composite	59365	59364	59366	59361	59360	59362	59359	59358	59363

Mandatory



Material	200 x 150mm	200 x 200mm	210 x 297mm	300 x 100mm	400 x 300mm	450 x 150mm	600 x 200mm	600 x 400mm	600 x 450mm
Rigid PVC	59317	59316	59350	59269	59268	59314	59267	59266	59315
Vinyl (SAV)	59321	59320	59351	59273	59272	59318	59271	59270	59319
5mm Foam	59329	59328	59353	59281	59280	59326	59279	59278	59327
Aluminium	59325	59324	59352	59277	59276	59322	59275	59274	59323
Composite	59374	59373	59375	59370	59369	59371	59368	59367	59372

Warning




Material	200 x 150mm	200 x 200mm	210 x 297mm	300 x 100mm	400 x 300mm	450 x 150mm	600 x 200mm	600 x 400mm	600 x 450mm
Rigid PVC	59333	59332	59354	59285	59284	59330	59283	59282	59331
Vinyl (SAV)	59337	59336	59355	59289	59288	59334	59287	59286	59335
5mm Foam	59345	59344	59357	59297	59296	59342	59295	59294	59343
Aluminium	59341	59340	59356	59293	59292	59338	59291	59290	59339
Composite	59383	59382	59384	59379	59378	59380	59377	59376	59381

Step 4. Supply your Required Text

Supply the text you would like on the sign in no more than 25 words. We will then select the appropriate symbol to go with the message and manufacture the sign to your exact specification.

Step 5. Confirm Orientation

Please advise the preferred orientation for your sign.



Fast Track Standard Special Order



When creating standard specials, we will use our expertise to include the correct ISO 7010 symbol wherever possible or advise of alternative options if required. If you are unsure what can or can't be included on the sign then please get in touch and we'll be happy to offer help and advice.

Why not get creative with Standard Specials and get your staff talking with some temporary, off the cuff, or seasonal signs – catching attention with one sign can help to get your other safety signs noticed and reduce the possibility of 'sign blindness' whereby over time, people see the same sign every day and eventually don't give it the regard or attention it demands.

If you need something a little more specific then see our Custom Made Sign options on page 132-133.

Skip all these steps and email your design into us.

Why not sketch it up on a piece of paper then scan it or take a quick photo and send us the image via email.

Want a generic safety symbol with a custom message? Just tell us the message and we'll do the rest.



Unsure of the correct symbol for your custom message? We'll use our expertise to advise you.



Know exactly the symbol and message you require? Simply let us know and we'll produce to your specifications.




Remember to include the material, size, text, orientation and symbol you wish to use on the sketch. If you want to include a logo remember to attach a high resolution version and send via email.



Custom Made Signs

If you have never ordered a custom sign before, there are a few things to consider. As you get started, take the following into consideration.




Material

Is your sign for an inside or outside environment? Select the most suitable material for your sign location from the choice below.



Size

No matter what they say, size does matter. Size depends on the viewing distance. Great care should be taken when selecting your size. Additional help can be found on page 2.



Placement

How your sign is mounted will make a difference in what type of finishing it has. If fixed to a post then channelling may be required or maybe you require pre-drilled signs?



Message

Keep your content short, distinct and specific to maximise the likelihood of it being noticed and read.



Font

Consider the size, typeface and colours of your font to maximise visibility and keep it consistent with your corporate style.



Logos

Instil company pride and raise brand awareness by adding your corporate branding to stand out from the crowd.



Colour

Help your message stand out with colours. We advise the use of colours within your companies branding or colours that will compliment your companies branding.



Full Colour Images

Personalise your sign with a photograph of your facility, an employee, or whatever you choose. Ensure your photography is high enough resolution for sign size.

Images & Logos

The images / logos that you send to us must be high resolution. An EPS or Ai file of your company logo would be ideal however we understand that many companies only have JPEG or PDF files. JPEG and PDF files can be suitable if they are high quality. **Taking a logo from the home page of a website will not do.**



If you are finding it difficult to find a high resolution logo you can sometimes find it via [images.google.com](https://www.images.google.com) simply drag your low resolution logo file into the search bar and Google will search the internet for images which are similar. If there are any higher resolution logos found on the internet they will load. If all else fails we can reproduce your logo so it prints correctly - additional charges will apply.

There are many websites that provide free stock images such as [pexels.com](https://www.pexels.com) or [pixabay.com](https://www.pixabay.com). You can utilise these to create truly bespoke signs.

Text & Instructions

Supplying our team with clear precise instructions will ensure you receive your sign exactly the way you'd like. When emailing these instructions please include the following:

- Code, (Size & Material)
 - Colour choices
 - Message of choice
 - Font / Upper or lower case
 - Fixings / Drill holes etc
 - Image placement
 - Logo placement
 - Quantity
- e.g.** 59416 (1200 x 800mm Rigid PVC)
 Logo at top centre of sign (sending via mailbigfile.com)
 Image below the logo (see attached)
 Message below image (see below)

Material Descriptions Other materials available on request.



Rigid Plastic

Easily drilled, white, glossy, rigid PVC plastic. Lightweight and strong, suitable for internal and external use.



Self Adhesive Vinyl

High gloss, flexible PVC with self adhesive backing. Suitable for most smooth, dry and clean surfaces. Ideally suited for indoor use.



3mm Foam PVC

Bright white, lightweight and waterproof. Easily drilled for fixing. Ideal for external site safety boards.



Aluminium

0.9mm aluminium with white powder coating. Suitable for both internal and external applications. Excellent weathering and UV resistance.



Aluminium Composite


3mm, white aluminium skin with a polyethylene core. Lightweight & weather resistant. Ideal for external applications due to it's zero scragpage value.



Reflective Aluminium

0.9mm aluminium with RA1 engineering grade reflective coating. For use on Road traffic signs. For R2 reflective please call for a quote.

Custom Size Grid Remember to advise the preferred orientation for your sign.



Material	210x297mm	300x100mm	400x300mm	450x150mm	600x200mm	600x400mm	600x450mm	900x600mm	1050x750mm	1200x800mm	1200x1200mm
Rigid PVC	5 9450	5 9403	5 9402	5 9421	5 9401	5 9400	5 9420	5 9419	5 9418	5 9416	-
Vinyl (SAV)	5 9451	5 9407	5 9406	5 9427	5 9405	5 9404	5 9426	5 9425	-	-	-
3mm Foam	5 9453	5 9415	5 9414	5 9439	5 9413	5 9412	5 9438	5 9437	5 9436	5 9434	5 9435
Aluminium	5 9452	5 9411	5 9410	5 9433	5 9409	5 9408	5 9432	5 9431	5 9430	5 9428	5 9429
Composite	5 9395	5 9388	5 9387	5 9394	5 9386	5 9385	5 9393	5 9392	5 9391	5 9389	5 9390
Reflective	5 9454	5 9443	5 9442	5 9449	5 9441	5 9440	5 9448	5 9447	5 9446	5 9444	5 9445

Custom Made Signs




Fast Track Customs

With a team of talented graphic designers and several printing processes (including digital and screen) available, we can provide the ideal solution for any environment. Whether it's a prestigious hotel or an after school club, our custom made signs allow you to get creative and provide a truly unique signage solution. The starting point is your imagination (or someone else's if you've seen something you like) – once you know how you want your sign to look simply provide us with the relevant artwork or send us an image or sketch of your signage idea and we can deliver in a range of materials and sizes.

We can supply you with a visual of the finished artwork for approval before the sign is manufactured – please request at time of ordering. If you cannot find the size or material that you require then call us and, wherever possible, we will be happy to quote for anything outside of normal range.

Why not use one of the following options to Fast Track your custom made sign? Did you know that using one of these options reduces administration and production time plus eliminates the risk of error.



Scan it

Mock up your desired sign, scan it and send us the image. Please don't worry if you're not artistically inclined just remember to include material, colour, text and sizes then we'll turn your sketch into a masterpiece.

Remember you'll still need to send us your images & logos

*We will not be held accountable for quality if an insufficient logo or image has been supplied. Additional charges may apply for the reworking of poor quality files.



Snap it

If you've seen the sign you require simply take a photo of it and send us the picture. We'll then mock up the design based on your instructions and send you a proof to approve.

Printing Processes

We have several printing processes which we use on a regular basis, dependent upon volume, sign environment, graphical content or even just personal taste. Here are some of the more popular options available to you:



Screen Printing

This is the method used for printing the majority of signs within our catalogue. A proven method of printing, ideal for manufacturing medium to high quantity print runs. This manual production method ensures high quality of print and consistency of colour combined with a flawless finish.



Digital Print

A relatively new technique using state of the art wide format digital printers and flatbed machines. Ideal for short production runs or signs that require full colour images to be included in the job. We are able to digitally print directly onto a wide range of materials.



Engraving

The precision routing of computer generated designs provide a tactile, prestige finish to a sign message. The use of layered substrate materials allows the top surface to be cut away to uncover the contrasting colour of the lower layer. Ideal for door signs and valve tags.



Vinyl Graphics

Computer cut vinyl graphics can be applied to a substrate or used on windows. Pre-spaced, ready to apply vinyl lettering or graphics can be applied to almost any flat, dry and clean surface.

Index

Bold titles within this index are category headers, as highlighted on page 1 of the catalogue.

0-9

2 Piece Saddle	128
5S Management	62,65
6S Management	62,65

A

A4 Signs	12,14,21,22,24,28-31,36,82,111
A5 Signs	9,21,28,29,38
ABC Powder	4,5,54,57
Abrasive Wheels	24,36,89
Abusive Language	50
Access - Prohibition	23,41,43,45,111,121
Accident Report Book	83
Acetylene	27
Acids	27,41,70
Acrylic Signs	4,54
Adapt-A-Sign	53
Adhesives	129
Adr Products	92-96
AED	82
A-Frame Signs	23,34,50,52,60,72,91
Alarmed	15,30,80,81
Alcohol	4,22,50,70
All Drivers Report To	100,103,108,120
All Gender	46
Allergy	33,50
Ammonia	27
Anti Climb Paint	30,81
Anti Rotational Clips	128
Anti-Slip Products	18,28,74,76,77
Apologies for any Inconvenience	103,108,110
Arc Welding	29,111
Armband	8,82
Asbestos	26,41,111
Assembly Point	19,64,100
Assistance	48,52
Authorised Person	45,47,79
Automatic Door	29,47

B

Baby Changing	46,48
Back To Back Clips	128
Badge Wallet	80
Ball Chain	56
Banana Cone	35
Banding Straps	128
Banding Tool	128
Banksman	24,68,109,120
Banners	91,116,117,122,123
Bar	50
Barbed Wire	30,81
Barricade	35,61,78,79,124
Barrier	35,61,78,79,124
Barrier Tape	60,124
Base Plate	128
Bathroom	50,55
Battery Acid	27
Battery Charging	29,42,43,60,88,111
Bend Ahead	102
Bespoke Signs	130-133
Bike Rack	101
Bin Signs	20,39,40,59
Bins	20
Biohazard	26,41
Bird Deterrent	81
Boots	25,36,37,64,75,110,114,121,122
Bottles (Recycle)	51,58,59

B... continued

Boys	46,51
Braille	5,6,14,16,22,28,48
Break Glass	6,15
Broom	63
Bucket	63
Building Waste	58,59,117
Bump Cap	36
Bungee Ties	122
Buried Cables	31,124
Burns First Aid	83,84
Busbars	31

C

Cable Protector	77
Cable Ties	129
Call Point	6,9,10,12,57,64,93
Cameras	25,28
Canteen	46,121
Car Park	11,47,50,98,99,107,108,123
Car Park	98-101
Cardboard (Recycle)	51,58,59
Catering	40
Caustic	27,70
CCTV	30,42,80
Ceiling Hooks	129
Chains	35,56,79,129
Changing Room	46,48,52
Check Books	125-127
Checklists	125-127
Chemical Store	27,41
Chemicals	27,89,94
Children	21-23,52,84,100,102,105,108,111,117,120
Chlorine	27
Cigarette Bin	20
Clamping	81,99
Clean Up	39,40,47,62
Clean Your Hands	39,40,51,69,84
Cleaning In Progress	34,50,60,61
Cleaning Station	63
Close Door	12,13,47,59
CLP	42,89,92-94
CO2	4,5,7,54,57,70
Column Protector	66
Compressed Air	27,28,70
Compressed Gas	27,92,93
Concealed Entrance	109,120
Cone Barrier	35,124
Cone Signs	107
Cones	35,107,124
Conference Room	46,55,118
Confined Space	29,45,86
Construction	110-124
Construction Site	29,45,88,110,111,117,119,120,123
Construction Traffic	103,109,120,123
Corrosive	27,41,92,93
Coshh	94
Courtesy Sign	116,118
Crawling Board	45
Crushing	29,32,111
Custom Signs	130-133
Customer Parking	46,98,100
Cycling	58,97,101
Cylinders	39,92,96

D

Daily Inspection Kits	126
Danger of Death	31,33
Dangerous Site	110,114,121,122
Dangerous Substance	27,89
Deep Excavations	29,111,113,122
Deep Water	28,45,61

D... continued

Defibrillator	82
Deliveries	98,108
Deluxe Signs	54-57
Demolition	29,111,113,117,120-123
Design your Own	130-133
Designated Area	20,37,110,121,123
Designated Smoking	20
Diesel	46,70,95
Director	98,100
Disabled (Fire Exit)	16,17
Disabled (Parking)	49,77,97,98,100,102
Disabled (Toilet)	46,48,54,55,57
Dispensers	38,124,125,127
Display Screen	87
Diversion	100,105,107,108,120
Do Not Climb	25,45,68
Do Not Close	25,72
Do Not Distract	24,97
Do Not Disturb	41,50,55
Do Not Enter	41,60,124
Do Not Obstruct	23
Do Not Operate	24,25,32,43,72
Do Not Remove	5,24,30,117
Do Not Reverse	24,68,109,120
Do Not Sit	23,24
Do Not Stand	23,43
Do Not Step On	23,45
Do Not Switch On/Off	24,25,43,51,72
Do Not Touch	23-26,40,43,93
Do Not Use	5,24,25,45,61,68,72,117
Do Not Use Lift	10,24
Do Not Walk	23
Document Pockets	67,119,125
Dogs	23,30,39
Door Hanger	50
Door Plates	13,17,55
Door Screen Sign	61
Door Sliders	55
Drain Isolation	60
Drinking Water	48,50,51,70,83
Drinks	50
Drive Slow	39,43,52,75,100,101
Drones	25,81
Drugs - Prohibition	22,24,50,97
Dry Riser	7
Dry Wipe Board	90
Drying Room	118,121
Dsear	89
Dust	27,41
Dustpan	63
DVD	86

E

Ear Protection	37,38,41,64,110
Easy Wipe Magnetic Strip	67
ECE 70 Vehicle Plates	96
Electric Fence	30,81
Electric Shock	31,83,84
Electric Vehicle	39,98
Electrical Cables	31,34,124
Electric Warning Labels	30
Electric Warning Signs	30
Electronic Cigarettes	20,22
Electronic Devices	25,52,81
Elevator Guard	35,61
Embossed Adr Plates	95
Emergency Escape	14-19
Emergency Lighting	17
Emergency Spill Kit	60,83
Emergency Stop	83
Emergency Vehicles	12,108,109

E... continued

Employees Only	23,39
Engraved	50,55,56
Entrance	22,47,48,98,103,107,108,109,120,123
Environmental	58-63
Environmental Hazard	92,93
Escape Route	11,12
ESD	31
Evacuation Chair	16,82
Exam	52,55
Excavations	29,111,113,122
Expanding Barrier	124
Explosive	26,92,93
Explosive Atmosphere	26,42
Extinguisher	4-8,48,57,64,85,93
Eye Safety	36-38,41,64,74,75,84
Eye Signs	69,80
Eye Wash	82,84

F

Face Shield	37
Factory Signs	64-70
Failed	32,65
Falling (Risk Of)	28,45,111
Falling Objects	29,111,123
Fire Action Notice	9,10,11,16,53,57,64
Fire Alarm	6,11,12,48,53,64
Fire Assembly Point	19,64
Fire Blanket	7,57
Fire Door	12,13,55,57,64,93
Fire Equipment	5,7
Fire Escape	12,13,74
Fire Exit	12-18,48,54,57,64,75,81,120
Fire Exit Keep Clear	12,13,15,64,74,75
Fire Extinguisher	4-8,48,54,57,64,85,93
Fire Hose	6,93
Fire Hydrant	7
Fire Log Book	8
Fire Marshal	8
Fire Point	7
Fire Posters	7,8
Fire Safety	4-13
Fire Training	7
Fire Warden	8,53
First Aid	48,57,64,82-84,121
First Aider	53,82
Fixings	128,129
Flammable	5,27,41,42,92,93
Flammable Gas	27,92
Flammable Liquid	5,27,42,92
Flood	105
Floor Cleaning	74
Floor Graphics	18,28,74-76
Floor Marking	18,28,74-76
Floor Safety	74-79
Floor Stand	20,129
Flu	40,84
Flush	25,40,51
Fly Tipping	25,81,109
Foam Extinguisher	4,5,54,57
Folding Adr Plates	95
Folding Barrier	124
Fold-Up Signs	95,106,107
Food Allergy	33,50

F... continued	
Food Hygiene	22,25,40,58
Footpath	106
Footway	105,107,109,120
Footwear	25,36,37,64,75,110,114,121,122
Forklift - Inspections	44,125-127
Forklift - Mandatory	39,43,44
Forklift - Prohibition	24,44,75
Forklifts - Warning	28,34,43,44,68,74,75
Fragile Roof	29,45,81,111,117
Frame - Hanging	90,129
Frame - Poster	90
Frame - Traffic	98,103,104,106
Free Standing Signs	23,34,50,52,60,72
French	10,64
Fridge	40,51
Fuel	42,70
Full	92,98,107
Fumes	27

G	
Garage Forecourt	42
Gas Cylinder	92
Gas Leak	11
Gas Shut Off	42,83,92
Gate	22,47,52,109,120
Gate Valve Cover	71
General Waste	59
Gents	46-48,54,55
German	10,35,64
Ghs	42,89,92-94
Girls	46,51
Give Way	74,102,106,108
Glass Highlighting	33
Glass (Recycle)	51,58,59
Gloves	37,93,116
Glow In The Dark	4-7,10,13,14,17,18,28,54,74-77
Goggles	36,37,116
Good to Go Safety 125-127	
Goods Inward	46,65
Grass Cutting	105,106,108
Grinding Wheel	24,36,89
Guard Dogs	30,45,81,110
Guards (Machinery)	24,29,31,39,43,111
Guide Dog	23

H	
Hand Arm Vibration	32
Hand Protection	37,38,41
Hand Sanitiser	40
Handle With Care	38,41,68
Handrail	18,39,52
Hanging Rail	63
Hard Hat	36,110,114,121
Harmful Chemicals	27
Harness	37,125,126
Hazardous Area	29,34,41,60,111,124
Hazardous Substance Diamonds	92,93
Hazardous Substances 92-97	
Hazardous Waste	27,41
Hazchem Placards	95
Health Service	16
Hearing Loop	48
Hearing Protection	37,38,41,64,110
Heavy Plant	103,105,107,109,114
Heavy Vehicle	43
Hedge Cutting	105,106
Height Restriction	29,99,108
Helmet	36,37,64,75,93,110,114,121,122

H... continued	
High Visibility	36,43,64,110,114,121,122
High Voltage	30,31,41,72,124
Highway Maintenance	96
Highly Flammable	27,42,92
Hook	63,73,128,129
Hook & Loop	129
Horn	39,43,75
Hose Reel	6,93
Hospital	16
Hot Rail	26,50
Hot Surface	26,40
Hot Water	26,50,51,70
Hot Works	41,86
Hotel	11,50
Hydrant	7
Hydrochloric Acid	27,70
Hydrogen	70
Hygiene	40

I	
Ice	28,99
Idling	24,52
Impact Protection	66
Inclusive Signs	17,46
Induction	116
Infectious	92
Information Point	91,127
Information Signs 46-53	
Inspection Checklists	125
Inspection Systems	125-127
Irritant	27,92,93
Isolate (Electrics)	30,31,72

J	
Janitorial 58-63	

K	
Keep Away	31,41,45,110
Keep Clear	5,6,24,39,42-45,47,83,109,110
Keep Closed	12,13
Keep Gate Shut	47,52
Keep Left	34,52,102,105-107
Keep Locked	12,13,39,45,55,57,93
Keep Off	100
Keep Out	39
Keep Right	34,102,105-107
Keep Shut	12,13,55,57,64,93
Keep Tidy	20,40,62,110,120
Kerosene	95
Key Fob	50,56
Kitchen	40,46,55
Kits (Signs)	8,33,68,107,115
Knives	40

L	
Label Holder	67
Labels - Electrical	30,32,93
Labels - Fire	6,93
Labels - GHS	92,93
Labels - Haz Subs	92
Labels - Mandatory	13,93
Labels - Prohibition	21,22,24,25,93
Labels - QC	65
Labels - Shipping	33,68
Labels - Warning	26,33,93
Ladder	45,85,117,125-127
Ladies	46-48,54,55
Laser	27,33
Lavatory	47
Letters	67,77,99
Life Jacket	37,61
Lift Correctly	39,86,87
Lift (Elevator)	9-11,16,43,57,64
Lift Labels	48,68
Limited Height	29,99

L... continued	
Limited Quantity	92,95
Limited Speed	97
Line Marking	77
Live Wires	31,72
Loading	24,25,39,44,45,110
Lock Out Tag Out 71-73	
Locked (Door)	12,13,39,45,55,93
Locked (Equipment)	24,25,32,34,43,72
Lollipop Sign	105
Long Vehicle	96
Look Left/Right	109,120
Look Out For	28,29,75
Lorries	103,108,109
Lost Time Boards	113
LOTO Hasps	71
LOTO Kits	73
LOTO Padlocks	71
LOTO Signs	24,32,34,39,72
LOTO Stations	73
LOTO Tags	25,32,39,72
LOTO Valve Covers	71
Low Temperature	26
LPG	27,42

M	
Machinery - Prohibition	24,25,43
Machinery - Warning	32,33,43,114
Magnetic Rail	63
Magnetic Signs	63,68,95,96
Magnetic Tape	67
Magnetic Whiteboard	90
Mains	31,39,42,83
Maintenance	25,39,43,61,72
Male (Toilets)	34,46,118
Manager	55,118,121
Mandatory 36-40	
Manhole	29,109,111
Manual Handling	39,86,87
Mask	37,93,116
Max Headroom	81,99,102
Meeting In Progress	50,55
Meeting Room	46,121
Men At Work	29,34,43,61,106,108,111
Men Working Overhead	29,34,108,117,124
Mental Health	49
Metal (Recycle)	58,59,117
Microwave	51
Mind The Step	28,48,64,75
Mind Your Head	29
Minder Barrier	35
Mineral Oil	87
Mirror	68,69
Mobiles - Permitted	83
Mobiles - Prohibition	22,25,39,42,48,52,74,97
Mop	63
MOT	46
Motorcycle Helmet	80
Motorway Maintenance	96
Moving Vehicles	28,111
Mud On Road	103,109,120
Multi-Lingual - French	10,64
Multi-Lingual - German	10,35,64
Multi-Lingual - Polish	64
Multi-Message 41-45,112-116	
Multi Occupancy	11

N	
Naked flames/lights	22,25,42,43,93
Near miss	44,85,118
New road layout	105,109
No access	23,45,109
No admittance	23,61,64,121
No ball games	25,47,100

N... continued	
No cycling	24
No diving	25,61
No dogs	23
No drinking	22,25,52
No eating	22,25,52
No electronic devices	25,52,81
No entry	23,38,41,45,61,74,75,102,108,120,121
No exit	23,108,111
No fishing	25,61
No idling	24,52
No left/right turn	102,108
No mobile phones	22,25,48,52,74
No parking	24,43,52,77,98,100,103,107-109,120,123
No pedestrians	23,43,44,75
No reversing	24,68,109,120
No running	25,61
No smoking	20-22,40-43,48,52,57,64,75,93,97,109
No swimming	25,45,61
No tools	81,97,118
No unauthorised person	23,24,31,41,43,64,75,81,99,111,121
No vehicles	24,111
Noise	29,38,41,87,111
Noise activated sign	38
Non conforming	65
Non flammable	92
Not drinking water	25,50,51,70,93
Notice board	119
Numbers	48,56,67,77

O	
Obstructions	12,23,39,44
Office	33,46,54,55,86,118,121
Office (Report To)	52,103,108,120
One Way	74,75,102,103,108,120
Open Pit	29,111
Out Of Order	29,32,33,34,43,61,72
Overhead Cable	31
Overhead Crane	29,111,125
Overhead Loads	29,31
Overshoes	37,38
Oxidising	27,92,93
Oxygen	27

P	
Pacemaker	25
Packaging Labels	33,68
Padlocks	71
Paint	27,30,34,77,81
Pallet Marking	66
Paper (Recycle)	51,58,59
Parking (Permitted)	44,46,49,74,98-102
Passing Place	100
PAT Test	32
Pedestrian - Mandatory	39,40,74,75,77
Pedestrian - Prohibition	23,43,75,102
Pedestrian - Traffic	102-109,120
Pedestrian - Warning	29,43,44,68
Pedestrian Crossing	102,103,107-109
Pen	6,51,90,125
Permit To Work	39,41,45,60,86,110,120
Pesticide	27
Petrol	42,46,95
Photocopier	33,51
Photoluminescent	4-7,10,13,14,17,18,28,54,74-77
Pipeline Arrows	70
Pipeline Flow Marker	70
Pipeline Id	70,88

P... continued	
Placards	95
Plastic (Recycle)	51,58,59
Playground	52
Plug Safety	24,39,51,71
Pocket Guide	5,40,67,84, 87,94,116
Poison	27,92
Poles	128
Police	106
Polish	64
Poster Frame	90
Posters - First Aid	84
Posters - Legislation	86-89
Posters - Safety	85
Posters & Display	84-91
Posts - Chain	79
Posts - Parking	101
Posts - Retractable	78
Posts - Sign Fixing	78,128
Ppe Dispenser	38
Pre-Use Inspection	125-127
Premises	12,21,40,64,80
Press To Exit/Open	15
Printer	33,51,58
Private	46,55,100,108
Private Parking	47,98,99
Private Property	23,47,81,100,123
Prohibition	21-25
Projecting Signs	5-7,17,29,47,60, 72,82,111
Protective Clothing	23,26,37,40,41,114
Protruding Loads	96
Pull	15,17,47,48,55
Push	15,17,47,48, 55,57,66
Push Bar/Pad To Open	15,57
PUWER	87,125-127

Q	
Quality Control	65
Quarantine	65
Quarry	29,45,61,111
Quiet	50,52

R	
R2 Reflective Signs	52,102
RA1 Reflective Signs	102,105
Racking	24,45,65,68,125-127
Radioactive	26,92
Railway	23
Raised Ironworks	109
Ramp (Accessibility)	49,98
Ramp (Traffic)	28,101,105,107, 109,111,120
Razor Wire	30,81
Reception	46-48,54,55,98, 100,108,121
Reception (Report To)	41,45,47,108,109,120
Recycling	51,58,59
Red Tag	62,65
Reduce Speed	100,105,107,109,120
Reflective Signs	81,95,96,99,103, 106,107,116
Reflective Tape	68,124
Refuge Point	16,48,75
Refurbishment	45,110
Reject	65
Report Damage	39,41,44
Report To	45,47,100,103, 108,109,120
Reserved	98,100
Resident Parking	98-100
Residential Home	11
Respirator	37,38,41
Restricted Area	30,48,80

R... continued	
Resuscitation	83,84
Retractable Post	78
Reversing	24,43,44,68, 108-110,120,122
Ring For Attention	46,48,56
Road Closed	105,106
Road Narrows	102,103,106,107
Road Signs	102-109
Roll Top Signs	59,117
Roller Banner	91
Room Signs	46,51,55,82,121
Roundabout	102
Rubbish	12,39

S	
Safe Working Load	65,68,83
Safety Data Sheets	60
Safety Starts Here	69,75,110,120,123
Save Energy	51,59
Scaffolding	23,25,29,36,88, 111,117,125,126
School	22,51,52
Screws	129
Seatbelt	24,44,52,97
Security	30,69,80,81

Security Signs	80-81
Self Standing Signs	23,34,60
Shadow Board	63
Shoplifters	30,80
Shovel	63
Shower	46,55,82
Shut Off Valve	42,83,92
Sign Clip	104,120,128,129
Sign Fixings	128-129
Sign Frame	78,90,98,103,104
Site Entrance	103,107,109,123
Site Induction	116
Site Manager	118,121
Site Office	46,103,108,120,121

Site Safety	110-124
Site Safety Boards	112-116,119,121-123
Site Safety Rules	116,119
Site Safety Starts Here	108,110,120,123
Site Saver Signs	120,121
Site Speed Limit	103,114,121
Site Starter Packs	115
Site Traffic	29,103,107,109, 111,114
Slide To Open	15
Slippery Surface	28,34,35,50,75
Sloping Floor	28
Slow	39,43,52,75,100, 101,106
Smoking - Prohibition	20,21,22
Smoking - Vehicles	21
Smoking Legislation	21,22
Smoking Shelter	20
Snap Frame	90
Solvents	27
Sorry for Inconvenience	103,108,110
Sound Horn	39,43,44,75
Specials	130-133
Speed Bump	101
Speed Limit	97,103,121
Speed Ramp	43,101,109,120
Speed Restriction	97
Spill Kit	60,83,94
Spill Station	60,83,94
Spontaneously Combustible	92
Spray Paint	77
Staff	5,11,46,48,51, 54,55,98,100
Staff Only	46,48,54,55,100
Staff Room	46,51

S... continued	
Stair Nosing	77
Stairs	10,12,74
Stand-Off Signs	4,54
Status Tag	125
Stay Put Policy	11
Stencils	77,99
Steps	28,45,48,125,126
Stop (Traffic)	28,74,75,102 105,108
Stop-Go Sign	105
Stores	23,46,118,121
Strictly No Admittance	23,45,61
Strong Currents	28,61
Sudden Drop	28,61
Supplementary Plate	105,106
Surveillance	69,80,81
Suspended Frame	90,129
Suspended Loads	29,111
Suspended Sign Frame	38,47,91
Suspicious Items	81
Switch Off/On	24,25,39,42,43, 51,52,59,72
SWL	65,68,83
Syringes	27

T	
Table Top Signs	6,22,33,50
Tactile	5,6,14,16,22,28,48
Tags - Engraved	56
Tags - Inspection	6,62,65,92,125,126
Tags - Lockout	32,39,72
Tags - Prohibition	25,72,117
Tags - QC	65
Tags - Warning	26,31,32,72
Tailgate	28,43
Tamper Evident	83,125
Tamtorque	128
Tapes - Anti-Slip	68,76
Tapes - Barrier	60,124
Tapes - Floor Marking	68,76
Tapes - Hazard Warning	26,60,124
Tapes - Photolum	18,76
Tapes - Reflective	68,124
Telephone (Emergency)	7,82
Temporary Road Surface	105,109
Temperature	26
Terrorism	81
Test Area	29,111
Thieves	81
Thin Ice	28,61
Think Safety	49,69,110
Tidy	20,40,62,110,120
Tipping	25,111
Toilet	22,40,48,50,51, 54,55,59,121
Toilet (Female)	46,47,48,51
Toilet (Inspection)	51,53
Toilet (Male)	46,47,48,51
Toilet (Mixed)	46,47,51
Tools	63,81
Toxic	27,92,93
Traffic Signs	102-109
Trailing Cables	34
Training Booklet	86
Training DVD	86
Tree Cutting	105,106
Trespassers	30,47,80
Trip Hazard	28,34
Trucks	24,28,34,39, 43,75,125
Turn Left	108
Turn Off	51,59
Turn Right	108
Turn To Open	15,17
Tyres	28,43,58

U	
Unauthorised Entry	41,43,45 109,110, 114,121,122
Unauthorised Person	23,24,31,41, 43,64,75,81 99,111,121
Under Age	21,50
Underground Service	31,113,124
Underground Tape	124
Underground Cables	31,124
Uneven Road Surface	108
Unloading	28,39,111
Unplug	24,51
UV Light	39,41

V	
Vacant	55
Valuables	52
Valve Tags	56
Valves	6,25,42,71 72,92
Vaping	22,97
Vehicle Inspection	97,125,126
Vehicle Marking	95-97
Vehicle Plate	95,96
Vehicle Triangle	107
Vehicle (Mandatory)	12,108,110
Vehicle (Prohibition)	24,109,111,120
Vehicle (Security)	30,50,80,108
Vehicle (Warning)	28,43,109,111
Verge Signs	100
Vibration	32
Visitor Book	80
Visitors	47,80,98
Visitors (Parking)	47,98-100,121
Visitors (Report To)	41,45,47,52,100 103,108,109,114 120-122
Visor	37
Visual Impact Signs	4,54
Voltage	30,31,41,72,124

W	
Walkway	23,75,103,109
Wall Panels (First Aid)	83
Warehouse Labels	68
Warehouse Signs	64-70
Warning	26-35
Warning Diamonds	92-95
Wash Your Hands	39,40,51,69,84
Washroom	33
Waste	27,41,58,59, 70,117,118
Water Extinguisher	4,57
Water Safety	25,28
Way Guidance	18
Way In	98, 108
Way Out	98,108,123
WC	46,57
We Apologise For	103,108,110
Weekly Inspection Kits	126
Welcome To	52,100,120
Welding	29,37,43,111
Wellbeing	49
Wet Chemical	4
Wet Floor	28,34,35,50,52
Wet Paint	27,34
Wheel Chock	39
Wireless Devices	25,52
Work In Progress	29,34,43,111, 114,117,123
Works Access	105,109
Works Traffic	103,109,120
Workstation	40,62
Wrap Recycling	58

Z	
Zintec signs	105

INTERESTED IN OTHER PRODUCT RANGES?

Simply visit www.bullproducts.co.uk or for your very own copy of our latest safety catalogue, please email sales@bullproducts.co.uk or call our sales team on 0844 669 1111.

With BULL Products® looking after all your signage and safety needs, you will not only be buying top quality products but also peace of mind. This is backed up by exceptional levels of customer service and you'll see that all our products really do offer incredible value for money.

ENQUIRIES

We will be delighted to deal with any enquiries regarding our safety signage range by telephone or email between the hours of 7am and 5pm Monday to Friday. See contact details below.

Bull Products Ltd. Beacon House, 4 Beacon Road, Rotherwas Industrial Estate, Hereford, HR2 6JF.

sales@bullproducts.co.uk

www.bullproducts.co.uk



Bull Products Ltd.
Beacon House
4 Beacon Road
Rotherwas Industrial Estate
Hereford, HR2 6JF

01432 371170

sales@bullproducts.co.uk

www.bullproducts.co.uk



BULL[®]
securing your safety